CYLINDERS - PADLOCKS - COMPONENTS **.30**



E N G L I S H

ISEO®



UN MONDO PIÙ SICURO


tdi

Cylinders

R90 Factory
R7
R6 New
F6 Extra
F6
F5

Cylinders range

			 F5	 F6	 F6 Extra	 R6 New	 R7	 R90 Factory
Key type		Standard vertical	x	x	x			
		Flat reversible				x	x	x
		Compatibility with protection plates				x	x	x
Active security		Patented system						x
		Key copyright						x
		Property card **(*)**						x
		Authorised key duplication						x
		Number of coding (including passive pins)	>30.000	>200.000	>200.000	>40.000	>220.000.000	
Passive security		Cylinder removal	Projecting cam					
		Cam type	DIN					
		Drill resistant		Pin in the body	Pin in the body and in the rotor	Pin in the body	Pin in the body and in the rotor	
		Anti-picklok	Key profile and antipick pins	Key profile and antipick pins	Key profile and antipick pins	Key profile, antipick pins and active pin	Key profile, antipick pins and active pin	Key profile, antipick pins, active pin and protected key profile
		Tear-resistant	-	-	-	-	-	x
Access management	**Cylinder potential**	x1 MK	480-7.600	1.200	1.200	60.000	60.000	60.000
	Type	KA	x	x	x	x	x	x
		MK	x	x	x	x	x	x
		GMK	x	x	x	x	x	x
		GGMK	x	x	x	x	x	x
		CK	x	x	x	x	x	x
		Construction key				x	x	
		Rekeyable					x	
Range		Double profile cylinder	x	x	x	x	x	x
		Double profile cylinder, double function	x	x	x	x	x	x
		Single-profile cylinder	x	x	x	x	x	x
		Double profile cylinder with knob	x	x	x	x	x	x
		Double profile cylinder prearranged for knob	x	x	x	x	x	x
		Double profile cylinder prearranged for knob with shortenable shaft	x	x	x	x	x	x
		Other	Service cylinders					
EN1303:2005		Cyclic durability	6	6	6	6	6	6
		Key security	4	6	5	5	6	6

(*) Property card with transcoding.

ISEO cylinders rating according to EN1303:2005

	Category of use	Key strenght and cyclic durability	Door mass	Fire resistance	Safety	Corrosion resistance and temperature	Key related security	Attack resistance
F5	1	6	0	1	0	C	4	0
F6	1	6	0	1	0	C	6	0
F6 Extra	1	6	0	1	0	C	5	2
R6 New	1	6	0	1	0	C	5	0/2*
R7	1	6	0	1	0	C	6	2
R90 Factory	1	6	0	1	0	C	6	2

* **R6 New**: standard version with grade "0" anti-drill
version with grade 2 on request

Category of use
Only one grade is identified:
Grade 1 for use by people with a high incentive to exercise care and with a small chance of misuse.

Key strength and cyclic durability
Three grades of durability are identified as follows:
Grade 4 (25.000 test cycles)
Grade 5 (50.000 test cycles)
Grade 6 (100.000 test cycles).

Door mass
Only one grade of door mass is identified as follows: grade 0 - no door mass requirement.

Fire resistance
Two grades of suitability for use on fire / smoke resistant doors are identified:
Grade 0 not approved for use on fire / smoke resistant doors door assemblies;
Grade 1 suitable for use on fire / smoke resistant door assemblies.


Safety
Only one grade of safety is identified: grade 0 - no safety requirement.

Temperature and corrosion resistance
Four grades of corrosion resistance and temperature requirement are identified:
grade 0: no corrosion requirement; no temperature requirement;
grade A: high corrosion resistance; no temperature requirement;
grade B: no corrosion requirement; temperature requirement: from – 20 °C to + 80 °C;
grade C: high corrosion resistance; temperature requirement: from – 20 °C to + 80 °C.

Key related security
Six grades of key related security are identified.
One of the features is the number of different possible combinations: from min. 100 (grade 1) to max. 100.000 (grade 6).

Attack resistance
Three grades of resistance against drilling and mechanical attack are identified.
grade 0: no resistance against drilling and mechanical attack;
grade 1: 3 / 5 minutes resistance against drilling and mechanical attack;
grade 2: 5 / 10 minutes resistance against drilling and mechanical attack.

Example of certifications



CERTIFICAZIONE DI PRODOTTO
PRODUCT CERTIFICATION

ICIM

CERTIFICATO N° / CERTIFICATE N° 009AC/1

ISEO SERRATURE S.p.A.
Via San Girolamo, 13
PISOGNE (BS) ITALY

CILINDRO PER SERRATURE
LOCKS CYLINDER

Serie R7 Art. 8*R7,
Serie R11 Art. 89,
Serie R50 / R100 Art. 8A.

EN 1303:05 - ICIM 70R009

1 6 0 1 0 C 6 2

Prima Emissione / First issue 06/10/2010
Emissione corrente / Current issue 06/10/2013
Data di scadenza / Expiring date 05/10/2016

ICIM S.p.A.



PIV CERT

Certificate

Iseo Deutschland GmbH
Wiesestr. 190
D-07548 Gera

for the product
Profile cylinder
DIN 18252-42-BZ

DIN EN 1303:2005-04
1 6 0 0 0 C 6 2

with the product name
CSR R90

in the version
Double profile-, half profile-, knob-type cylinder, profile cylinder with emergency mode of operation, central locking systems, master-key locking systems

manufactured in the production plant
Iseo Deutschland GmbH
Wiesestr. 190
D-07548 Gera

is in conformity with DIN 18252:2006-12 / DIN EN 1303:2005-04 + certification program Z0005 PIV CERT
and that the product is entitled to bear the symbol

PIV CERT
in conjunction with the registration number 0V47

PIV CERT Zertifizierungsvereinigung
Wallstraße 41, D-42551 Velbert

R. Ehle, Dipl.-Ing.
Director of the Certification Office
31. January 2011

EN 1303



Kitemark® Licence

No. KM 544418

The licence is granted to:

ISEO Serrature SpA
Via San Girolamo, 13
Pisogne
Brescia
25055
Italy

In respect of:
TS 007: Enhanced security performance requirements for replacement cylinders and/or associated security hardware

This issues the right and licence to use the Kitemark in accordance with the Kitemark Licence Conditions of Contract governing the use of the Kitemark, as may be updated from time to time by The British Standards Institution, and as approved by the Registrar under the Trade Marks Act 1994 (the "Conditions"). All defined terms in this Licence shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Licence provided at or from the above address.

For and on behalf of BSI:

Gary Fenton, Global Assurance Director

First Issued: 20/07/2009 Latest Issue: 21/03/2012

raising standards worldwide™

Page 1 of 3



ISTITUTO GIORDANO

ATTESTATO DI PROVA N. 242762

(Riferimento al rapporto di prova n. 215233 emesso da questo Istituto in data 28/08/2006)

Luogo e data di emissione: Bellaria-Igea Marina - Italia, 08/07/2008
Committente: ISEO SERRATURE S.p.A. - Via San Girolamo, 13 - 25055 PISOGNE (BS) - Italia
Data della richiesta della prova: 10/04/2006
Numero e data della commessa: 41873, 01/07/2008
Data del ricevimento del campione: dal 03/08/2005 al 03/08/2006
Data dell'esecuzione della prova: dal 03/08/2005 al 09/08/2006
Oggetto della prova: Prove su cilindri per serrature secondo la norma UNI EN 1303:2005
Luogo della prova: Istituto Giordano S.p.A. - Blocco 4 - Via San Mauro, 8 - 47814 Bellaria-Igea Marina (RN) - Italia
Provenienza del campione: campionato e fornito dal Committente
Identificazione del campione in accettazione: n. 2005/1507, n. 2005/1715, n. 2005/1979, n. 2005/2227, n. 2005/2270, n. 2006/0306 e n. 2006/1838

Denominazione del campione*.
Il campione sottoposto a prova è denominato "CILINDRO ISEO CHIAVE VERTICALE SERIE F6".

Riferimenti normativi.
La prova è stata eseguita secondo le prescrizioni della norma UNI EN 1303:2005 "Accessori per serramenti. Cilindri per serrature. Requisiti e metodi di prova".

Esito delle prove.
In base alle prove eseguite, in base ai risultati ottenuti ed in base a quanto indicato nella norma UNI EN 1303:2005, il cilindro "CILINDRO ISEO CHIAVE VERTICALE SERIE F6" sottoposto a prova può essere classificato con il seguente sistema di codifica a 8 caratteri:

1 6 0 0 0 C 6* 0

(**) I dati del numero effettivo delle combinazioni, delle parti in movimento, del massimo numero di passi allo stesso livello nella chiave, sono stati desunti da dati forniti dal Committente e non verificati sul campione in prova.

Per quanto riguarda la descrizione del campione, le modalità della prova, le apparecchiature di prova, i risultati della prova e quant'altro necessario all'identificazione dell'attività svolta si rimanda al rapporto di prova n. 215233 emesso da questo Istituto in data 28/08/2006.

(*) secondo le dichiarazioni del Committente.

Il Responsabile Tecnico di Prova (Geom. Roberto Forti) | Il Responsabile del Laboratorio di Fisica Tecnica (Dott. Ing. Vincenzo Iommi) | Il Presidente o l'Amministratore Delegato Dott. Ing. Vincenzo Iommi

Comp. Alfy Revis. | Il presente attestato di prova è composto da n. 1 foglio. | Foglio n. 1 di 1

EN 1303

Cylinders


CSR
R90 Factory

R90 Factory






R90 Factory **PATENTED SYSTEM,** European single profile **nickel-plated** cylinder,
14-pin coding, reversible nickel silver key.
Protected and registered key profile. **BUMP RESISTANT.**
Anti-drill device in the cylinder body and in the rotor.
Stainless steel top pins. 8-position DIN cam.
5 KEYS. **PROPERTY CARD.** Fixing screw.




L C + D	NICKEL	Single package	Multiple package	Min. ord.
Length mm 40 (30+10)	**82RC030109.F.5**	1	10	10
Length mm 50 (40+10)	**82RC040109.F.5**	1	10	10
Length mm 60 (50+10)	**82RC050109.F.5**	1	10	10

MORE SIZES ON REQUEST



R90 Factory





R90 Factory **PATENTED SYSTEM,** European double profile **nickel-plated** cylinder,
DOUBLE FUNCTION, 14-pin coding, reversible nickel silver key.
Protected and registered key profile. **BUMP RESISTANT.**
Anti-drill device in the cylinder body and in the rotor.
Stainless steel top pins. Anti-break bar. 30° DIN cam.
5 KEYS. **PROPERTY CARD.** Fixing screw.


L	C + D	Code	NICKEL	Single package	Multiple package	Min. ord.
Length mm 60	(30+30)	82RC930309.F.5		1	10	10
Length mm 65	(30+35)	82RC930359.F.5		1	10	10
Length mm 70	(30+40)	82RC930409.F.5		1	10	10
Length mm 75	(35+40)	82RC935409.F.5		1	10	10
Length mm 80	(30+50)	82RC930509.F.5		1	10	10
	(35+45)	82RC935459.F.5		1	10	10
	(40+40)	82RC940409.F.5		1	10	10
Length mm 85	(35+50)	82RC935509.F.5		1	10	10
Length mm 90	(30+60)	82RC930609.F.5		1	10	10
	(35+55)	82RC935559.F.5		1	10	10
	(40+50)	82RC940509.F.5		1	10	10
	(45+45)	82RC945459.F.5		1	10	10
Length mm 100	(30+70)	82RC930709.F.5		1	10	10
	(45+55)	82RC945559.F.5		1	10	10
	(50+50)	82RC950509.F.5		1	10	10
	(40+60)	82RC940609.F.5		1	10	10
Length mm 110	(30+80)	82RC930809.F.5		1	10	10
	(40+70)	82RC940709.F.5		1	10	10
	(50+60)	82RC950609.F.5		1	10	10


MORE SIZES ON REQUEST

R90 Factory



R90 Factory **PATENTED SYSTEM,** European double profile **nickel-plated** cylinder, **PREARRANGED FOR KNOB, 14-pin** coding, reversible nickel silver key. Protected and registered key profile. **BUMP RESISTANT.** Anti-drill device in the cylinder body and in the rotor. Stainless steel top pins. Anti-break bar. **Shaft Ø 8x75 mm.** 30° DIN cam. **5 KEYS**. **PROPERTY CARD.** Fixing screw.





L	C + D		NICKEL	Code	Single package	Multiple package	Min. ord.
Body length mm 60	(knob 30+30)			**82RC6D0309.F.5**	1	10	10
Body length mm 70	(knob 30+40)			**82RC6D0409.F.5**	1	10	10
Body length mm 80	(knob 30+50)			**82RC6D0509.F.5**	1	10	10
Body length mm 90	(knob 30+60)			**82RC6D0609.F.5**	1	10	10
Body length mm 100	(knob 30+70)			**82RC6D0709.F.5**	1	10	10

MORE SIZES ON REQUEST

Cylinders


R7

ISEO®

R7







R7 European **SINGLE-PROFILE** cylinder. Nickel-plated brass flat key with 11 pins.
BUMP RESISTANT. Anti-drill device in the cylinder body and in the rotor.
8-position DIN cam. **5 KEYS. CODE CARD.**
Key head cap. 85 mm screw. (Key blank code: 020909).

L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 40	(30+10)	**82R7030107...5**	**82R7030109...5**	1	10	10
Length mm 45	(35+10)	**82R7035107...5**	**82R7035109...5**	1	10	10
Length mm 50	(40+10)	**82R7040107...5**	**82R7040109...5**	1	10	10
Length mm 55	(45+10)	**82R7045107...5**	**82R7045109...5**	1	10	10
Length mm 60	(50+10)	**82R7050107...5**	**82R7050109...5**	1	10	10
Length mm 65	(55+10)	**82R7055107...5**	**82R7055109...5**	1	10	10
Length mm 70	(60+10)	**82R7060107...5**	**82R7060109...5**	1	10	10
Length mm 75	(65+10)	**82R7065107...5**	**82R7065109...5**	1	10	10
Length mm 80	(70+10)	**82R7070107...5**	**82R7070109...5**	1	10	10
Length mm 85	(75+10)	**82R7075107...5**	**82R7075109...5**	1	10	10
Length mm 90	(80+10)	**82R7080107...5**	**82R7080109...5**	1	10	10
Length mm 95	(85+10)	**82R7085107...5**	**82R7085109...5**	1	-	1
Length mm 100	(90+10)	**82R7090107...5**	**82R7090109...5**	1	-	1

MORE SIZES ON REQUEST


FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 82R7030107).

ISEO®

R7







R7 European **DOUBLE-PROFILE** cylinder. Nickel-plated brass flat key with 11 pins.
BUMP RESISTANT. Anti-drill device in the cylinder body and in the rotor.
30° DIN cam. **5 KEYS. CODE CARD.**
Key head cap. 85 mm screw. (Key blank code: 020909).

L	C + D	BRASS	NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(28+28)	**82R7028287...5**	**82R7028289...5**	1	10	10
Length mm 61	(28+33)	**82R7028337...5**	**82R7028339...5**	1	10	10
Length mm 60	(30+30)	**82R7030307...5**	**82R7030309...5**	1	10	10
Length mm 65	(30+35)	**82R7030357...5**	**82R7030359...5**	1	10	10
Length mm 70	(30+40)	**82R7030407...5**	**82R7030409...5**	1	10	10
	(35+35)	**82R7035357...5**	**82R7035359...5**	1	10	10
Length mm 75	(30+45)	**82R7030457...5**	**82R7030459...5**	1	10	10
	(35+40)	**82R7035407...5**	**82R7035409...5**	1	10	10
Length mm 80	(30+50)	**82R7030507...5**	**82R7030509...5**	1	10	10
	(35+45)	**82R7035457...5**	**82R7035459...5**	1	10	10
	(40+40)	**82R7040407...5**	**82R7040409...5**	1	10	10
Length mm 85	(30+55)	**82R7030557...5**	**82R7030559...5**	1	10	10
	(35+50)	**82R7035507...5**	**82R7035509...5**	1	10	10
	(40+45)	**82R7040457...5**	**82R7040459...5**	1	10	10
Length mm 90	(30+60)	**82R7030607...5**	**82R7030609...5**	1	10	10
	(35+55)	**82R7035557...5**	**82R7035559...5**	1	10	10
	(40+50)	**82R7040507...5**	**82R7040509...5**	1	10	10
	(45+45)	**82R7045457...5**	**82R7045459...5**	1	10	10
Length mm 95	(30+65)	**82R7030657...5**	**82R7030659...5**	1	-	1
	(35+60)	**82R7035607...5**	**82R7035609...5**	1	-	1
	(40+55)	**82R7040557...5**	**82R7040559...5**	1	-	1
	(45+50)	**82R7045507...5**	**82R7045509...5**	1	-	1
Length mm 100	(30+70)	**82R7030707...5**	**82R7030709...5**	1	-	1
	(35+65)	**82R7035657...5**	**82R7035659...5**	1	-	1
	(40+60)	**82R7040607...5**	**82R7040609...5**	1	-	1
	(45+55)	**82R7045557...5**	**82R7045559...5**	1	-	1
	(50+50)	**82R7050507...5**	**82R7050509...5**	1	-	1
Length mm 105	(30+75)	**82R7030757...5**	**82R7030759...5**	1	-	1
	(35+70)	**82R7035707...5**	**82R7035709...5**	1	-	1
	(40+65)	**82R7040657...5**	**82R7040659...5**	1	-	1
	(45+60)	**82R7045607...5**	**82R7045609...5**	1	-	1
	(50+55)	**82R7050557...5**	**82R7050559...5**	1	-	1
Length mm 110	(30+80)	**82R7030807...5**	**82R7030809...5**	1	-	1
	(35+75)	**82R7035757...5**	**82R7035759...5**	1	-	1
	(40+70)	**82R7040707...5**	**82R7040709...5**	1	-	1
	(45+65)	**82R7045657...5**	**82R7045659...5**	1	-	1
	(50+60)	**82R7050607...5**	**82R7050609...5**	1	-	1
	(55+55)	**82R7055557...5**	**82R7055559...5**	1	-	1
Length mm 115	(30+85)	**82R7030857...5**	**82R7030859...5**	1	-	1
	(35+80)	**82R7035807...5**	**82R7035809...5**	1	-	1
	(40+75)	**82R7040757...5**	**82R7040759...5**	1	-	1
	(45+70)	**82R7045707...5**	**82R7045709...5**	1	-	1
	(50+65)	**82R7050657...5**	**82R7050659...5**	1	-	1
	(55+60)	**82R7055607...5**	**82R7055609...5**	1	-	1


ISEO®

R7

L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 120	(30+90)	**82R7030907...5**	**82R7030909...5**	1	-	1
	(35+85)	**82R7035857...5**	**82R7035859...5**	1	-	1
	(40+80)	**82R7040807...5**	**82R7040809...5**	1	-	1
	(45+75)	**82R7045757...5**	**82R7045759...5**	1	-	1
	(50+70)	**82R7050707...5**	**82R7050709...5**	1	-	1
	(55+65)	**82R7055657...5**	**82R7055659...5**	1	-	1
	(60+60)	**82R7060607...5**	**82R7060609...5**	1	-	1
Length mm 125	(35+90)	**82R7035907...5**	**82R7035909...5**	1	-	1
	(40+85)	**82R7040857...5**	**82R7040859...5**	1	-	1
	(45+80)	**82R7045807...5**	**82R7045809...5**	1	-	1
	(50+75)	**82R7050757...5**	**82R7050759...5**	1	-	1
	(55+70)	**82R7055707...5**	**82R7055709...5**	1	-	1
	(60+65)	**82R7060657...5**	**82R7060659...5**	1	-	1
Length mm 130	(40+90)	**82R7040907...5**	**82R7040909...5**	1	-	1
	(45+85)	**82R7045857...5**	**82R7045859...5**	1	-	1
	(50+80)	**82R7050807...5**	**82R7050809...5**	1	-	1
	(55+75)	**82R7055757...5**	**82R7055759...5**	1	-	1
	(60+70)	**82R7060707...5**	**82R7060709...5**	1	-	1







R7 European **DOUBLE-PROFILE** cylinder. Nickel-plated brass flat key with 11 pins.
DOUBLE FUNCTION, also operates when keyed-in. **BUMP RESISTANT.**
Anti-drill device in the cylinder body and in the rotor.
30° DIN cam. **5 KEYS. CODE CARD**.
Key head cap. 85 mm screw. (Key blank code: 020909).

L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 60	(30+30)	**82R7930307...5**	**82R7930309...5**	1	10	10
Length mm 65	(30+35)	**82R7930357...5**	**82R7930359...5**	1	10	10
Length mm 70	(30+40)	**82R7930407...5**	**82R7930409...5**	1	10	10
	(35+35)	**82R7935357...5**	**82R7935359...5**	1	10	10
Length mm 75	(30+45)	**82R7930457...5**	**82R7930459...5**	1	10	10
	(35+40)	**82R7935407...5**	**82R7935409...5**	1	10	10
Length mm 80	(30+50)	**82R7930507...5**	**82R7930509...5**	1	10	10
	(35+45)	**82R7935457...5**	**82R7935459...5**	1	10	10
	(40+40)	**82R7940407...5**	**82R7940409...5**	1	10	10
Length mm 85	(30+55)	**82R7930557...5**	**82R7930559...5**	1	10	10
	(35+50)	**82R7935507...5**	**82R7935509...5**	1	10	10
	(40+45)	**82R7940457...5**	**82R7940459...5**	1	10	10
Length mm 90	(30+60)	**82R7930607...5**	**82R7930609...5**	1	10	10
	(35+55)	**82R7935557...5**	**82R7935559...5**	1	10	10
	(40+50)	**82R7940507...5**	**82R7940509...5**	1	10	10
	(45+45)	**82R7945457...5**	**82R7945459...5**	1	10	10
Length mm 95	(30+65)	**82R7930657...5**	**82R7930659...5**	1	-	1
	(35+60)	**82R7935607...5**	**82R7935609...5**	1	-	1
	(40+55)	**82R7940557...5**	**82R7940559...5**	1	-	1
	(45+50)	**82R7945507...5**	**82R7945509...5**	1	-	1

FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 82R7030307).

ISEO®

BUMP RESISTANT NEW

R7

L C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 100 (30+70)	82R7930707...5	82R7930709...5	1	-	1
(35+65)	82R7935657...5	82R7935659...5	1	-	1
(40+60)	82R7940607...5	82R7940609...5	1	-	1
(45+55)	82R7945557...5	82R7945559...5	1	-	1
(50+50)	82R7950507...5	82R7950509...5	1	-	1
Length mm 105 (30+75)	82R7930757...5	82R7930759...5	1	-	1
(35+70)	82R7935707...5	82R7935709...5	1	-	1
(40+65)	82R7940657...5	82R7940659...5	1	-	1
(45+60)	82R7945607...5	82R7945609...5	1	-	1
(50+55)	82R7950557...5	82R7950559...5	1	-	1
Length mm 110 (30+80)	82R7930807...5	82R7930809...5	1	-	1
(35+75)	82R7935757...5	82R7935759...5	1	-	1
(40+70)	82R7940707...5	82R7940709...5	1	-	1
(45+65)	82R7945657...5	82R7945659...5	1	-	1
(50+60)	82R7950607...5	82R7950609...5	1	-	1
(55+55)	82R7955557...5	82R7955559...5	1	-	1
Length mm 115 (30+85)	82R7930857...5	82R7930859...5	1	-	1
(35+80)	82R7935807...5	82R7935809...5	1	-	1
(40+75)	82R7940757...5	82R7940759...5	1	-	1
(45+70)	82R7945707...5	82R7945709...5	1	-	1
(50+65)	82R7950657...5	82R7950659...5	1	-	1
(55+60)	82R7955607...5	82R7955609...5	1	-	1
Length mm 120 (30+90)	82R7930907...5	82R7930909...5	1	-	1
(35+85)	82R7935857...5	82R7935859...5	1	-	1
(40+80)	82R7940807...5	82R7940809...5	1	-	1
(45+75)	82R7945757...5	82R7945759...5	1	-	1
(50+70)	82R7950707...5	82R7950709...5	1	-	1
(55+65)	82R7955657...5	82R7955659...5	1	-	1
(60+60)	82R7960607...5	82R7960609...5	1	-	1
Length mm 125 (35+90)	82R7935907...5	82R7935909...5	1	-	1
(40+85)	82R7940857...5	82R7940859...5	1	-	1
(50+75)	82R7950757...5	82R7950759...5	1	-	1
(55+70)	82R7955707...5	82R7955709...5	1	-	1
Length mm 130 (40+90)	82R7940907...5	82R7940909...5	1	-	1
(45+85)	82R7945857...5	82R7945859...5	1	-	1
(50+80)	82R7950807...5	82R7950809...5	1	-	1
(55+75)	82R7955757...5	82R7955759...5	1	-	1
(60+70)	82R7960707...5	82R7960709...5	1	-	1

FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 82R7930307).


ISEO®

NEW BUMP RESISTANT

R7







R7 **EUROPEAN PROFILE** cylinder with internal **ROUND KNOB**.
Nickel-plated brass flat key with 11 pins.**BUMP RESISTANT.** Anti-drill device in the cylinder body and in the rotor. 30° DIN cam. **5 KEYS**. **CODE CARD**.
Key head cap. 85 mm screw. (Key blank code: 020909).




L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(knob 28+28)	**82R7828287...5**	**82R7828289...5**	1	10	10
Length mm 61	(knob 28+33)	**82R7828337...5**	**82R7828339...5**	1	10	10
Length mm 60	(knob 30+30)	**82R7830307...5**	**82R7830309...5**	1	10	10
Length mm 65	(knob 30+35)	**82R7830357...5**	**82R7830359...5**	1	10	10
Length mm 70	(knob 30+40)	**82R7830407...5**	**82R7830409...5**	1	10	10
	(knob 35+35)	**82R7835357...5**	**82R7835359...5**	1	10	10
Length mm 75	(knob 30+45)	**82R7830457...5**	**82R7830459...5**	1	10	10
	(knob 35+40)	**82R7835407...5**	**82R7835409...5**	1	10	10
Length mm 80	(knob 30+50)	**82R7830507...5**	**82R7830509...5**	1	10	10
	(knob 35+45)	**82R7835457...5**	**82R7835459...5**	1	10	10
	(knob 40+40)	**82R7840407...5**	**82R7840409...5**	1	10	10
Length mm 85	(knob 30+55)	**82R7830557...5**	**82R7830559...5**	1	10	10
	(knob 35+50)	**82R7835507...5**	**82R7835509...5**	1	10	10
	(knob 40+45)	**82R7840457...5**	**82R7840459...5**	1	10	10
Length mm 90	(knob 30+60)	**82R7830607...5**	**82R7830609...5**	1	10	10
	(knob 35+55)	**82R7835557...5**	**82R7835559...5**	1	10	10
	(knob 40+50)	**82R7840507...5**	**82R7840509...5**	1	10	10
	(knob 45+45)	**82R7845457...5**	**82R7845459...5**	1	10	10
Length mm 95	(knob 30+65)	**82R7830657...5**	**82R7830659...5**	1	-	1
	(knob 35+60)	**82R7835607...5**	**82R7835609...5**	1	-	1
	(knob 40+55)	**82R7840557...5**	**82R7840559...5**	1	-	1
	(knob 45+50)	**82R7845507...5**	**82R7845509...5**	1	-	1
Length mm 100	(knob 30+70)	**82R7830707...5**	**82R7830709...5**	1	-	1
	(knob 35+65)	**82R7835657...5**	**82R7835659...5**	1	-	1
	(knob 40+60)	**82R7840607...5**	**82R7840609...5**	1	-	1
	(knob 45+55)	**82R7845557...5**	**82R7845559...5**	1	-	1
	(knob 50+50)	**82R7850507...5**	**82R7850509...5**	1	-	1
Length mm 105	(knob 30+75)	**82R7830757...5**	**82R7830759...5**	1	-	1
	(knob 35+70)	**82R7835707...5**	**82R7835709...5**	1	-	1
	(knob 40+65)	**82R7840657...5**	**82R7840659...5**	1	-	1
	(knob 45+60)	**82R7845607...5**	**82R7845609...5**	1	-	1
	(knob 50+55)	**82R7850557...5**	**82R7850559...5**	1	-	1
Length mm 110	(knob 30+80)	**82R7830807...5**	**82R7830809...5**	1	-	1
	(knob 35+75)	**82R7835757...5**	**82R7835759...5**	1	-	1
	(knob 40+70)	**82R7840707...5**	**82R7840709...5**	1	-	1
	(knob 45+65)	**82R7845657...5**	**82R7845659...5**	1	-	1
	(knob 50+60)	**82R7850607...5**	**82R7850609...5**	1	-	1
	(knob 55+55)	**82R7855557...5**	**82R7855559...5**	1	-	1
Length mm 115	(knob 30+85)	**82R7830857...5**	**82R7830859...5**	1	-	1
	(knob 35+80)	**82R7835807...5**	**82R7835809...5**	1	-	1
	(knob 40+75)	**82R7840757...5**	**82R7840759...5**	1	-	1
	(knob 45+70)	**82R7845707...5**	**82R7845709...5**	1	-	1
	(knob 50+65)	**82R7850657...5**	**82R7850659...5**	1	-	1
	(knob 55+60)	**82R7855607...5**	**82R7855609...5**	1	-	1


ISEO®

BUMP RESISTANT NEW

R7








L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 120	(knob 30+90)	**82R7830907...5**	**82R7830909...5**	1	-	1
	(knob 35+85)	**82R7835857...5**	**82R7835859...5**	1	-	1
	(knob 40+80)	**82R7840807...5**	**82R7840809...5**	1	-	1
	(knob 45+75)	**82R7845757...5**	**82R7845759...5**	1	-	1
	(knob 50+70)	**82R7850707...5**	**82R7850709...5**	1	-	1
	(knob 55+65)	**82R7855657...5**	**82R7855659...5**	1	-	1
	(knob 60+60)	**82R7860607...5**	**82R7860609...5**	1	-	1
Length mm 125	(knob 35+90)	**82R7835907...5**	**82R7835909...5**	1	-	1
	(knob 40+85)	**82R7840857...5**	**82R7840859...5**	1	-	1
	(knob 45+80)	**82R7845807...5**	**82R7845809...5**	1	-	1
	(knob 50+75)	**82R7850757...5**	**82R7850759...5**	1	-	1
	(knob 55+70)	**82R7855707...5**	**82R7855709...5**	1	-	1
	(knob 60+65)	**82R7860657...5**	**82R7860659...5**	1	-	1
Length mm 130	(knob 40+90)	**82R7840907...5**	**82R7840909...5**	1	-	1
	(knob 45+85)	**82R7845857...5**	**82R7845859...5**	1	-	1


FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 82R7830307).

R7









R7 **EUROPEAN PROFILE** cylinder with **Ø 8X75 SHAFT** prearranged for internal knob.
Nickel-plated brass flat key with 11 pins. **BUMP RESISTANT.**
Anti-drill device in the cylinder body and in the rotor.
30° DIN cam. **5 KEYS**. **CODE CARD.**
Key head cap. 85 mm screw. (Key blank code: 020909).



L	C + D	BRASS	NICKEL	Single package	Multiple package	Min. ord.
Body length mm 60	(knob 30+30)	**82R76D0307...5**	**82R76D0309...5**	1	10	10
Body length mm 65	(knob 30+35)	**82R76D0357...5**	**82R76D0359...5**	1	10	10
Body length mm 70	(knob 30+40)	**82R76D0407...5**	**82R76D0409...5**	1	10	10
Body length mm 75	(knob 30+45)	**82R76D0457...5**	**82R76D0459...5**	1	10	10
Body length mm 80	(knob 30+50)	**82R76D0507...5**	**82R76D0509...5**	1	10	10
Body length mm 85	(knob 30+55)	**82R76D0557...5**	**82R76D0559...5**	1	10	10
Body length mm 90	(knob 30+60)	**82R76D0607...5**	**82R76D0609...5**	1	10	10
Body length mm 95	(knob 30+65)	**82R76D0657...5**	**82R76D0659...5**	1	-	1
Body length mm 100	(knob 30+70)	**82R76D0707...5**	**82R76D0709...5**	1	-	1

FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 82R7830307).

Cylinders


R6 New

R6 New





R6 New, European **SINGLE-PROFILE** cylinder. Nickel-plated brass flat key with 6 pins. Anti-drill device in the cylinder body. 8-position DIN cam. **5 KEYS. CODE CARD**. 65 mm screw. (Key blank code: 020839).




L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 40	(30+10)	**880930107..5**	**880930109..5**	1	10	10
Length mm 45	(35+10)	**880935107..5**	**880935109..5**	1	10	10
Length mm 50	(40+10)	**880940107..5**	**880940109..5**	1	10	10
Length mm 60	(50+10)	**880950107..5**	**880950109..5**	1	10	10
Length mm 65	(55+10)	**880955107..5**	**880955109..5**	1	10	10
Length mm 70	(60+10)	**880960107..5**	**880960109..5**	1	10	10
Length mm 75	(65+10)	**880965107..5**	**880965109..5**	1	10	10
Length mm 80	(70+10)	**880970107..5**	**880970109..5**	1	10	10
Length mm 90	(80+10)	**880980107..5**	**880980109..5**	1	10	10
Length mm 100	(90+10)	**880990107..5**	**880990109..5**	1	-	1

FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 880930107).

R6 New







R6 New, European **DOUBLE-PROFILE** cylinder. Nickel-plated brass flat key with 6 pins. Anti-drill device in the cylinder body . 30°DIN cam.
5 KEYS. CODE CARD. 65 mm screw. (Key blank code: 020839).

L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(28+28)	**880928287..5**	**880928289..5**	1	10	10
Length mm 61	(28+33)	**880928337..5**	**880928339..5**	1	10	10
Length mm 60	(30+30)	**880930307..5**	**880930309..5**	1	10	10
Length mm 65	(30+35)	**880930357..5**	**880930359..5**	1	10	10
Length mm 70	(30+40)	**880930407..5**	**880930409..5**	1	10	10
	(35+35)	**880935357..5**	**880935359..5**	1	10	10
Length mm 75	(30+45)	**880930457..5**	**880930459..5**	1	10	10
	(35+40)	**880935407..5**	**880935409..5**	1	10	10
Length mm 80	(30+50)	**880930507..5**	**880930509..5**	1	10	10
	(35+45)	**880935457..5**	**880935459..5**	1	10	10
	(40+40)	**880940407..5**	**880940409..5**	1	10	10
Length mm 85	(30+55)	**880930557..5**	**880930559..5**	1	10	10
	(35+50)	**880935507..5**	**880935509..5**	1	10	10
	(40+45)	**880940457..5**	**880940459..5**	1	10	10
Length mm 90	(30+60)	**880930607..5**	**880930609..5**	1	10	10
	(40+50)	**880940507..5**	**880940509..5**	1	10	10
	(45+45)	**880945457..5**	**880945459..5**	1	10	10
Length mm 95	(30+65)	**880930657..5**	**880930659..5**	1	-	1
	(40+55)	**880940557..5**	**880940559..5**	1	-	1
Length mm 100	(30+70)	**880930707..5**	**880930709..5**	1	-	1
	(35+65)	**880935657..5**	**880935659..5**	1	-	1
	(40+60)	**880940607..5**	**880940609..5**	1	-	1
	(50+50)	**880950507..5**	**880950509..5**	1	-	1
Length mm 105	(30+75)	**880930757..5**	**880930759..5**	1	-	1
	(50+55)	**880950557..5**	**880950559..5**	1	-	1
Length mm 110	(30+80)	**880930807..5**	**880930809..5**	1	-	1
	(50+60)	**880950607..5**	**880950609..5**	1	-	1
Length mm 120	(65+55)	**880965557..5**	**880965559..5**	1	-	1


FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 880930307).

R6 New



R6 New, European **DOUBLE-PROFILE** cylinder. Nickel-plated brass flat key with 6 pins. **DOUBLE FUNCTION**, also operates when keyed-in.
Anti-drill device in the cylinder body. 30°DIN cam.
5 KEYS. CODE CARD. 65 mm screw. (Key blank code: 020839).







L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 60	(30+30)	**889930307..5**	**889930309..5**	1	10	10
Length mm 65	(30+35)	**889930357..5**	**889930359..5**	1	10	10
Length mm 70	(30+40)	**889930407..5**	**889930409..5**	1	10	10
	(35+35)	**889935357..5**	**889935359..5**	1	10	10
Length mm 75	(30+45)	**889930457..5**	**889930459..5**	1	10	10
	(35+40)	**889935407..5**	**889935409..5**	1	10	10
Length mm 80	(30+50)	**889930507..5**	**889930509..5**	1	10	10
	(35+45)	**889935457..5**	**889935459..5**	1	10	10
	(40+40)	**889940407..5**	**889940409..5**	1	10	10
Length mm 85	(30+55)	**889930557..5**	**889930559..5**	1	10	10
	(35+50)	**889935507..5**	**889935509..5**	1	10	10
	(40+45)	**889940457..5**	**889940459..5**	1	10	10
Length mm 90	(30+60)	**889930607..5**	**889930609..5**	1	10	10
	(40+50)	**889940507..5**	**889940509..5**	1	10	10
	(45+45)	**889945457..5**	**889945459..5**	1	10	10
Length mm 95	(30+65)	**889930657..5**	**889930659..5**	1	-	1
	(40+55)	**889940557..5**	**889940559..5**	1	-	1
Length mm 100	(30+70)	**889930707..5**	**889930709..5**	1	-	1
	(40+60)	**889940607..5**	**889940609..5**	1	-	1
	(50+50)	**889950507..5**	**889950509..5**	1	-	1
Length mm 105	(30+75)	**889930757..5**	**889930759..5**	1	-	1
Length mm 110	(30+80)	**889930807..5**	**889930809..5**	1	-	1
	(50+60)	**889950607..5**	**889950609..5**	1	-	1

FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 880930307).

R6 New







R6 New, **EUROPEAN PROFILE** cylinder with internal **ROUND KNOB**.
Nickel-plated brass flat key with 6 pins.
Anti-drill device in the cylinder body 30°DIN cam.
5 KEYS. CODE CARD. 65 mm screw. (Key blank code: 020839).

L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(knob 28+28)	**888928287..5**	**888928289..5**	1	10	10
Length mm 60	(knob 30+30)	**888930307..5**	**888930309..5**	1	10	10
Length mm 61	(knob 28+33)	**888928337..5**	**888928339..5**	1	10	10
Length mm 65	(knob 30+35)	**888930357..5**	**888930359..5**	1	10	10
Length mm 70	(knob 30+40)	**888930407..5**	**888930409..5**	1	10	10
	(knob 35+35)	**888935357..5**	**888935359..5**	1	10	10
Length mm 75	(knob 30+45)	**888930457..5**	**888930459..5**	1	10	10
	(knob 35+40)	**888935407..5**	**888935409..5**	1	10	10
Length mm 80	(knob 30+50)	**888930507..5**	**888930509..5**	1	10	10
	(knob 35+45)	**888935457..5**	**888935459..5**	1	10	10
	(knob 40+40)	**888940407..5**	**888940409..5**	1	10	10
Length mm 85	(knob 30+55)	**888930557..5**	**888930559..5**	1	10	10
	(knob 35+50)	**888935507..5**	**888935509..5**	1	10	10
	(knob 40+45)	**888940457..5**	**888940459..5**	1	10	10
Length mm 90	(knob 30+60)	**888930607..5**	**888930609..5**	1	10	10
	(knob 35+55)	**888935557..5**	**888935559..5**	1	10	10
	(knob 40+50)	**888940507..5**	**888940509..5**	1	10	10
	(knob 45+45)	**888945457..5**	**888945459..5**	1	10	10
Length mm 95	(knob 30+65)	**888930657..5**	**888930659..5**	1	-	1
	(knob 35+60)	**888935607..5**	**888935609..5**	1	-	1
	(knob 40+55)	**888940557..5**	**888940559..5**	1	-	1
	(knob 45+50)	**888945507..5**	**888945509..5**	1	-	1
Length mm 100	(knob 30+70)	**888930707..5**	**888930709..5**	1	-	1
	(knob 35+65)	**888935657..5**	**888935659..5**	1	-	1
	(knob 40+60)	**888940607..5**	**888940609..5**	1	-	1
	(knob 45+55)	**888945557..5**	**888945559..5**	1	-	1
	(knob 50+50)	**888950507..5**	**888950509..5**	1	-	1
Length mm 105	(knob 30+75)	**888930757..5**	**888930759..5**	1	-	1
	(knob 35+70)	**888935707..5**	**888935709..5**	1	-	1
	(knob 40+65)	**888940657..5**	**888940659..5**	1	-	1
	(knob 45+60)	**888945607..5**	**888945609..5**	1	-	1
	(knob 50+55)	**888950557..5**	**888950559..5**	1	-	1
Length mm 110	(knob 30+80)	**888930807..5**	**888930809..5**	1	-	1
	(knob 35+75)	**888935757..5**	**888935759..5**	1	-	1
	(knob 40+70)	**888940707..5**	**888940709..5**	1	-	1
	(knob 45+65)	**888945657..5**	**888945659..5**	1	-	1
	(knob 50+60)	**888950607..5**	**888950609..5**	1	-	1
	(knob 55+55)	**888955557..5**	**888955559..5**	1	-	1
Length mm 115	(knob 30+85)	**888930857..5**	**888930859..5**	1	-	1
	(knob 35+80)	**888935807..5**	**888935809..5**	1	-	1
	(knob 40+75)	**888940757..5**	**888940759..5**	1	-	1
	(knob 45+70)	**888945707..5**	**888945709..5**	1	-	1
	(knob 50+65)	**888950657..5**	**888950659..5**	1	-	1
	(knob 55+60)	**888955607..5**	**888955609..5**	1	-	1


R6 New


L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 120	(knob 30+90)	**888930907..5**	**888930909..5**	1	-	1
	(knob 35+85)	**888935857..5**	**888935859..5**	1	-	1
	(knob 40+80)	**888940807..5**	**888940809..5**	1	-	1
	(knob 50+70)	**888950707..5**	**888950709..5**	1	-	1
	(knob 55+65)	**888955657..5**	**888955659..5**	1	-	1
	(knob 60+60)	**888960607..5**	**888960609..5**	1	-	1
Length mm 125	(knob 35+90)	**888935907..5**	**888935909..5**	1	-	1
	(knob 40+85)	**888940857..5**	**888940859..5**	1	-	1
	(knob 45+80)	**888945807..5**	**888945809..5**	1	-	1
	(knob 50+75)	**888950757..5**	**888950759..5**	1	-	1
	(knob 55+70)	**888955707..5**	**888955709..5**	1	-	1
	(knob 60+65)	**888960657..5**	**888960659..5**	1	-	1
Length mm 130	(knob 40+90)	**888940907..5**	**888940909..5**	1	-	1
	(knob 45+85)	**888945857..5**	**888945859..5**	1	-	1
	(knob 50+80)	**888950807..5**	**888950809..5**	1	-	1
	(knob 55+75)	**888955757..5**	**888955759..5**	1	-	1

FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 880930307).

R6 New







R6 New, **EUROPEAN PROFILE** cylinder with internal **FLAT KNOB**.
Nickel-plated brass flat key with 6 pins.
Anti-drill device in the cylinder body. 30°DIN cam.
5 KEYS. CODE CARD. 65 mm screw. (Key blank code: 020839).


L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(Knob 28+28)	**885928287..5**	**885928289..5**	1	10	10
Length mm 60	(Knob 30+30)	**885930307..5**	**885930309..5**	1	10	10
Length mm 61	(Knob 28+33)	**885928337..5**	**885928339..5**	1	10	10
	(Knob 33+28)	**885933287..5**	**885933289..5**	1	10	10
Length mm 65	(Knob 30+35)	**885930357..5**	**885930359..5**	1	10	10
	(Knob 35+30)	**885935307..5**	**885935309..5**	1	10	10
Length mm 70	(Knob 30+40)	**885930407..5**	**885930409..5**	1	10	10
	(Knob 35+35)	**885935357..5**	**885935359..5**	1	10	10
	(Knob 40+30)	**885940307..5**	**885940309..5**	1	10	10
Length mm 75	(Knob 30+45)	**885930457..5**	**885930459..5**	1	10	10
	(Knob 45+30)	**885945307..5**	**885945309..5**	1	10	10
Length mm 80	(Knob 35+45)	**885935457..5**	**885935459..5**	1	10	10
	(Knob 40+40)	**885940407..5**	**885940409..5**	1	10	10
	(Knob 45+35)	**885945357..5**	**885945359..5**	1	10	10
Length mm 90	(Knob 30+60)	**885930607..5**	**885930609..5**	1	10	10
	(Knob 40+50)	**885940507..5**	**885940509..5**	1	10	10
	(Knob 45+45)	**885945457..5**	**885945459..5**	1	10	10
	(Knob 50+40)	**885950407..5**	**885950409..5**	1	10	10
	(Knob 60+30)	**885960307..5**	**885960309..5**	1	10	10
Length mm 100	(Knob 60+40)	**885960407..5**	**885960409..5**	1	-	1
Length mm 105	(Knob 50+55)	**885950557..5**	**885950559..5**	1	-	1
	(Knob 60+45)	**885960457..5**	**885960459..5**	1	-	1
Length mm 110	(Knob 50+60)	**885950607..5**	**885950609..5**	1	-	1
	(Knob 60+50)	**885960507..5**	**885960509..5**	1		1
	(Knob 80+30)	**885980307..5**	**885980309..5**	1	-	1
Length mm 120	(Knob 65+55)	**885965557..5**	**885965559..5**	1	-	1

FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 880930307); THE CODE CARD IS NOT PRESENT.

R6 New








R6 New, **EUROPEAN PROFILE** cylinder with **Ø 8X16 SHAFT** prearranged
for internal knob. Nickel-plated brass flat key with 6 pins.
Anti-drill device in the cylinder body. 30°DIN cam.
5 KEYS. CODE CARD. 65 mm screw. (Key blank code: 020839).

L	C + D	BRASS Code	NICKEL Code	Single package	Multiple package	Min. ord.
Length mm 56	(Knob 28+28)	**886928287..5**	**886928289..5**	1	10	10
Length mm 60	(Knob 30+30)	**886930307..5**	**886930309..5**	1	10	10
Length mm 61	(Knob 28+33)	**886928337..5**	**886928339..5**	1	10	10
	(Knob 33+28)	**886933287..5**	**886933289..5**	1	10	10
Length mm 65	(Knob 30+35)	**886930357..5**	**886930359..5**	1	10	10
	(Knob 35+30)	**886935307..5**	**886935309..5**	1	10	10
Length mm 70	(Knob 30+40)	**886930407..5**	**886930409..5**	1	10	10
	(Knob 35+35)	**886935357..5**	**886935359..5**	1	10	10
	(Knob 40+30)	**886940307..5**	**886940309..5**	1	10	10
Length mm 75	(Knob 30+45)	**886930457..5**	**886930459..5**	1	10	10
	(Knob 45+30)	**886945307..5**	**886945309..5**	1	10	10
Length mm 80	(Knob 35+45)	**886935457..5**	**886935459..5**	1	10	10
	(Knob 40+40)	**886940407..5**	**886940409..5**	1	10	10
	(Knob 45+35)	**886945357..5**	**886945359..5**	1	10	10
Length mm 90	(Knob 30+60)	**886930607..5**	**886930609..5**	1	10	10
	(Knob 40+50)	**886940507..5**	**886940509..5**	1	10	10
	(Knob 45+45)	**886945457..5**	**886945459..5**	1	10	10
	(Knob 50+40)	**886950407..5**	**886950409..5**	1	10	10
	(Knob 60+30)	**886960307..5**	**886960309..5**	1	10	10
Length mm 100	(Knob 60+40)	**886960407..5**	**886960409..5**	1	-	1
Length mm 105	(Knob 50+55)	**886950557..5**	**886950559..5**	1	-	1
	(Knob 60+45)	**886960457..5**	**886960459..5**	1	-	1
Length mm 110	(Knob 50+60)	**886950607..5**	**886950609..5**	1	-	1
	(Knob 60+50)	**886960507..5**	**886960509..5**	1	-	1
	(Knob 80+30)	**886980307..5**	**886980309..5**	1	-	1
Length mm 120	(Knob 65+55)	**886965557..5**	**886965559..5**	1	-	1









R6 New **EUROPEAN PROFILE** cylinder with **Ø 8X75 SHAFT** prearranged
for internal knob cylinder body 30mm. Nickel-plated brass flat key with 6 pins.
Anti-drill device in the cylinder body. 30°DIN cam.
5 KEYS. CODE CARD. 65 mm screw. (Key blank code: 020839).


L	C + D	BRASS Code	NICKEL Code	Single package	Multiple package	Min. ord.
Body length mm 60	(knob 30+30)	**8869D0307..5**	**8869D0309..5**	1	5	5
Body length mm 65	(knob 30+35)	**8869D0357..5**	**8869D0359..5**	1	5	5
Body length mm 70	(knob 30+40)	**8869D0407..5**	**8869D0409..5**	1	5	5
Body length mm 75	(knob 30+45)	**8869D0457..5**	**8869D0459..5**	1	5	5
Body length mm 80	(knob 30+50)	**8869D0507..5**	**8869D0509..5**	1	5	5
Body length mm 90	(knob 30+60)	**8869D0607..5**	**8869D0609..5**	1	5	5
Body length mm 100	(knob 30+70)	**8869D0707..5**	**8869D0709..5**	1	5	5

FOR 3 KEYS VERSION REMOVE ...5 FROM THE CODE (e.g. 880930307).

R6 New U.K. market








R6 New, **OVERSIZE OVAL SINGLE-PROFILE** cylinder, **U.K.** market.
Nickel-plated brass flat key with 6 pins. Anti-drill pin in the cylinder body.
45°ISEO cam. **3 KEYS.**
Screw 65 mm. (Key blank code: 020839).

L C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 40 (30+10)	**881130107**	**881130109**	1	10	10
Length mm 45 (35+10)	**881135107**	**881135109**	1	10	10
Length mm 50 (40+10)	**881140107**	**881140109**	1	10	10








R6 New, **OVERSIZE OVAL DOUBLE-PROFILE** cylinder, **U.K.** market.
nickel-plated brass flat key with 6 pins.
Anti-drill pin in the cylinder body.
45°ISEO cam. **3 KEYS.**
Screw 65 mm. (Key blank code: 020839).

L C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 60 (30+30)	**881130307**	**881130309**	1	10	10
Length mm 70 (35+35)	**881135357**	**881135359**	1	10	10
Length mm 80 (40+40)	**881140407**	**881140409**	1	10	10

R6 New U.K. market








R6 New, **OVERSIZE OVAL SINGLE-PROFILE** cylinder, **U.K.** market, with internal flat knob and nickel-plated brass flat key with 6 pins. Anti-drill pin in the cylinder body. 45°ISEO cam.
3 KEYS. Screw 65 mm. (Key blank code: 020839).

L C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 60 (30+30)	**887130307**	**887130309**	1	10	10
Length mm 70 (35+35)	**887135357**	**887135359**	1	10	10
Length mm 80 (40+40)	**887140407**	**887140409**	1	10	10

R6 New






R6 New, **EXTERNAL RIM CYLINDER** to be applied on doors with a max thickness of 85 mm.
To be used with rim locks without external cylinder. 6-pin nickel plated brass flat key.
Plate and screws for inside fixing. **3 KEYS**. Screw 65 mm. (Key blank code: 020839).

	Code	Single package	Multiple package	Min. ord.
BRASS	**860000857**	1	10	10
NICKEL PLATED BRASS	**860000859**	1	10	10





Pair composed of R6 New, **INTERNAL** cylinder to be applied
to the lock and **EXTERNAL RIM** cylinder to be applied on doors with
a max thickness of 85 mm. **To be used with rim lock Portoncino 4** series and electric locks 521* series latchbolt only.** 6-pin nickel plated brass flat key.
Plate and screws for inside fixing. **3 KEYS**. (Key blank code: 020839).
(Key blank code 020839). (For series 421-422-423-424-425-426-441-442-483-484
4510-5210-5213-5214)


	Code	Single package	Multiple package	Min. ord.
BRASS	**862100857**	1	10	10



R6 New, **EXTERNAL FIXED Ø 26** cylinder to be applied on doors with a max.
thickness of 50 mm. To be used with rim locks. 6-pin nickel plated
brass flat key. Ø 26 tube and fixing screws.
3 KEYS. (Key blank code: 020839)w

	Code	Single package	Multiple package	Min. ord.
BRASS	**862226507**	1	10	10





Pair composed of R6 New **INTERNAL** cylinder to be applied to
the lock and **EXTERNAL FIXED Ø 26** cylinder to be applied on doors
with a max. thickness of 50 mm. To be used with rim locks Portoncino
and electric locks with latchbolt only. 6-pin nickeled-brass flat key.
Ø 26 tube and fixing screws. **3 KEYS**. (Key blank code: 020839).
(For series 431-432-435-436-437-438-450-451-452-481-482-4 85-486-491-492-493-494
495-496-4250-4210-4950-5200-5203-5204-5205-5220-5224-5250-5253-5255)

	Code	Single package	Multiple package	Min. ord.
BRASS	**862426507**	1	10	10

Cylinders


F6 Extra

F6 Extra





F6 Extra, European **SINGLE-PROFILE** cylinder. Nickel-plated brass vertical key with 6 pins. **BUMP RESISTANT.** Anti-drill device in the cylinder body and in the rotor. 8-position DIN cam. **3 KEYS**. Screw 65 mm. (Key blank code: 020609).





L	C + D	BRASS	NICKEL	Code	Single package	Multiple package	Min. ord.
Length mm 40	(30+10)	**82F6030107**	**82F6030109**		1	10	10
Length mm 45	(35+10)	**82F6035107**	**82F6035109**		1	10	10
Length mm 50	(40+10)	**82F6040107**	**82F6040109**		1	10	10
Length mm 55	(45+10)	**82F6045107**	**82F6045109**		1	10	10
Length mm 60	(50+10)	**82F6050107**	**82F6050109**		1	10	10
Length mm 65	(55+10)	**82F6055107**	**82F6055109**		1	10	10
Length mm 70	(60+10)	**82F6060107**	**82F6060109**		1	10	10
Length mm 75	(65+10)	**82F6065107**	**82F6065109**		1	10	10
Length mm 80	(70+10)	**82F6070107**	**82F6070109**		1	10	10
Length mm 85	(75+10)	**82F6075107**	**82F6075109**		1	10	10
Length mm 90	(80+10)	**82F6080107**	**82F6080109**		1	10	10
Length mm 95	(85+10)	**82F6085107**	**82F6085109**		1	-	1
Length mm 100	(90+10)	**82F6090107**	**82F6090109**		1	-	1


ISEO®

BUMP RESISTANT NEW

F6 Extra







F6 Extra, European **DOUBLE-PROFILE** cylinder. Nickel-plated brass vertical key with 6 pins.
BUMP RESISTANT. Anti-drill device in the cylinder body and in the rotor.
30°DIN cam. **3 KEYS**. Screw 65 mm. (Key blank code: 020609).



L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(28+28)	**82F6028287**	**82F6028289**	1	10	10
Length mm 61	(28+33)	**82F6028337**	**82F6028339**	1	10	10
Length mm 60	(30+30)	**82F6030307**	**82F6030309**	1	10	10
Length mm 65	(30+35)	**82F6030357**	**82F6030359**	1	10	10
Length mm 70	(30+40)	**82F6030407**	**82F6030409**	1	10	10
	(35+35)	**82F6035357**	**82F6035359**	1	10	10
Length mm 75	(30+45)	**82F6030457**	**82F6030459**	1	10	10
	(35+40)	**82F6035407**	**82F6035409**	1	10	10
Length mm 80	(30+50)	**82F6030507**	**82F6030509**	1	10	10
	(35+45)	**82F6035457**	**82F6035459**	1	10	10
	(40+40)	**82F6040407**	**82F6040409**	1	10	10
Length mm 85	(30+55)	**82F6030557**	**82F6030559**	1	10	10
	(35+50)	**82F6035507**	**82F6035509**	1	10	10
	(40+45)	**82F6040457**	**82F6040459**	1	10	10
Length mm 90	(30+60)	**82F6030607**	**82F6030609**	1	10	10
	(35+55)	**82F6035557**	**82F6035559**	1	10	10
	(40+50)	**82F6040507**	**82F6040509**	1	10	10
	(45+45)	**82F6045457**	**82F6045459**	1	10	10
Length mm 95	(30+65)	**82F6030657**	**82F6030659**	1	-	1
	(35+60)	**82F6035607**	**82F6035609**	1	-	1
	(40+55)	**82F6040557**	**82F6040559**	1	-	1
	(45+50)	**82F6045507**	**82F6045509**	1	-	1
Length mm 100	(30+70)	**82F6030707**	**82F6030709**	1	-	1
	(35+65)	**82F6035657**	**82F6035659**	1	-	1
	(40+60)	**82F6040607**	**82F6040609**	1	-	1
	(45+55)	**82F6045557**	**82F6045559**	1	-	1
	(50+50)	**82F6050507**	**82F6050509**	1	-	1
Length mm 105	(30+75)	**82F6030757**	**82F6030759**	1	-	1
	(35+70)	**82F6035707**	**82F6035709**	1	-	1
	(40+65)	**82F6040657**	**82F6040659**	1	-	1
	(45+60)	**82F6045607**	**82F6045609**	1	-	1
	(50+55)	**82F6050557**	**82F6050559**	1	-	1
Length mm 110	(30+80)	**82F6030807**	**82F6030809**	1	-	1
	(35+75)	**82F6035757**	**82F6035759**	1	-	1
	(40+70)	**82F6040707**	**82F6040709**	1	-	1
	(45+65)	**82F6045657**	**82F6045659**	1	-	1
	(50+60)	**82F6050607**	**82F6050609**	1	-	1
	(55+55)	**82F6055557**	**82F6055559**	1	-	1
Length mm 115	(30+85)	**82F6030857**	**82F6030859**	1	-	1
	(35+80)	**82F6035807**	**82F6035809**	1	-	1
	(40+75)	**82F6040757**	**82F6040759**	1	-	1
	(45+70)	**82F6045707**	**82F6045709**	1	-	1
	(50+65)	**82F6050657**	**82F6050659**	1	-	1
	(55+60)	**82F6055607**	**82F6055609**	1	-	1

ISEO®

BUMP RESISTANT NEW

F6 Extra


L C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 120 (30+90)	**82F6030907**	**82F6030909**	1	-	1
(35+85)	**82F6035857**	**82F6035859**	1	-	1
(40+80)	**82F6040807**	**82F6040809**	1	-	1
(45+75)	**82F6045757**	**82F6045759**	1	-	1
(50+70)	**82F6050707**	**82F6050709**	1	-	1
(55+65)	**82F6055657**	**82F6055659**	1	-	1
(60+60)	**82F6060607**	**82F6060609**	1	-	1
Length mm 125 (35+90)	**82F6035907**	**82F6035909**	1	-	1
(40+85)	**82F6040857**	**82F6040859**	1	-	1
(45+80)	**82F6045807**	**82F6045809**	1	-	1
(50+75)	**82F6050757**	**82F6050759**	1	-	1
(55+70)	**82F6055707**	**82F6055709**	1	-	1
(60+65)	**82F6060657**	**82F6060659**	1	-	1
Length mm 130 (40+90)	**82F6040907**	**82F6040909**	1	-	1
(45+85)	**82F6045857**	**82F6045859**	1	-	1
(50+80)	**82F6050807**	**82F6050809**	1	-	1
(55+75)	**82F6055757**	**82F6055759**	1	-	1
(60+70)	**82F6060707**	**82F6060709**	1	-	1

ISEO®

F6 Extra



F6 Extra, European **DOUBLE-PROFILE** cylinder. Nickel-plated brass vertical key with 6 pins. **DOUBLE FUNCTION**, also operating when keyed-in. **BUMP RESISTANT.** Anti-drill device in the cylinder body and in the rotor. 30°DIN cam. **3 KEYS**. Screw 65 mm. (Key blank code: 020609).



L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 60	(30+30)	82F6930307	82F6930309	1	10	10
Length mm 65	(30+35)	82F6930357	82F6930359	1	10	10
Length mm 70	(30+40)	82F6930407	82F6930409	1	10	10
	(35+35)	82F6935357	82F6935359	1	10	10
Length mm 75	(30+45)	82F6930457	82F6930459	1	10	10
	(35+40)	82F6935407	82F6935409	1	10	10
Length mm 80	(30+50)	82F6930507	82F6930509	1	10	10
	(35+45)	82F6935457	82F6935459	1	10	10
	(40+40)	82F6940407	82F6940409	1	10	10
Length mm 85	(30+55)	82F6930557	82F6930559	1	10	10
	(35+50)	82F6935507	82F6935509	1	10	10
	(40+45)	82F6940457	82F6940459	1	10	10
Length mm 90	(30+60)	82F6930607	82F6930609	1	10	10
	(35+55)	82F6935557	82F6935559	1	10	10
	(40+50)	82F6940507	82F6940509	1	10	10
	(45+45)	82F6945457	82F6945459	1	10	10
Length mm 95	(30+65)	82F6930657	82F6930659	1	-	1
	(35+60)	82F6935607	82F6935609	1	-	1
	(40+55)	82F6940557	82F6940559	1	-	1
	(45+50)	82F6945507	82F6945509	1	-	1
Length mm 100	(30+70)	82F6930707	82F6930709	1	-	1
	(35+65)	82F6935657	82F6935659	1	-	1
	(40+60)	82F6940607	82F6940609	1	-	1
	(45+55)	82F6945557	82F6945559	1	-	1
	(50+50)	82F6950507	82F6950509	1	-	1
Length mm 105	(30+75)	82F6930757	82F6930759	1	-	1
	(35+70)	82F6935707	82F6935709	1	-	1
	(40+65)	82F6940657	82F6940659	1	-	1
	(45+60)	82F6945607	82F6945609	1	-	1
	(50+55)	82F6950557	82F6950559	1	-	1
Length mm 110	(30+80)	82F6930807	82F6930809	1	-	1
	(35+75)	82F6935757	82F6935759	1	-	1
	(40+70)	82F6940707	82F6940709	1	-	1
	(45+65)	82F6945657	82F6945659	1	-	1
	(50+60)	82F6950607	82F6950609	1	-	1
	(55+55)	82F6955557	82F6955559	1	-	1
Length mm 115	(30+85)	82F6930857	82F6930859	1	-	1
	(35+80)	82F6935807	82F6935809	1	-	1
	(40+75)	82F6940757	82F6940759	1	-	1
	(45+70)	82F6945707	82F6945709	1	-	1
	(50+65)	82F6950657	82F6950659	1	-	1
	(55+60)	82F6955607	82F6955609	1	-	1

ISEO®

BUMP RESISTANT NEW


F6 Extra


L C + D	Code BRASS	NICKEL	Single package	Multiple package	Min. ord.
Length mm 120 (30+90)	**82F6930907**	**82F6930909**	1	-	1
(35+85)	**82F6935857**	**82F6935859**	1	-	1
(40+80)	**82F6940807**	**82F6940809**	1	-	1
(45+75)	**82F6945757**	**82F6945759**	1	-	1
(50+70)	**82F6950707**	**82F6950709**	1	-	1
(55+65)	**82F6955657**	**82F6955659**	1	-	1
(60+60)	**82F6960607**	**82F6960609**	1	-	1
Length mm 125 (35+90)	**82F6935907**	**82F6935909**	1	-	1
(40+85)	**82F6940857**	**82F6940859**	1	-	1
(45+80)	**82F6945807**	**82F6945809**	1	-	1
(50+75)	**82F6950757**	**82F6950759**	1	-	1
(55+70)	**82F6955707**	**82F6955709**	1	-	1
(60+65)	**82F6960657**	**82F6960659**	1	-	1
Length mm 130 (40+90)	**82F6940907**	**82F6940909**	1	-	1
(45+85)	**82F6945857**	**82F6945859**	1	-	1
(50+80)	**82F6950807**	**82F6950809**	1	-	1
(55+75)	**82F6955757**	**82F6955759**	1	-	1
(60+70)	**82F6960707**	**82F6960709**	1	-	1

ISEO®

F6 Extra







F6 Extra, **EUROPEAN-PROFILE** cylinder. With internal **ROUND KNOB**.
Nickel-plated brass vertical key with 6 pins.
BUMP RESISTANT. Anti-drill device in the cylinder body and in the rotor.
30°DIN cam. **3 KEYS**. Screw 65 mm. (Key blank code: 020609).





L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(Knob 28+28)	**82F6828287**	**82F6828289**	1	10	10
Length mm 61	(Knob 28+33)	**82F6828337**	**82F6828339**	1	10	10
Length mm 60	(Knob 30+30)	**82F6830307**	**82F6830309**	1	10	10
Length mm 65	(Knob 30+35)	**82F6830357**	**82F6830359**	1	10	10
Length mm 70	(Knob 30+40)	**82F6830407**	**82F6830409**	1	10	10
	(Knob 35+35)	**82F6835357**	**82F6835359**	1	10	10
Length mm 75	(Knob 30+45)	**82F6830457**	**82F6830459**	1	10	10
	(Knob 35+40)	**82F6835407**	**82F6835409**	1	10	10
Length mm 80	(Knob 30+50)	**82F6830507**	**82F6830509**	1	10	10
	(Knob 35+45)	**82F6835457**	**82F6835459**	1	10	10
	(Knob 40+40)	**82F6840407**	**82F6840409**	1	10	10
Length mm 85	(Knob 30+55)	**82F6830557**	**82F6830559**	1	10	10
	(Knob 35+50)	**82F6835507**	**82F6835509**	1	10	10
	(Knob 40+45)	**82F6840457**	**82F6840459**	1	10	10
Length mm 90	(Knob 30+60)	**82F6830607**	**82F6830609**	1	10	10
	(Knob 35+55)	**82F6835557**	**82F6835559**	1	10	10
	(Knob 40+50)	**82F6840507**	**82F6840509**	1	10	10
	(Knob 45+45)	**82F6845457**	**82F6845459**	1	10	10
Length mm 95	(Knob 30+65)	**82F6830657**	**82F6830659**	1	-	1
	(Knob 35+60)	**82F6835607**	**82F6835609**	1	-	1
	(Knob 40+55)	**82F6840557**	**82F6840559**	1	-	1
	(Knob 45+50)	**82F6845507**	**82F6845509**	1	-	1
Length mm 100	(Knob 35+65)	**82F6835657**	**82F6835659**	1	-	1
	(Knob 40+60)	**82F6840607**	**82F6840609**	1	-	1
	(Knob 45+55)	**82F6845557**	**82F6845559**	1	-	1
	(Knob 50+50)	**82F6850507**	**82F6850509**	1	-	1
Length mm 105	(Knob 40+65)	**82F6840657**	**82F6840659**	1	-	1
	(Knob 45+60)	**82F6845607**	**82F6845609**	1	-	1
	(Knob 50+55)	**82F6850557**	**82F6850559**	1	-	1
Length mm 110	(Knob 45+65)	**82F6845657**	**82F6845659**	1	-	1
	(Knob 50+60)	**82F6850607**	**82F6850609**	1	-	1
	(Knob 55+55)	**82F6855557**	**82F6855559**	1	-	1
Length mm 115	(Knob 45+70)	**82F6845707**	**82F6845709**	1	-	1
	(Knob 50+65)	**82F6850657**	**82F6850659**	1	-	1
	(Knob 55+60)	**82F6855607**	**82F6855609**	1	-	1
Length mm 120	(Knob 55+65)	**82F6855657**	**82F6855659**	1	-	1
	(Knob 60+60)	**82F6860607**	**82F6860609**	1	-	1
Length mm 125	(Knob 60+65)	**82F6860657**	**82F6860659**	1	-	1

F6 Extra









F6 Extra, **EUROPEAN-PROFILE** cylinder with **SHAFT Ø 8 X 75** prearranged for internal knob. Nickel-plated brass, vertical key with 6 pins.
BUMP RESISTANT. Anti-drill device in the cylinder body and in the rotor.
30°DIN cam. **3 KEYS**. Screw 65 mm. (Key blank code: 020609).



L C + D	BRASS	NICKEL	Code	Single package	Multiple package	Min. ord.
Body length mm 60 (Knob 30+30)	**82F66D0307**	**82F66D0309**		1	10	10
Body length mm 65 (Knob 30+35)	**82F66D0357**	**82F66D0359**		1	10	10
Body length mm 70 (Knob 30+40)	**82F66D0407**	**82F66D0409**		1	10	10
Body length mm 75 (Knob 30+45)	**82F66D0457**	**82F66D0459**		1	10	10
Body length mm 80 (Knob 30+50)	**82F66D0507**	**82F66D0509**		1	10	10
Body length mm 85 (Knob 30+55)	**82F66D0557**	**82F66D0559**		1	10	10
Body length mm 90 (Knob 30+60)	**82F66D0607**	**82F66D0609**		1	10	10
Body length mm 95 (Knob 30+65)	**82F66D0657**	**82F66D0659**		1	-	1

Cylinders


F6

F6





F6 European **SINGLE-PROFILE** cylinder. Nickel-plated brass vertical key with 6 pins.
Anti-drill device in the cylinder body. 8-position DIN cam.
3 KEYS. Screw 65 mm. (Key blank code: 020609).






L	C + D	BRASS	NICKEL	Single package	Multiple package	Min. ord.
Length mm 40	(30+10)	**810930107**	**810930109**	1	10	10
Length mm 45	(35+10)	**810935107**	**810935109**	1	10	10
Length mm 50	(40+10)	**810940107**	**810940109**	1	10	10
Length mm 55	(45+10)	**810945107**	**810945109**	1	10	10
Length mm 60	(50+10)	**810950107**	**810950109**	1	10	10
Length mm 65	(55+10)	**810955107**	**810955109**	1	10	10
Length mm 70	(60+10)	**810960107**	**810960109**	1	10	10
Length mm 75	(65+10)	**810965107**	**810965109**	1	10	10
Length mm 80	(70+10)	**810970107**	**810970109**	1	10	10
Length mm 85	(75+10)	**810975107**	**810975109**	1	10	10
Length mm 90	(80+10)	**810980107**	**810980109**	1	10	10
Length mm 95	(85+10)	**810985107**	**810985109**	1	-	1
Length mm 100	(90+10)	**810990107**	**810990109**	1	-	1

F6







F6 European **DOUBLE-PROFILE** cylinder. Nickel-plated brass vertical key with 6 pins.
Anti-drill device in the cylinder body. 30° DIN cam.
3 KEYS. Screw 65 mm. (Key blank code: 020609).

L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(28+28)	**810928287**	**810928289**	1	10	10
Length mm 61	(28+33)	**810928337**	**810928339**	1	10	10
Length mm 60	(30+30)	**810930307**	**810930309**	1	10	10
Length mm 65	(30+35)	**810930357**	**810930359**	1	10	10
Length mm 70	(30+40)	**810930407**	**810930409**	1	10	10
	(35+35)	**810935357**	**810935359**	1	10	10
Length mm 75	(30+45)	**810930457**	**810930459**	1	10	10
	(35+40)	**810935407**	**810935409**	1	10	10
Length mm 80	(30+50)	**810930507**	**810930509**	1	10	10
	(35+45)	**810935457**	**810935459**	1	10	10
	(40+40)	**810940407**	**810940409**	1	10	10
Length mm 85	(30+55)	**810930557**	**810930559**	1	10	10
	(35+50)	**810935507**	**810935509**	1	10	10
	(40+45)	**810940457**	**810940459**	1	10	10
Length mm 90	(30+60)	**810930607**	**810930609**	1	10	10
	(35+55)	**810935557**	**810935559**	1	10	10
	(40+50)	**810940507**	**810940509**	1	10	10
	(45+45)	**810945457**	**810945459**	1	10	10
Length mm 95	(30+65)	**810930657**	**810930659**	1	-	1
	(35+60)	**810935607**	**810935609**	1	-	1
	(40+55)	**810940557**	**810940559**	1	-	1
	(45+50)	**810945507**	**810945509**	1	-	1
Length mm 100	(30+70)	**810930707**	**810930709**	1	-	1
	(35+65)	**810935657**	**810935659**	1	-	1
	(40+60)	**810940607**	**810940609**	1	-	1
	(45+55)	**810945557**	**810945559**	1	-	1
	(50+50)	**810950507**	**810950509**	1	-	1
Length mm 105	(30+75)	**810930757**	**810930759**	1	-	1
	(35+70)	**810935707**	**810935709**	1	-	1
	(40+65)	**810940657**	**810940659**	1	-	1
	(45+60)	**810945607**	**810945609**	1	-	1
	(50+55)	**810950557**	**810950559**	1	-	1
Length mm 110	(30+80)	**810930807**	**810930809**	1	-	1
	(35+75)	**810935757**	**810935759**	1	-	1
	(40+70)	**810940707**	**810940709**	1	-	1
	(45+65)	**810945657**	**810945659**	1	-	1
	(50+60)	**810950607**	**810950609**	1	-	1
	(55+55)	**810955557**	**810955559**	1	-	1
Length mm 115	(30+85)	**810930857**	**810930859**	1	-	1
	(35+80)	**810935807**	**810935809**	1	-	1
	(40+75)	**810940757**	**810940759**	1	-	1
	(45+70)	**810945707**	**810945709**	1	-	1
	(50+65)	**810950657**	**810950659**	1	-	1
	(55+60)	**810955607**	**810955609**	1	-	1

F6


L C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 120 (30+90)	**810930907**	**810930909**	1	-	1
(35+85)	**810935857**	**810935859**	1	-	1
(40+80)	**810940807**	**810940809**	1	-	1
(45+75)	**810945757**	**810945759**	1	-	1
(50+70)	**810950707**	**810950709**	1	-	1
(55+65)	**810955657**	**810955659**	1	-	1
(60+60)	**810960607**	**810960609**	1	-	1
Length mm 125 (35+90)	**810935907**	**810935909**	1	-	1
(40+85)	**810940857**	**810940859**	1	-	1
(45+80)	**810945807**	**810945809**	1	-	1
(50+75)	**810950757**	**810950759**	1	-	1
(55+70)	**810955707**	**810955709**	1	-	1
(60+65)	**810960657**	**810960659**	1	-	1
Length mm 130 (40+90)	**810940907**	**810940909**	1	-	1
(45+85)	**810945857**	**810945859**	1	-	1
(50+80)	**810950807**	**810950809**	1	-	1
(55+75)	**810955757**	**810955759**	1	-	1
(60+70)	**810960707**	**810960709**	1	-	1

ISEO®

F6







F6 European **DOUBLE-PROFILE** cylinder. Nickel-plated brass vertical key with 6 pins. **DOUBLE FUNCTION** also operating when keyed-in. Anti-drill device in the cylinder body.
30° DIN cam. **3 KEYS**. Screw 65 mm. (Key blank code: 020609).

L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 60	(30+30)	**819930307**	**819930309**	1	10	10
Length mm 65	(30+35)	**819930357**	**819930359**	1	10	10
Length mm 70	(30+40)	**819930407**	**819930409**	1	10	10
	(35+35)	**819935357**	**819935359**	1	10	10
Length mm 75	(30+45)	**819930457**	**819930459**	1	10	10
	(35+40)	**819935407**	**819935409**	1	10	10
Length mm 80	(30+50)	**819930507**	**819930509**	1	10	10
	(35+45)	**819935457**	**819935459**	1	10	10
	(40+40)	**819940407**	**819940409**	1	10	10
Length mm 85	(30+55)	**819930557**	**819930559**	1	10	10
	(35+50)	**819935507**	**819935509**	1	10	10
	(40+45)	**819940457**	**819940459**	1	10	10
Length mm 90	(30+60)	**819930607**	**819930609**	1	10	10
	(35+55)	**819935557**	**819935559**	1	10	10
	(40+50)	**819940507**	**819940509**	1	10	10
	(45+45)	**819945457**	**819945459**	1	10	10
Length mm 95	(30+65)	**819930657**	**819930659**	1	-	1
	(35+60)	**819935607**	**819935609**	1	-	1
	(40+55)	**819940557**	**819940559**	1	-	1
	(45+50)	**819945507**	**819945509**	1	-	1
Length mm 100	(30+70)	**819930707**	**819930709**	1	-	1
	(35+65)	**819935657**	**819935659**	1	-	1
	(40+60)	**819940607**	**819940609**	1	-	1
	(45+55)	**819945557**	**819945559**	1	-	1
	(50+50)	**819950507**	**819950509**	1	-	1
Length mm 105	(30+75)	**819930757**	**819930759**	1	-	1
	(35+70)	**819935707**	**819935709**	1	-	1
	(40+65)	**819940657**	**819940659**	1	-	1
	(45+60)	**819945607**	**819945609**	1	-	1
	(50+55)	**819950557**	**819950559**	1	-	1
Length mm 110	(30+80)	**819930807**	**819930809**	1	-	1
	(35+75)	**819935757**	**819935759**	1	-	1
	(40+70)	**819940707**	**819940709**	1	-	1
	(45+65)	**819945657**	**819945659**	1	-	1
	(50+60)	**819950607**	**819950609**	1	-	1
	(55+55)	**819955557**	**819955559**	1	-	1
Length mm 115	(30+85)	**819930857**	**819930859**	1	-	1
	(35+80)	**819935807**	**819935809**	1	-	1
	(40+75)	**819940757**	**819940759**	1	-	1
	(45+70)	**819945707**	**819945709**	1	-	1
	(50+65)	**819950657**	**819950659**	1	-	1
	(55+60)	**819955607**	**819955609**	1	-	1


F6


L C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 120 (30+90)	**819930907**	**819930909**	1	-	1
(35+85)	**819935857**	**819935859**	1	-	1
(40+80)	**819940807**	**819940809**	1	-	1
(45+75)	**819945757**	**819945759**	1	-	1
(50+70)	**819950707**	**819950709**	1	-	1
(55+65)	**819955657**	**819955659**	1	-	1
(60+60)	**819960607**	**819960609**	1	-	1
Length mm 125 (35+90)	**819935907**	**819935909**	1	-	1
(40+85)	**819940857**	**819940859**	1	-	1
(45+80)	**819945807**	**819945809**	1	-	1
(50+75)	**819950757**	**819950759**	1	-	1
(55+70)	**819955707**	**819955709**	1	-	1
(60+65)	**819960657**	**819960659**	1	-	1
Length mm 130 (40+90)	**819940907**	**819940909**	1	-	1
(45+85)	**819945857**	**819945859**	1	-	1
(50+80)	**819950807**	**819950809**	1	-	1
(55+75)	**819955757**	**819955759**	1	-	1
(60+70)	**819960707**	**819960709**	1	-	1

ISEO®

F6







F6 **EUROPEAN-PROFILE** cylinder with internal **ROUND KNOB**. Vertical key
Nickel-plated brass vertical key with 6 pins.
Anti-drill device in the cylinder body. 30° DIN cam.
3 KEYS. Screw 65 mm. (Key blank code: 020609).


L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(Knob 28+28)	**818928287**	**818928289**	1	10	10
Length mm 61	(Knob 28+33)	**818928337**	**818928339**	1	10	10
Length mm 60	(Knob 30+30)	**818930307**	**818930309**	1	10	10
Length mm 65	(Knob 30+35)	**818930357**	**818930359**	1	10	10
Length mm 70	(Knob 30+40)	**818930407**	**818930409**	1	10	10
	(Knob 35+35)	**818935357**	**818935359**	1	10	10
Length mm 75	(Knob 30+45)	**818930457**	**818930459**	1	10	10
	(Knob 35+40)	**818935407**	**818935409**	1	10	10
Length mm 80	(Knob 30+50)	**818930507**	**818930509**	1	10	10
	(Knob 35+45)	**818935457**	**818935459**	1	10	10
	(Knob 40+40)	**818940407**	**818940409**	1	10	10
Length mm 85	(Knob 30+55)	**818930557**	**818930559**	1	10	10
	(Knob 35+50)	**818935507**	**818935509**	1	10	10
	(Knob 40+45)	**818940457**	**818940459**	1	10	10
Length mm 90	(Knob 30+60)	**818930607**	**818930609**	1	10	10
	(Knob 35+55)	**818935557**	**818935559**	1	10	10
	(Knob 40+50)	**818940507**	**818940509**	1	10	10
	(Knob 45+45)	**818945457**	**818945459**	1	10	10
Length mm 95	(Knob 30+65)	**818930657**	**818930659**	1	-	1
	(Knob 35+60)	**818935607**	**818935609**	1	-	1
	(Knob 40+55)	**818940557**	**818940559**	1	-	1
	(Knob 45+50)	**818945507**	**818945509**	1	-	1
Length mm 100	(Knob 35+65)	**818935657**	**818935659**	1	-	1
	(Knob 40+60)	**818940607**	**818940609**	1	-	1
	(Knob 45+55)	**818945557**	**818945559**	1	-	1
	(Knob 50+50)	**818950507**	**818950509**	1	-	1
Length mm 105	(Knob 40+65)	**818940657**	**818940659**	1	-	1
	(Knob 45+60)	**818945607**	**818945609**	1	-	1
	(Knob 50+55)	**818950557**	**818950559**	1	-	1
Length mm 110	(Knob 45+65)	**818945657**	**818945659**	1	-	1
	(Knob 50+60)	**818950607**	**818950609**	1	-	1
	(Knob 55+55)	**818955557**	**818955559**	1	-	1
Length mm 115	(Knob 45+70)	**818945707**	**818945709**	1	-	1
	(Knob 50+65)	**818950657**	**818950659**	1	-	1
	(Knob 55+60)	**818955607**	**818955609**	1	-	1
Length mm 120	(Knob 55+65)	**818955657**	**818955659**	1	-	1
	(Knob 60+60)	**818960607**	**818960609**	1	-	1
Length mm 125	(Knob 60+65)	**818960657**	**818960659**	1	-	1


F6





F6 **EUROPEAN-PROFILE** cylinder with **SHAFT Ø 8 X 75** prearranged for internal knob and nickel-plated brass, vertical key with 6 pins. Anti-drill device in the cylinder body. 30° DIN cam.
3 KEYS. Screw 65 mm. (Key blank code: 020609).





L	C + D	BRASS Code	NICKEL Code	Single package	Multiple package	Min. ord.
Body length mm 60 (Knob 30+30)		**8169D0307**	**8169D0309**	1	10	10
Body length mm 65 (Knob 30+35)		**8169D0357**	**8169D0359**	1	10	10
Body length mm 70 (Knob 30+40)		**8169D0407**	**8169D0409**	1	10	10
Body length mm 75 (Knob 30+45)		**8169D0457**	**8169D0459**	1	10	10
Body length mm 80 (Knob 30+50)		**8169D0507**	**8169D0509**	1	10	10
Body length mm 85 (Knob 30+55)		**8169D0557**	**8169D0559**	1	10	10
Body length mm 90 (Knob 30+60)		**8169D0607**	**8169D0609**	1	10	10
Body length mm 95 (Knob 30+65)		**8169D0657**	**8169D0659**	1	-	1

Cylinders


F5

F5



F5 European **DOUBLE-PROFILE** cylinder, 5-pin big key. DIN straight cam.
3 KEYS. Screw mm 65. (Key blank code: 020259).





L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 42	(21+21) 3 pin big key 020239	**820821217**	**820821219**	1	10	10
Length mm 50	(25+25) 4 pin big key 020249	**820825257**	**820825259**	1	10	10
Length mm 55	(25+30) 4 pin big key 020249	**820825307**	**820825309**	1	10	10
Length mm 56	(28+28)	**820828287**	**820828289**	1	10	10
Length mm 61	(28+33)	**820828337**	**820828339**	1	10	10
Length mm 60	(30+30)	**820830307**	**820830309**	1	10	10
Length mm 65	(30+35)	**820830357**	**820830359**	1	10	10
Length mm 70	(30+40)	**820830407**	**820830409**	1	10	10
	(35+35)	**820835357**	**820835359**	1	10	10
Length mm 75	(30+45)	**820830457**	**820830459**	1	10	10
	(35+40)	**820835407**	**820835409**	1	10	10
Length mm 80	(30+50)	**820830507**	**820830509**	1	10	10
	(35+45)	**820835457**	**820835459**	1	10	10
	(40+40)	**820840407**	**820840409**	1	10	10
Length mm 85	(30+55)	**820830557**	**820830559**	1	10	10
	(35+50)	**820835507**	**820835509**	1	10	10
	(40+45)	**820840457**	**820840459**	1	10	10
Length mm 90	(30+60)	**820830607**	**820830609**	1	10	10
	(40+50)	**820840507**	**820840509**	1	10	10
	(45+45)	**820845457**	**820845459**	1	10	10
Length mm 95	(30+65)	**820830657**	**820830659**	1	-	1
	(40+55)	**820840557**	**820840559**	1	-	1
Length mm 100	(30+70)	**820830707**	**820830709**	1	-	1
	(35+65)	**820835657**	**820835659**	1	-	1
	(40+60)	**820840607**	**820840609**	1	-	1
	(50+50)	**820850507**	**820850509**	1	-	1
Length mm 105	(30+75)	**820830757**	**820830759**	1	-	1
	(50+55)	**820850557**	**820850559**	1	-	1
Length mm 110	(30+80)	**820830807**	**820830809**	1	-	1
	(50+60)	**820850607**	**820850609**	1	-	1
Length mm 120	(65+55)	**820865557**	**820865559**	1	-	1


F5





F5 European **SINGLE-PROFILE** cylinder, 5-pin big key. 30° DIN cam.
3 KEYS. Screw mm 65. (Key blank code: 020259).

L	C + D	BRASS	NICKEL	Single package	Multiple package	Min. ord.
Length mm 35	(25+10)	**820925107**	**820925109**	1	10	10




F5 European **SINGLE-PROFILE** cylinder, 5-pin big key. 8-position DIN cam.
3 KEYS. Screw mm 65. (Key blank code: 020259).

L	C + D	BRASS	NICKEL	Single package	Multiple package	Min. ord.
Length mm 40	(30+10)	**820930107**	**820930109**	1	10	10
Length mm 45	(35+10)	**820935107**	**820935109**	1	10	10
Length mm 50	(40+10)	**820940107**	**820940109**	1	10	10
Length mm 55	(45+10)	**820945107**	**820945109**	1	10	10
Length mm 60	(50+10)	**820950107**	**820950109**	1	10	10
Length mm 65	(55+10)	**820955107**	**820955109**	1	10	10
Length mm 70	(60+10)	**820960107**	**820960109**	1	10	10
Length mm 75	(65+10)	**820965107**	**820965109**	1	10	10
Length mm 80	(70+10)	**820970107**	**820970109**	1	10	10
Length mm 90	(80+10)	**820980107**	**820980109**	1	10	10
Length mm 100	(90+10)	**820990107**	**820990109**	1	-	1
Length mm 105	(95+10)	**820995107**	**820995109**	1	-	1

F5







F5 European **DOUBLE-PROFILE** cylinder, 5-pin big key. 30° DIN cam.
3 KEYS. Screw mm 65. (Key blank code: 020259).


L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 42	(21+21) 3 pin big key 020239	**820921217**	**820921219**	1	10	10
Length mm 50	(25+25) 4 pin big key 020249	**820925257**	**820925259**	1	10	10
Length mm 55	(25+30) 4 pin big key 020249	**820925307**	**820925309**	1	10	10
Length mm 56	(28+28)	**820928287**	**820928289**	1	10	10
Length mm 61	(28+33)	**820928337**	**820928339**	1	10	10
Length mm 60	(30+30)	**820930307**	**820930309**	1	10	10
Length mm 65	(30+35)	**820930357**	**820930359**	1	10	10
Length mm 70	(30+40)	**820930407**	**820930409**	1	10	10
	(35+35)	**820935357**	**820935359**	1	10	10
Length mm 75	(30+45)	**820930457**	**820930459**	1	10	10
	(35+40)	**820935407**	**820935409**	1	10	10
Length mm 80	(30+50)	**820930507**	**820930509**	1	10	10
	(35+45)	**820935457**	**820935459**	1	10	10
	(40+40)	**820940407**	**820940409**	1	10	10
Length mm 85	(30+55)	**820930557**	**820930559**	1	10	10
	(35+50)	**820935507**	**820935509**	1	10	10
	(40+45)	**820940457**	**820940459**	1	10	10
Length mm 90	(30+60)	**820930607**	**820930609**	1	10	10
	(40+50)	**820940507**	**820940509**	1	10	10
	(45+45)	**820945457**	**820945459**	1	10	10
Length mm 95	(30+65)	**820930657**	**820930659**	1	-	1
	(40+55)	**820940557**	**820940559**	1	-	1
Length mm 100	(30+70)	**820930707**	**820930709**	1	-	1
	(35+65)	**820935657**	**820935659**	1	-	1
	(40+60)	**820940607**	**820940609**	1	-	1
	(50+50)	**820950507**	**820950509**	1	-	1
Length mm 105	(30+75)	**820930757**	**820930759**	1	-	1
	(50+55)	**820950557**	**820950559**	1	-	1
Length mm 110	(30+80)	**820930807**	**820930809**	1	-	1
	(50+60)	**820950607**	**820950609**	1	-	1
Length mm 120	(65+55)	**820965557**	**820965559**	1	-	1

F5





F5 European **DOUBLE-PROFILE** cylinder, 5-pin big key. **DOUBLE FUNCTION**, it also operates when keyed-in. 30° DIN cam.
3 KEYS. Screw mm 65. (Key blank code: 020259).




L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 60	(30+30)	**829930307**	**829930309**	1	10	10
Length mm 65	(30+35)	**829930357**	**829930359**	1	10	10
Length mm 70	(30+40)	**829930407**	**829930409**	1	10	10
	(35+35)	**829935357**	**829935359**	1	10	10
Length mm 75	(30+45)	**829930457**	**829930459**	1	10	10
	(35+40)	**829935407**	**829935409**	1	10	10
Length mm 80	(30+50)	**829930507**	**829930509**	1	10	10
	(35+45)	**829935457**	**829935459**	1	10	10
	(40+40)	**829940407**	**829940409**	1	10	10
Length mm 85	(30+55)	**829930557**	**829930559**	1	10	10
	(35+50)	**829935507**	**829935509**	1	10	10
	(40+45)	**829940457**	**829940459**	1	10	10
Length mm 90	(30+60)	**829930607**	**829930609**	1	10	10
	(40+50)	**829940507**	**829940509**	1	10	10
	(45+45)	**829945457**	**829945459**	1	10	10
Length mm 95	(30+65)	**829930657**	**829930659**	1	-	1
	(40+55)	**829940557**	**829940559**	1	-	1
Length mm 100	(30+70)	**829930707**	**829930709**	1	-	1
	(40+60)	**829940607**	**829940609**	1	-	1
	(50+50)	**829950507**	**829950509**	1	-	1
Length mm 105	(30+75)	**829930757**	**829930759**	1	-	1
Length mm 110	(30+80)	**829930807**	**829930809**	1	-	1
	(50+60)	**829950607**	**829950609**	1	-	1

F5




F5 European **SINGLE-PROFILE** cylinder with internal round grip knob.
30° DIN cam. Screw mm 65.



L	C + D	BRASS	NICKEL	Single package	Multiple package	Min. ord.
Length mm 40	(Knob 30+10)	**828930107**	**828930109**	1	-	1
Length mm 45	(Knob 35+10)	**828935107**	**828935109**	1	-	1
Length mm 50	(Knob 40+10)	**828940107**	**828940109**	1	-	1




F5 European **DOUBLE-PROFILE** cylinder with internal round grip knob
and 5-pin big external key. 30° DIN cam.
3 KEYS. Screw mm 65. (Key blank code: 020259).




L	C + D	BRASS	NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(Knob 28+28)	**828928287**	**828928289**	1	10	10
Length mm 60	(Knob 30+30)	**828930307**	**828930309**	1	10	10
Length mm 61	(Knob 28+33)	**828928337**	**828928339**	1	10	10
	(Knob 33+28)	**828933287**	**828933289**	1	10	10
Length mm 65	(Knob 30+35)	**828930357**	**828930359**	1	10	10
	(Knob 35+30)	**828935307**	**828935309**	1	10	10
Length mm 70	(Knob 30+40)	**828930407**	**828930409**	1	10	10
	(Knob 35+35)	**828935357**	**828935359**	1	10	10
	(Knob 40+30)	**828940307**	**828940309**	1	10	10
Length mm 75	(Knob 30+45)	**828930457**	**828930459**	1	10	10
	(Knob 45+30)	**828945307**	**828945309**	1	10	10
Length mm 80	(Knob 35+45)	**828935457**	**828935459**	1	10	10
	(Knob 40+40)	**828940407**	**828940409**	1	10	10
	(Knob 45+35)	**828945357**	**828945359**	1	10	10
Length mm 90	(Knob 30+60)	**828930607**	**828930609**	1	10	10
	(Knob 40+50)	**828940507**	**828940509**	1	10	10
	(Knob 45+45)	**828945457**	**828945459**	1	10	10
	(Knob 50+40)	**828950407**	**828950409**	1	10	10
	(Knob 60+30)	**828960307**	**828960309**	1	10	10
Length mm 100	(Knob 60+40)	**828960407**	**828960409**	1	-	1
Length mm 105	(Knob 50+55)	**828950557**	**828950559**	1	-	1
	(Knob 60+45)	**828960457**	**828960459**	1	-	1
Length mm 110	(Knob 50+60)	**828950607**	**828950609**	1	-	1
	(Knob 60+50)	**828960507**	**828960509**	1	-	1
	(Knob 80+30)	**828980307**	**828980309**	1	-	1
Length mm 120	(Knob 80+40)	**828980407**	**828980409**	1	-	1

F5




F5 European **SINGLE-PROFILE** cylinder with internal flat knob.
30° DIN cam. Screw mm 65.




L	C + D	BRASS	NICKEL	Single package	Multiple package	Min. ord.
Length mm 40	(Knob 30+10)	**825930107**	**825930109**	1	-	1
Length mm 45	(Knob 35+10)	**825935107**	**825935109**	1	-	1
Length mm 50	(Knob 40+10)	**825940107**	**825940109**	1	-	1



F5 European **DOUBLE-PROFILE** cylinder with internal flat knob
and 5-pin big external key. 30° DIN cam.
3 KEYS. Screw mm 65. (Key blank code: 020259).






L	C + D	BRASS	NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(Knob 28+28)	**825928287**	**825928289**	1	10	10
Length mm 60	(Knob 30+30)	**825930307**	**825930309**	1	10	10
Length mm 61	(Knob 28+33)	**825928337**	**825928339**	1	10	10
	(Knob 33+28)	**825933287**	**825933289**	1	10	10
Length mm 65	(Knob 30+35)	**825930357**	**825930359**	1	10	10
	(Knob 35+30)	**825935307**	**825935309**	1	10	10
Length mm 70	(Knob 30+40)	**825930407**	**825930409**	1	10	10
	(Knob 35+35)	**825935357**	**825935359**	1	10	10
	(Knob 40+30)	**825940307**	**825940309**	1	10	10
Length mm 75	(Knob 30+45)	**825930457**	**825930459**	1	10	10
	(Knob 45+30)	**825945307**	**825945309**	1	10	10
Length mm 80	(Knob 35+45)	**825935457**	**825935459**	1	10	10
	(Knob 40+40)	**825940407**	**825940409**	1	10	10
	(Knob 45+35)	**825945357**	**825945359**	1	10	10
Length mm 90	(Knob 30+60)	**825930607**	**825930609**	1	10	10
	(Knob 40+50)	**825940507**	**825940509**	1	10	10
	(Knob 45+45)	**825945457**	**825945459**	1	10	10
	(Knob 50+40)	**825950407**	**825950409**	1	10	10
	(Knob 60+30)	**825960307**	**825960309**	1	10	10
Length mm 100	(Knob 60+40)	**825960407**	**825960409**	1	-	1
Length mm 105	(Knob 50+55)	**825950557**	**825950559**	1	-	1
	(Knob 60+45)	**825960457**	**825960459**	1	-	1
Length mm 110	(Knob 50+60)	**825950607**	**825950609**	1	-	1
	(Knob 60+50)	**825960507**	**825960509**	1	-	1
	(Knob 80+30)	**825980307**	**825980309**	1	-	1
Length mm 120	(Knob 80+40)	**825980407**	**825980409**	1	-	1

F5








F5 European **PROFILE** cylinder with **Ø 8X16 SHAFT** prearranged for internal knob.
5-pin external key. 30° DIN cam.
3 KEYS. Screw mm 65. (Key blank code: 020259).

L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(Knob 28+28)	**826928287**	**826928269**	1	10	10
Length mm 60	(Knob 30+30)	**826930307**	**826930309**	1	10	10
Length mm 61	(Knob 28+33)	**826928337**	**826928339**	1	10	10
	(Knob 33+28)	**826933287**	**826933289**	1	10	10
Length mm 65	(Knob 30+35)	**826930357**	**826930359**	1	10	10
	(Knob 35+30)	**826935307**	**826935309**	1	10	10
Length mm 70	(Knob 30+40)	**826930407**	**826930409**	1	10	10
	(Knob 35+35)	**826935357**	**826935359**	1	10	10
	(Knob 40+30)	**826940307**	**826940309**	1	10	10
Length mm 75	(Knob 30+45)	**826930457**	**826930459**	1	10	10
	(Knob 45+30)	**826945307**	**826945309**	1	10	10
Length mm 80	(Knob 35+45)	**826935457**	**826935459**	1	10	10
	(Knob 40+40)	**826940407**	**826940409**	1	10	10
	(Knob 45+35)	**826945357**	**826945359**	1	10	10
Length mm 90	(Knob 30+60)	**826930607**	**826930609**	1	10	10
	(Knob 40+50)	**826940507**	**826940509**	1	10	10
	(Knob 45+45)	**826945457**	**826945459**	1	10	10
	(Knob 50+40)	**826950407**	**826950409**	1	10	10
	(Knob 60+30)	**826960307**	**826960309**	1	10	10
Length mm 100	(Knob 60+40)	**826960407**	**826960409**	1	-	1
Length mm 105	(Knob 50+55)	**826950557**	**826950559**	1	-	1
	(Knob 60+45)	**826960457**	**826960459**	1	-	1
Length mm 110	(Knob 50+60)	**826950607**	**826950609**	1	-	1
	(Knob 60+50)	**826960507**	**826960509**	1	-	1
	(Knob 80+30)	**826980307**	**826980309**	1	-	1
Length mm 120	(Knob 80+40)	**826980407**	**826980409**	1	-	1






F5 European **PROFILE** cylinder with flat internal knob
and external emergency cut for W.C. doors.
Straight DIN cam. Screw mm 65.

L	C + D	Code BRASS	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 56	(Knob 28+28)	**825228287**	**825228269**	1	10	10
Length mm 60	(Knob 30+30)	**825230307**	**825230309**	1	10	10
Length mm 70	(Knob 35+35)	**825235357**	**825235359**	1	10	10

F5







F5 **SMALL SINGLE-PROFILE OVAL** cylinder, 5-pin small key.
3 KEYS. Screw mm 65. (Key blank code: 020159).


L C + D	Code BRASS	Single package	Multiple package	Min. ord.
Length mm 36 (27+9)	**830027097**	1	10	10

F5 **SMALL SINGLE-PROFILE OVAL** cylinder, 5-pin small key. Polished nickel-plated brass.
3 KEYS. Screw mm 65. (Key blank code: 020159).

L C + D	Code NICKEL	Single package	Multiple package	Min. ord.
Length mm 36 (27+9)	**830027093**	1	10	10







F5 **SMALL DOUBLE-PROFILE OVAL** cylinder, 5-pin small key.
3 KEYS. Screw mm 65. (Key blank code: 020159).

L C + D	Code BRASS	Single package	Multiple package	Min. ord.
Length mm 42 (21+21) 3-pin small key 020139	**830021217**	1	10	10
Length mm 54 (27+27)	**830027277**	1	10	10
Length mm 60 (27+33)	**830027337**	1	10	10
Length mm 67 (27+40)	**830027407**	1	10	10
Length mm 60 (30+30)	**830030307**	1	10	10
Length mm 70 (30+40)	**830030407**	1	10	10
Length mm 66 (33+33)	**830033337**	1	10	10
Length mm 73 (33+40)	**830033407**	1	10	10


F5 **SMALL DOUBLE-PROFILE OVAL** cylinder, 5-pin small key.
3 KEYS. Screw mm 65. (Key blank code: 020159).
Packed in nylon bags for industrial use.

L C + D	Code BRASS	Single package	Multiple package	Min. ord.
Length mm 54 (27+27)	**83002727H**	1	10	10
Length mm 60 (27+33)	**83002733H**	1	10	10
Length mm 67 (27+40)	**83002740H**	1	10	10
Length mm 60 (30+30)	**83003030H**	1	10	10
Length mm 70 (30+40)	**83003040H**	1	10	10
Length mm 66 (33+33)	**83003333H**	1	10	10

F5









F5 **SMALL DOUBLE PROFILE OVAL** cylinder, market, 5-pin small key.
Polished nickel-plated brass.
3 KEYS. Screw mm 65. (Key blank code: 020159).

L C + D	Code		Single package	Multiple package	Min. ord.
		NICKEL			
Length mm 42 (21+21) 3 pin small key 020139	**830021213**		1	10	10
Length mm 54 (27+27)	**830027273**		1	10	10
Length mm 60 (27+33)	**830027333**		1	10	10
Length mm 67 (27+40)	**830027403**		1	10	10
Length mm 60 (30+30)	**830030303**		1	10	10
Length mm 70 (30+40)	**830030403**		1	10	10
Length mm 66 (33+33)	**830033333**		1	10	10
Length mm 73 (33+40)	**830033403**		1	10	10







F5 **SMALL SINGLE-PROFILE OVAL** cylinder with internal flat knob
and 5-pin small external key.
3 KEYS. Screw mm 65. (Key blank code: 020159).

L C + D	Code		Single package	Multiple package	Min. ord.
		BRASS			
Length mm 54 (27+27)	**835027277**		1	10	10
Length mm 60 (27+33)	**835027337**		1	10	10
Length mm 67 (27+40)	**835027407**		1	10	10

F5 **SMALL SINGLE-PROFILE OVAL** cylinder with internal flat knob
and 5-pin small external key. Polished nickel-plated brass.
3 KEYS. Screw mm 65. (Key blank code: 020159).


L C + D	Code		Single package	Multiple package	Min. ord.
		NICKEL			
Length mm 54 (27+27)	**835027273**		1	10	10
Length mm 60 (27+33)	**835027333**		1	10	10
Length mm 67 (27+40)	**835027403**		1	10	10

F5



F5 **DOUBLE-PROFILE** round multifaceted cylinder **Ø 22**, 5-pin small key.
3 KEYS. (Key blank code: 020159).






L C + D	Code	BRASS	Single package	Multiple package	Min. ord.
Length mm 54 (27+27)	**840027277**		1	10	10
Length mm 60 (27+33)	**840027337**		1	10	10
Length mm 70 (30+40)	**840030407**		1	10	10
Length mm 66 (33+33)	**840033337**		1	10	10
Length mm 80 (40+40)	**840040407**		1	10	10



F5 **DOUBLE-PROFILE** round multifaceted cylinder **Ø 26**, 5-pin big key.
3 KEYS. (Key blank code: 020159).






L C + D	Code	BRASS	Single package	Multiple package	Min. ord.
Length mm 56 (28+28).	**842028287**		1	10	10


F5

	Code		Single package	Multiple package	Min. ord.
F5 **EXTERNAL RIM** cylinder to be applied on doors with a max thickness of 85 mm. **To be used with rim locks without external cylinder.** 5-pin big key. e viti per fissaggio dall'interno. **3 CHIAVI**. (Chiave grezza codice 020259). Plate and screws for inside fixing. **3 KEYS**. (Key blank code: 020259).	BRASS **850007**		1	10	10
Packed in nylon bags for industrial use.	BRASS **850007H**		1	10	10




Pair composed of F5 **INTERNAL** cylinder to be applied to the lock and **EXTERNAL RIM** F5 cylinder to be applied on doors with a max. thickness of 85 mm. To be used with electric locks 501* series. 5-pin big key. Plate and screws for inside fixing. **3 KEYS**. (Key blank code: 020259).

BRASS **851007** | 1 | 10 | 10




Pair composed of F5 **INTERNAL** cylinder to be applied to the lock and **EXTERNAL RIM** F5 cylinder to be applied on doors with a max. thickness of 85 mm. **To be used with main door rim locks 4** series and electric locks 501* series latchbolt only.** 5-pin big key. Plate and screws for inside fixing. **3 KEYS**. (Key blank code: 020259). (For series 421-422-423-424-425-426-441-442-483-484-4510-5210-5213-5214)


BRASS **851017** | 1 | 10 | 10



F5









	Code			Single package	Multiple package	Min. ord.
Pair composed of F5 **INTERNAL** cylinder to be applied to the lock and **EXTERNAL RIM** F5 cylinder to be applied on doors with a max thickness of mm 85. **To be used with electric locks with throws 531**** series.** 5-pin big key. Plate and screws for inside fixing. **3 KEYS**. (Key blank code: 020259). (For series 5310-5312-5314)	BRASS	**851027**		1	10	10






	Code			Single package	Multiple package	Min. ord.
F5 **FIXED EXTERNAL** cylinder Ø 26. **To be used with rim locks.** 5-pin big key. **Ø 26** tube and fixing screws. **3 KEYS**. (Key blank code: 020259).	BRASS					
for doors with max. thickness mm 35		**852357**		1	10	10
for doors with max. thickness mm 40		**852407**		1	10	10
for doors with max. thickness mm 45		**852457**		1	10	10
for doors with max. thickness mm 50		**852507**		1	10	10
for doors with max. thickness mm 60		**852607**		1	10	10
for doors with max. thickness mm 70		**852707**		1	10	10








	Code			Single package	Multiple package	Min. ord.
Pair composed of F5 cylinder **TO BE APPLIED** to the lock and F5 **EXTERNAL FIXED** cylinder **Ø 26** for doors with max thickness mm 50. **To be used with electric locks 500***-505*** series.** 5-pin big key. Tube Ø 26 and fixing screws. **3 KEYS**. (Key blank code: 020259)	BRASS	**853507**		1	10	10


F5






	Code		Single package	Multiple package	Min. ord.
Pair composed of F5 **INTERNAL** cylinder to be applied to the lock and F5 **EXTERNAL FIXED CYLINDER Ø 26. To be used with rim locks Portoncino and electric locks with latchbolt only.** 5-pin big key. Tube Ø 26 and fixing screws. **3 KEYS**. (Key blank code: 020259). (For series 431-432-435-436-437-438-450-451-452-481-482-485-486-491-492-493-494-495-496 4250-4210-5950-4910-4350-5200-5203-5204-5205-5220-5224-5250-5253-5255)					
	BRASS				
for doors with max thickness mm 45	**854457**		1	10	10
for doors with max thickness mm 50	**854507**		1	10	10
for doors with max thickness mm 70	**854707**		1	10	10





Pair composed of F5 **INTERNAL** cylinder to be applied to the lock and F5 **EXTERNAL FIXED CYLINDER Ø 26** for doors with max thickness mm 50. **To be used with electric locks with throws 531**** series.** 5-pin big key. Tube Ø 26 and fixing screws. **3 KEYS**. (Key blank code: 020259). (For series 5300-5302-5304-5305-5350-5352)	BRASS **858507**		1	10	10





Extension piece kit for external fixed cylinder in brass Ø 26 mm.	**003020**		1	10	10

Cyiinders

Pump cylinders
Cross-key cylinders
Key and accessories

Pump cylinders







EXTERNAL PUMP cylinder. Body in nickel-plated zamak. Anti-drill pin.
Anti-break tube in carbonitrided steel, painted.
3 KEYS. Screws. For locks 901-903-910-911-913-915 series

	Code	Single package	Multiple package	Min. ord.
	NICKEL			
L mm 32	**990019**	1	-	1
L mm 42	**990010**	1	-	1
L mm 52	**990011**	1	-	1
L mm 62	**990012**	1	-	1
L mm 72	**990013**	1	-	1
L mm 82	**990014**	1	-	1








Pair **INTERNAL AND EXTERNAL PUMP** cylinders. Internal cylinder body
in nickel-pleted brass, external cylinder body in nickel-plated zmak.
Anti-drill pin. Anti-break tube in carbonitrided steel, painted.
3 KEYS. Screws. For locks 901-903-910-911-913-915 series

	Code	Single package	Multiple package	Min. ord.
	NICKEL			
L mm 32	**990029**	1	-	1
L mm 42	**990020**	1	-	1
L mm 52	**990021**	1	-	1
L mm 62	**990022**	1	-	1
L mm 72	**990023**	1	-	1
L mm 82	**990024**	1	-	1





Cross-key cylinders














	Code	Single package	Multiple package	Min. ord.
CROSS-KEY cylinder **ASSEMBLED** on zamak support. **3 KEYS** mm 78. Two nylon key guides. To be used with open-case locks for aluminium frames 78* series.	**990875**	1	10	10
CROSS-KEY cylinder **ASSEMBLED** on zamak support. **2 KEYS** mm 78. **Groups of 10 keyed-alike cylinders.** Two nylon key guides. To be used with open-case locks for aluminium frames 78* series.	**990875..Y**	1	-	1
CROSS-KEY cylinder **ASSEMBLED** on zamak support. **2 KEYS mm 78. Keyed-alike fixed coding.** Two nylon key guides. To be used with open-case locks for aluminium frames 78* series.				
keyed-alike fixed coding 01799	**990875WY1**	1	-	1
keyed-alike fixed coding 00923	**990875WY2**	1	-	1
keyed-alike fixed coding 00484	**990875WY3**	1	-	1
keyed-alike fixed coding 01196	**990875WY4**	1	-	1
keyed-alike fixed coding 02161	**990875WY5**	1	-	1









For locks series:
781-782-783-7811-7812
7813-7814-7831-7832
7833-7834-7820-785*
787*-7817-7818-7838

CROSS-KEY cylinder assembled zamak support. **3 KEYS MM 100**. Two nylon key guides. To be used with open-case locks for aluminium frames 78* series.	**990890**	1	10	10
CROSS-KEY cylinder **ASSEMBLED** onzamak support. **3 KEYS MM 100**. **Groups of 10 keyed-alike cylinders.** Two nylon key guides. To be used with open-case locks for aluminium frames 78* series.	**990890..Y**	1	-	10




Keys

	Code	Single package	Multiple package	Min. ord.
 Nickel-plated brass **F5 key blank, 3 pins,** with ISEO profile; **small right-hand profile** for oval cylinder 83002121 series	**020139**	100	-	100
 Nickel-plated brass **F5 key blank, 4 pins,** with ISEO profile; **small right-hand profile** for locks 100-101-102-103-106-107-108 series and padlock mm 30 KA or SA	**020149**	100	-	100
 Nickel-plated brass **F5 key blank, 5 pins,** with ISEO profile; **small right-hand profile** for cylinders 8300-8350-8400 and padlock mm 40	**020159**	100	-	100
 Nickel-plated brass **F5 key blank, 3 pins,** with ISEO profile; **big right-hand profile** for cylinders 82**2121* series	**020239**	100	-	100
 Nickel-plated brass **F5 key blank, 4 pins,** with ISEO profile; **big right-hand profile** for cylinders 82**2525*-82**2530* series	**020249**	100	-	100
Nickel-plated brass **F5 key blank, 4 pins,** with **UNIVERSAL PROFILE;** **big right-hand profile**	**0202491**	100	-	100
 Nickel-plated brass **F5 key blank, 5 pins,** with ISEO profile; **big right-hand profile** for cylinders: 82*-845-846-850-851-852-853-854-856-857-858-8420*	**020259**	100	-	100
Nickel-plated brass **F5 key blank, 5 pins,** with **UNIVERSAL PROFILE;** **big right-hand profile**, working length mm 26,6	**0202591**	100	-	100
 Nickel-plated brass **F5 key blank, 4 pins,** with **UNIVERSAL PROFILE;** **big left-hand profile**	**0203491**	100	-	100
 Nickel-plated brass **F5 key blank, 5 pins,** with **UNIVERSAL PROFILE;** **big left-hand profile**	**0203591**	100	-	100
 Nickel-plated brass **F5 key blank, 5 pins,** with **CENTRAL PROFILE;** **big right-hand profile** for locks 641-642	**020409**	100	-	100










Keys

	Code	Single package	Multiple package	Min. ord.
 Nichel-plated brass **F6 - F6 Extra** key blank**, 6 pins** for cylinders 81*9, **vertical profile**,	**020609**	50	-	50
Nichel-plated brass **F6 - F6 Extra** key, **6 pins** for cylinders 81*9, ordered separately upon sample or through the ref. number, **vertical profile**	**020689**	1	-	1
 Nickel-plated brass key blank for flat-key cylinder **R6** series 88**, 6 pins. **DISCONTINUED**	**020809**	50	-	50
Nickel-plated flat key with **R6** profile to be ordered separately upon sample or through the ref. number, for cylinders 88** series, 6 pins. **DISCONTINUED**	**020889**	1	-	1
 Nickel-plated brass key blank for flat-key cylinder **R6 New** series 88** , 6 pins	**020839**	50	-	50
 Nickel-plated brass flat key blank for **R7** cylinder	**020909**	50	-	50
Nickel-plated brass flat key for **R7** cylinder, to be ordered separately upon sample or through the ref. number.	**020989**	1	-	1
 Nickel-plated steel key blank for CROSS-KEY CYLINDER profile 990 series, working length mm 48, 6 pins	**020275**	30	-	30
Nickel-plated steel key blank for CROSS-KEY CYLINDER profile 990 series, working length mm 70, 6 pins	**020290**	30	-	30
 Chrome-plated brass keyblank for PUMP CYLINDER 9900* series	**990001**	30	-	30
Chrome-plated brass key, machined upon sample, for PUMP CYLINDER	**990002**	1	-	1
 Chrome-plated brass DOUBLE-BIT key blank. Length mm 79. **For locks 261-263-661-663-961*-963* series**	**990802**	10	-	10
Chrome-plated brass DOUBLE-BIT key, machined upon sample. Length mm 79 **For locks 261-263-661-663-961*-963* series**	**990803**	10	-	10
Chrome-plated brass DOUBLE-BIT key blank. Length mm 100. **For locks 261-263-661-663-961*-963* series**	**990009**	10	-	10
 Chrome-plated brass DOUBLE-BIT key blank. Length mm 79. **For locks 981-983-961-963 series**	**990800**	10	-	10
Chrome-plated brass DOUBLE-BIT key blank. Length mm 100. **For locks 981-983-961-963 series**	**990800.100**	10	-	10
Chrome-plated brass DOUBLE-BIT key, machined upon sample. Length mm 79. **For locks 981-983-961-963 series**	**990801**	10	-	10







Keys

		Code	Single package	Multiple package	Min. ord.
	Nickel-plated brass, **key blank, 4 pins,** **small right-hand profile** for ADITUS series 30 mm	**P00000149**	100	-	100
	Nickel-plated brass, **key blank, 4 pins,** **small right-hand profile** for ADITUS series 40 mm	**P00000159**	100	-	100
	Nickel-plated brass, **key blank, 5 pins,** **big right-hand profile** for ADITUS series 50 - 60 - 70 mm	**P00000259**	100	-	100

Accessories

	Code	Single package	Multiple package	Min. ord.
 Rubber grip for **R7** keys.	**044180**	100	-	100
 Nylon grip for double-bit keys and pump keys 990*** series.	**990000**	100	-	100
 Brass flat ring nut for pump cylinder, cylinder hole Ø mm 27	**990084**	10	-	10
Brass ring nut for pump cylinder, anti-break tube hole Ø mm 33	**990086**	10	-	10
Nickel-plated brass ring nut for pump cylinder, anti-break tube hole Ø mm 33	**990083**	10	-	10
 Brass concave ring nut for pump cylinder, cylinder hole Ø mm 27	**990090**	10	-	10
Brass convex ring nut for pump cylinder, cylinder hole Ø mm 27	**990090/C**	10	-	10
 Escutcheon with oval cylinder hole. Stainless steel. For cylinders 83** series.	**042000**	100	-	100
 Escutcheon with oval cylinder hole. NYLON. For cylinders 83** series.	**042001**	100	-	100
 Escutcheon with European-profile cylinder hole. SILVER-ANODISED aluminium.	**042002**	100	-	100
Escutcheon with European-profile cylinder hole. GOLD-ANODISED aluminium.	**042003**	100	-	100
Escutcheon with European-profile cylinder hole. BRONZE-ANODISED aluminium.	**042004**	100	-	100
 Escutcheon with European-profile cylinder drill. BRASS.	**042027**	100	-	100
Escutcheon with European-profile cylinder drill. NICKEL-PLATED BRASS.	**042029**	100	-	100
 Escutcheon with European-profile cylinder hole. STAINLESS STEEL.	**042030**	100	-	100
Escutcheon with European-profile cylinder hole. NYLON.	**042040**	100	-	100

Accessories


		Code	Single package	Multiple package	Min. ord.
	Escutcheon for multi-faceted round cylinder hole Ø 22. ZINC-PLATED STEEL. For cylinders 8400 series.	**042005**	100	-	100
	Escutcheon for multi-faceted cylinder hole Ø26. ZINC-PLATED STEEL. For cylinders 8420 series.	**042006**	100	-	100
	Escutcheon for multi-faceted cylinder hole Ø 22. NYLON. For cylinders 8400 series	**042008**	100	-	100
	Escutcheon for multi-faceted cylinder hole Ø 22. NYLON. or cylinders 8420 series	**042007**	100	-	100
	Triangular escutcheon with round cylinder hole Ø 25. BRASS. For fixed cylinder 85* series	**042017**	100	-	100
	Extension kit for external fixed brass cylinder Ø 26 mm	**003020**	1	10	10


Accessories



ROUND GRIP KNOB 30 mm.

For cylinders prearranged for knob. Fixing screw.







	Code		Single package	Multiple package	Min. ord.
POLISHED AND PAINTED BRASS FINISH	**044177**		1	10	10
SATIN NICKEL PLATED FINISH	**044179**		1	10	10



FLAT KNOB 35 mm.

For cylinders prearranged for knob. Fixing screw.







	Code		Single package	Multiple package	Min. ord.
POLISHED AND PAINTED BRASS FINISH	**044167**		1	10	10
SATIN NICKEL PLATED FINISH	**044169**		1	10	10

Accessories

	Code	Single package	Multiple package	Min. ord.
ROUND KNOB Ø 30 mm. For cylinders prearranged for knob. Fixing screw.				
POLISHED AND PAINTED BRASS FINISH	**044117**	1	10	10
SATIN NICKEL PLATED FINISH	**044119**	1	10	10









	Code	Single package	Multiple package	Min. ord.
TRIANGULAR KNOB 40 mm. For cylinders prearranged for knob. Fixing screw.				
POLISHED AND PAINTED BRASS FINISH	**044147**	1	10	10
SATIN NICKEL PLATED FINISH	**044149**	1	10	10








Accessories


	Code	Single package	Multiple package	Min. ord.






IRON. ESCUTCHEON for European profile cylinder. **TEMPERED steel.**
Internal escutcheon in nylon. Fixing screws.
For projecting cylinders 4 mm to 11,3 mm.

SATIN NICKEL PLATED	**0000098050204**	1	-	1
BLACK PAINTED	**0000098050205**	1	-	1
POLISHED BRASS-PLATED	**0000098050206**	1	-	1






MODULAR ESCUTCHEON for European profile cylinder
for MULTIBLINDO AND BLINDO LOCKS, internal fixing. Internal and external escutcheons
in **aluminium**. External plate and anti-drill device in carbonitrided steel.
Plate spacer. Thicknesses. Anti-drill balls for screws protection. Screws.


BLACK PAINTED	**040809**	1	-	1

MODULAR ESCUTCHEON for European profile cylinder
for MULTIBLINDO AND BLINDO LOCKS, internal fixing. Internal and external escutcheons
in **aluminium**. External plate and anti-drill device in carbonitrided steel.
Plate spacer. Thicknesses. Anti-drill balls for screws protection. Screws.

RAW ALUMINIUM	**040809G**	1	-	1







ESCUTCHEON for European profile cylinder, inside fixing.
CARBONITRIDED STEEL. External protective plate. External escutcheon.
Anti-drill device. Disk spacer. Spacing ring. Internal plate.
Internal escutcheon. Seal. Fixing screws.

PAINTED BRASS-PLATED	**043030**	1	-	1

Padlocks


Iustus
Aditus

CITY.

Iustus








A	H	D
20	12	3
25	15	4
30	18	5
40	22	6
50	28	8
60	35	10
70	44	12

	Code	Single package	Multiple package	Min. ord.
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 20.** Chrome-plated steel Ø 3. **SHACKLE CLEARANCE MM 12. 2 KEYS.**	**800207**	1	12	12
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 25.** Chrome-plated steel shackle Ø 4. **SHACKLE CLEARANCE MM 15. 2 KEYS.**	**800257**	1	12	12
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 25.** Chrome-plated steel shackle Ø 4. **SHACKLE CLEARANCE MM 15. 2 KEYS. ISEO CODING.**	**800257..K**	1	12	12
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 25.** Chrome-plated steel shackle Ø 4. **SHACKLE CLEARANCE MM 15. 2 KEYS.**				
Fixed coding 061	**800257..K1**	1	12	12
Fixed coding 062	**800257..K2**	1	12	12
Fixed coding 063	**800257..K3**	1	12	12
Fixed coding 064	**800257..K4**	1	12	12
Fixed coding 065	**800257..K5**	1	12	12
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 30.** Chrome-plated steel shackle Ø 5. **SHACKLE CLEARANCE MM 18. 2 KEYS.**	**800307**	1	12	12
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 30.** Chrome-plated steel shackle Ø 5. **SHACKLE CLEARANCE MM 18. 2 KEYS. ISEO CODING**	**800307..K**	1	12	12
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 30.** Chrome-plated steel shackle Ø 5. **SHACKLE CLEARANCE MM 18. 2 KEYS**				
Fixed coding 2141	**800307..K1**	1	12	12
Fixed coding 2222	**800307..K2**	1	12	12
Fixed coding 2243	**800307..K3**	1	12	12
Fixed coding 2164	**800307..K4**	1	12	12
Fixed coding 2185	**800307..K5**	1	12	12
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 40.** Chrome-plated steel shackle Ø 6. **SHACKLE CLEARANCE MM 22. 2 KEYS.** Antipick disk.	**800407**	1	12	12
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 40.** Chrome-plated steel shackle Ø 6. **SHACKLE CLEARANCE MM 22. 2 KEYS.** **ISEO CODING**. Antipick disk.	**800407..K**	1	12	12
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 40.** Chrome-plated steel shackle Ø 6. **SHACKLE CLEARANCE MM 22. 2 KEYS.** Antipick disk.				
Fixed coding 3151	**800407..K1**	1	12	12
Fixed coding 3152	**800407..K2**	1	12	12
Fixed coding 3153	**800407..K3**	1	12	12
Fixed coding 3154	**800407..K4**	1	12	12
Fixed coding 3155	**800407..K5**	1	12	12

Iustus








A	H	D
20	12	3
25	15	4
30	18	5
40	22	6
50	28	8
60	35	10
70	44	12

	Code	Single package	Multiple package	Min. ord.
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 28. 2 KEYS.** (KEY BLANK CODE: 020259). Antipick disk.	**800507**	1	10	10
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 28. 2 KEYS.** (Key blank code: 020259). **CODING ON REQUEST.** Antipick disk.	**800507..5**	1	-	-
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 28. 2 KEYS.** (Key blank code: 020259). **ISEO CODING.** Antipick disk.	**800507..K**	1	10	10
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 28. 2 KEYS.** (Key blank code: 020259). Antipick disk.				
Fixed coding 4031	**800507..K1**	1	10	10
Fixed coding 4032	**800507..K2**	1	10	10
Fixed coding 4063	**800507..K3**	1	10	10
Fixed coding 4084	**800507..K4**	1	10	10
Fixed coding 4135	**800507..K5**	1	10	10
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 60.** Chrome-plated steel shackle Ø 10. **SHACKLE CLEARANCE MM 35. 2 KEYS.** (Key blank code: 020259). Antipick disk.	**800607**	1	10	10
Open shackle IUSTUS padlock. **BODY MATERIAL: BRASS, MM 60.** Chrome-plated steel shackle Ø 10. **SHACKLE CLEARANCE MM 35. 2 KEYS.** (Key blank code: 020259). **CODING ON REQUEST.** Antipick disk.	**800607..5**	1	-	-
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 60.** Chrome-plated steel shackle Ø 10. **SHACKLE CLEARANCE MM 35. 2 KEYS.** (Key blank code: 020259). **ISEO CODING.** Antipick disk.	**800607..K**	1	10	10
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 60.** Chrome-plated steel shackle Ø 10. **SHACKLE CLEARANCE MM 35. 2 KEYS.** (KEY BLANK CODE: 020259). Antipick disk.				
Fixed coding 5081	**800607..K1**	1	10	10
Fixed coding 5082	**800607..K2**	1	10	10
Fixed coding 5193	**800607..K3**	1	10	10
Fixed coding 5204	**800607..K4**	1	10	10
Fixed coding 5215	**800607..K5**	1	10	10
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 70.** Chrome-plated steel shackle Ø 12. **SHACKLE CLEARANCE MM 44. 2 KEYS.** (KEY BLANK CODE: 020259). Antipick disk.	**800707**	1	10	10
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 70.** Chrome-plated steel shackle Ø 12. **SHACKLE CLEARANCE MM 44. 2 KEYS.** (Key blank code: 020259). **CODING ON REQUEST.** Antipick disk.	**800707..5**	1	-	-

Iustus







	A	H	D
25	25	25	4
30	30	46	5
31	30	67	5
40	40	47	6
41	40	67	6
50	50	50	8
51	50	67	8
52	50	90	8

	Code	Single package	Multiple package	Min. ord.
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 70.** Chrome-plated steel shackle Ø 12. **SHACKLE CLEARANCE MM 44. 2 KEYS.** (Key blank code: 020259). **ISEO CODING.** Antipick disk.	**800707..K**	1	10	10
Open shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 70.** Chrome-plated steel shackle Ø 12. **SHACKLE CLEARANCE MM 44. 2 KEYS.** (KEY BLANK CODE: 020259). Antipick disk.				
Fixed coding 6061	**800707..K1**	1	10	10
Fixed coding 6062	**800707..K2**	1	10	10
Fixed coding 6103	**800707..K3**	1	10	10
Fixed coding 6104	**800707..K4**	1	10	10
Fixed coding 6105	**800707..K5**	1	10	10
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 25.** Chrome-plated steel shackle Ø 4. **SHACKLE CLEARANCE MM 25. 2 KEYS.**	**802257**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 25.** Chrome-plated steel shackle Ø 4. **SHACKLE CLEARANCE MM 25. 2 KEYS. ISEO CODING.**	**802257..K**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 30.** Chrome-plated steel shackle Ø 5. **SHACKLE CLEARANCE MM 46. 2 KEYS.**	**802307**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 30.** Chrome-plated steel shackle Ø 5. **SHACKLE CLEARANCE MM 46. 2 KEYS. ISEO CODING.**	**802307..K**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 30.** Chrome-plated steel shackle Ø 5. **SHACKLE CLEARANCE MM 67. 2 KEYS.**	**802317**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 30.** Chrome-plated steel shackle Ø 5. **SHACKLE CLEARANCE MM 67. 2 KEYS. ISEO CODING.**	**802317..K**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 30.** Chrome-plated steel shackle Ø 5. **SHACKLE CLEARANCE MM 100. 2 KEYS.**	**802327**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 30.** Chrome-plated steel shackle Ø 5. **SHACKLE CLEARANCE MM 100. 2 KEYS. ISEO CODING.**	**802327..K**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 40.** Chrome-plated steel shackle Ø 6. **SHACKLE CLEARANCE MM 47. 2 KEYS.** Antipick disk.	**802407**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 40.** Chrome-plated steel shackle Ø 6. **SHACKLE CLEARANCE MM 47. 2 KEYS.** Antipick disk. **ISEO CODING.**	**802407..K**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 40.** Chrome-plated steel shackle Ø 6. **SHACKLE CLEARANCE MM 67. 2 KEYS.** Antipick disk.	**802417**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 40.** Chrome-plated steel shackle Ø 6. **SHACKLE CLEARANCE MM 67. 2 KEYS. ISEO CODING.** Antipick disk.	**802417..K**	1	12	12

Iustus








	A	H	D
32	30	100	5
42	40	90	6
50	50	50	8
51	50	67	8
53	50	152	8

	Code	Single package	Multiple package	Min. ord.
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 40.** Chrome-plated steel shackle Ø 6. **SHACKLE CLEARANCE MM 90. 2 KEYS.** Antipick disk.	**802427**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 40.** Chrome-plated steel shackle Ø 6. **SHACKLE CLEARANCE MM 90. 2 KEYS. ISEO CODING.** Antipick disk.	**802427..K**	1	12	12
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel. shackle Ø 8 **SHACKLE CLEARANCE MM 50. 2 KEYS.** (Key blank code: 020259). Antipick disk.	**802507**	1	10	10
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 50. 2 KEYS** (Key blank code: 020259). **CODING ON REQUEST.** Antipick disk.	**802507..5**	1	-	-
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **ISEO CODING. SHACKLE CLEARANCE MM 50. 2 KEYS.** (Key blank code: 020259). Antipick disk	**802507..K**	1	10	10
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 67. 2 KEYS.** (Key blank code: 020259). Antipick disk.	**802517**	1	10	10
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 67. 2 KEYS.** (Key blank code: 020259). **CODING ON REQUEST.** Antipick disk.	**802517..5**	1	-	-
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 67. 2 KEYS.** (Key blank code: 020259). **ISEO CODING.** Antipick disk.	**802517..K**	1	10	10
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 90. 2 KEYS.** (Key blank code: 020259). Antipick disk.	**802527**	1	10	10
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 90. 2 KEYS.** (Key blank code: 020259). **CODING ON REQUEST.** Antipick disk.	**802527..5**	1	-	-
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 90. 2 KEYS.** (Key blank code: 020259). **ISEO CODING.** Antipick disk.	**802527..K**	1	10	10
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 152. 2 KEYS.** (Key blank code: 020259). Antipick disk.	**802537**	1	10	10
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 152. 2 KEYS.** (Key blank code: 020259). **CODING ON REQUEST.** Antipick disk.	**802537..5**	1	-	-
Long shackle PADLOCK IUSTUS. **BODY MATERIAL: BRASS, MM 50.** Chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 152. 2 KEYS.** (Key blank code: 020259). **ISEO CODING.** Antipick disk.	**802537..K**	1	10	10

Iustus








A	E	H	D
70	20	15	12
90	36	18	12

	Code	Single package	Multiple package	Min. ord.
RECTANGULAR PADLOCK IUSTUS for gates. **BRASS BODY MM 70.** Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 20X15.** **2 KEYS.** (Key blank code: 020259)	**804707**	1	6	6
RECTANGULAR PADLOCK IUSTUS for gates. **BRASS BODY MM 70.** Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 20X15.** **2 KEYS.** (Key blank code: 020259). **CODING ON REQUEST**.	**804707..5**	1	6	1
RECTANGULAR PADLOCK IUSTUS for gates. **BRASS BODY MM 70.** Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 20X15.** **2 KEYS.** (Key blank code: 020259). **ISEO CODING.**	**804707..K**	1	6	6
RECTANGULAR PADLOCK IUSTUS for gates. **BRASS BODY MM 90.** Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X18.** **2 KEYS.** (Key blank code: 020259).	**804907**	1	6	6
RECTANGULAR PADLOCK IUSTUS for gates. **BRASS BODY MM 90.** Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X18.** **2 KEYS.** (Key blank code: 020259). **CODING ON REQUEST**.	**804907..5**	1	6	1
RECTANGULAR PADLOCK IUSTUS for gates. **BRASS BODY MM 90.** Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X18.** **2 KEYS.** (Key blank code: 020259). **ISEO CODING.**	**804907..K**	1	6	6









	Code	Single package	Multiple package	Min. ord.
RECTANGULAR **ARMOURED** PADLOCK IUSTUS for gates. **BRASS BODY MM 90.** Armour material: chrome-plated, carbonitrided steel. Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip, Shaft ball-locking. **SHAFT CLEARANCE MM 36X18. 2 KEYS.** (Key blank code: 020259).	**805909**	1	6	6
RECTANGULAR **ARMOURED** PADLOCK IUSTUS for gates. **BRASS BODY MM 90.** Armour material: chrome-plated, carbonitrided steel. Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip, Shaft ball-locking. **SHAFT CLEARANCE MM 36X18.** **2 KEYS.** (Key blank code: 020259). **CODING ON REQUEST**	**805909..5**	1	6	1
RECTANGULAR **ARMOURED** PADLOCK IUSTUS for gates. **BRASS BODY MM 90.** Armour material: chrome-plated, carbonitrided steel. Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip, Shaft ball-locking. **SHAFT CLEARANCE MM 36X18. 2 KEYS.** (Key blank code: 020259). **ISEO CODING.**	**805909..K**	1	6	6

Iustus

	Code	Single package	Multiple package	Min. ord.
 RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder **F5** mm 40 (30+10), supplied with projecting cam art. 820930107. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder. **3 KEYS.** (key blank code: 020259).	**809909**	1	-	1
 RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder **F5** mm 40 (30+10), supplied with projecting cam art. 820930107. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder. **3 KEYS.** (key blank code: 020259). **CODING ON REQUEST**.	**809909..5**	1	-	1
 RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder **F5** mm 40 (30+10), supplied with projecting cam art. 820930107. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder. **3 KEYS.** (key blank code: 020259). **ISEO CODING.**	**809909..K**	1	-	1
 RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder **F6** mm 40 (30+10), supplied with projecting cam art. 810930107. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder. **3 KEYS.** (key blank code: 020609).	**809909..F6**	1	-	1
 RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder **R6 New** mm 40 (30+10), supplied with off-center cam art. 880930109. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder. **3 KEYS.** (key blank code: 020839).	**809909.R6**	1	-	1
RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder **R6 New,** mm 40 (30+10), supplied with projecting cam art. 880930109.8. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder. **3 KEYS.** (key blank code: 020809). **CODING ON REQUEST.**	**809909.8R6**	1	-	1
RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder **R6 New** mm 40 (30+10), supplied with projecting cam art. 880930109. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder. **3 KEYS.** (key blank code: 020809). **ISEO CODING.**	**809909..KR6**	1	-	1


Iustus

	Code	Single package	Multiple package	Min. ord.
 RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder **R7** mm 40 (30+10), supplied with projecting cam art.89R7030109. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder. **3 KEYS.** (key blank code: 020909).	**809909..R7**	1	-	1
 RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder **R7** mm 40 (30+10), supplied with projecting cam art.89R7030109.8. Stainless steel shaft Ø 12, opening grip Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder. **3 KEYS.** (key blank code: 020909). **CODING ON REQUEST.**	**809909.8R7**	1	-	1
 RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90.It operates with European single-profile cylinder **R7** mm 40 (30+10), supplied with projecting cam art.89R7030109.8. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour removed to replace the cylinder. **3 KEYS.** (key blank code: 020909). **ISEO CODING.**	**809909.KR7**	1	-	1
 RECTANGULAR padlock BOXER, **FULLY ARMOURED,** for gates. Body material: Zamak. Armour material: chrome-plated carbonitrided steel mm 90. It operates with European single-profile cylinder mm 40 (30+10) projecting cam. Stainless steel shaft Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X17,5.** When the padlock is open the armour can be removed to replace the cylinder.	**809909I**	1	-	1

Aditus








	A	H	D
P00020127	20	10	3,5
P00025157	25	15,5	4,2
P00025257	25	25	4,2
P00030167	30	16	5,1
P00030467	30	46	5,1
P00040217	40	23,9	5,1
P00040477	40	47	6,3
P00040707	40	70	6,3
P00050277	50	29,5	8,0
P00050507	50	50	8,0
P00060377	60	37,5	9,5
P00070427	70	41	11







	Code	Single package	Multiple package	Min. ord.
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 20.** Tempered and chrome-plated steel shackle Ø 3,5. **SHACKLE CLEARANCE MM 10. 2 KEYS**	**P00020127**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 20.** Tempered and chrome-plated steel shackle Ø 3,5. **SHACKLE CLEARANCE MM 10. 2 KEYS. ISEO CODING.**	**P00020127.K**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 25.** Tempered and chrome-plated steel shackle Ø 4,2. **SHACKLE CLEARANCE MM 15,5. 2 KEYS**	**P00025157**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 25.** Tempered and chrome-plated steel shackle Ø 4,2. **SHACKLE CLEARANCE MM 15,5. 2 KEYS ISEO CODING.**	**P00025157.K**	1	12	12
Open-shackle PADLOCK ADITUS. Body: satin polished brass mm 25. Tempered and chrome-plated steel shackle Ø 4,2. **SHACKLE CLEARANCE MM 25. 2 KEYS**	**P00025257**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 25.** Tempered and chrome-plated steel shackle Ø 4,2. **SHACKLE CLEARANCE MM 25. 2 KEYS. ISEO CODING.**	**P00025257.K**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 30.** Tempered and chrome-plated steel shackle Ø 5,1. **SHACKLE CLEARANCE MM 16. 2 KEYS**	**P00030167**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 30.** Tempered and chrome-plated steel shackle Ø 5,1. **SHACKLE CLEARANCE MM 16. 2 KEYS ISEO CODING.**	**P00030167.K**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 30.** Tempered and chrome-plated steel shackle Ø 5,1. **SHACKLE CLEARANCE MM 46. 2 KEYS**	**P00030467**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 30.** Tempered and chrome-plated steel shackle Ø 5,1. **SHACKLE CLEARANCE MM 46. 2 KEYS ISEO CODING.**	**P00030467.K**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 40.** Tempered and chrome-plated steel shackle Ø 6,3. **SHACKLE CLEARANCE MM 23,9. 2 KEYS**	**P00040217**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 40.** Tempered and chrome-plated steel shackle Ø 6,3. **SHACKLE CLEARANCE MM 23,9. 2 KEYS. ISEO CODING.**	**P00040217.K**	1	12	12

Aditus







	A	H	D
P00020127	20	10	3,5
P00025157	25	15,5	4,2
P00025257	25	25	4,2
P00030167	30	16	5,1
P00030467	30	46	5,1
P00040217	40	23,9	5,1
P00040477	40	47	6,3
P00040707	40	70	6,3
P00050277	50	29,5	8,0
P00050507	50	50	8,0
P00060377	60	37,5	9,5
P00070427	70	41	11

	Code	Single package	Multiple package	Min. ord.
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 40.** Tempered and chrome-plated steel shackle Ø 6,3. **SHACKLE CLEARANCE MM 47. 2 KEYS**	**P00040477**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 40.** Tempered and chrome-plated steel shackle Ø 6,3. **SHACKLE CLEARANCE MM 47. 2 KEYS. ISEO CODING.**	**P00040477.K**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 40.** Tempered and chrome-plated steel shackle Ø 6,3. **SHACKLE CLEARANCE MM 70. 2 KEYS**	**P00040707**	1	12	12
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 50.** Tempered and chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 29,5 2 KEYS.**	**P00050277**	1	6	6
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 50.** Tempered and chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 29,5. 2 KEYS. ISEO CODING.**	**P00050277.K**	1	6	6
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 50.** Tempered and chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 50. 2 KEYS.**	**P00050507**	1	6	6
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 50.** Tempered and chrome-plated steel shackle Ø 8. **SHACKLE CLEARANCE MM 50. 2 KEYS. ISEO CODING.**	**P00050507.K**	1	6	6
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 60.** Tempered and chrome-plated steel shackle Ø 9,5. **SHACKLE CLEARANCE MM 37,5. 2 KEYS.**	**P00060377**	1	6	6
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 60.** Tempered and chrome-plated steel shackle Ø 9,5. **SHACKLE CLEARANCE MM 37,5. 2 KEYS. ISEO CODING.**	**P00060377.K**	1	6	6
Open-shackle PADLOCK ADITUS. **BODY: SATIN POLISHED BRASS MM 70.** Tempered and chrome-plated steel shackle Ø 11. **SHACKLE CLEARANCE MM 41. 2 KEYS.**	**P00070427**	1	6	6
Open-shackle PADLOCK ADITUS. **Body: satin polished brass mm 70.** Tempered and chrome-plated steel shackle Ø 11. **SHACKLE CLEARANCE MM 41. 2 KEYS. ISEO CODING.**	**P00070427.K**	1	6	6


Aditus



RECTANGULAR PADLOCK ADITUS for gates. **BODY: PAINTED SATIN BRASS MM 50.**
Shaft material: chrome-plated carbonitrided steel Ø 8.
Shaft ball-locking. **SHAFT CLEARANCE MM 15X12,5.**
2 KEYS. **P04050177** 1 12 12



RECTANGULAR PADLOCK ADITUS for gates. **BODY: PAINTED SATIN BRASS MM 50.**
Shaft material: chrome-plated carbonitrided steel Ø 8. Shaft ball-locking.
SHAFT CLEARANCE MM 15X12,5.
2 KEYS. ISEO CODING. **P04050177.K** 1 12 12



RECTANGULAR PADLOCK ADITUS for gates. **BODY: PAINTED SATIN BRASS MM 60.**
Shaft material: chrome-plated carbonitrided steel Ø 10. Shaft ball-locking.
SHAFT CLEARANCE MM 18X14
2 KEYS. **P04060187** 1 6 6

RECTANGULAR PADLOCK ADITUS for gates. **BODY: PAINTED SATIN BRASS MM 60.**
Shaft material: chrome-plated carbonitrided steel Ø 10. Shaft ball-locking.
SHAFT CLEARANCE MM 18X14
2 KEYS. ISEO CODING. **P04060187.K** 1 6 6

	A	E	H	D
P04050177	50	15	12,5	8
P04060187	60	18	14	10
P04070127	68	22	14,5	12
P04090197	90	36	19	12

RECTANGULAR PADLOCK ADITUS for gates. **BODY: PAINTED SATIN BRASS MM 70.**
Shaft material: chrome-plated carbonitrided steel Ø 12. Shaft ball-locking.
SHAFT CLEARANCE MM 22X14,5
2 KEYS. **P04070127** 1 6 6

RECTANGULAR PADLOCK ADITUS for gates. **BODY: PAINTED SATIN BRASS MM 70.**
Shaft material: chrome-plated carbonitrided steel Ø 12. Shaft ball-locking.
SHAFT CLEARANCE MM 22X14,5
2 KEYS. ISEO CODING. **P04070127.K** 1 6 6

RECTANGULAR PADLOCK ADITUS for gates. **BODY: PAINTED SATIN BRASS MM 90.**
Shaft material: chrome-plated carbonitrided steel Ø 12. Shaft ball-locking.
SHAFT CLEARANCE MM 36X19.
2 KEYS. **P04090197** 1 6 6

RECTANGULAR PADLOCK ADITUS for gates. **BODY: PAINTED SATIN BRASS MM 90.**
Shaft material: chrome-plated carbonitrided steel Ø 12. Shaft ball-locking.
SHAFT CLEARANCE MM 36X19.
2 KEYS. ISEO CODING. **P04090197.K** 1 6 6


Aditus



RECTANGULAR **ARMOURED** PADLOCK ADITUS for gates. **BRASS BODY MM 60.** Armour material: chrome-plated, carbonitrided and sandblasted. Shaft material: chrome-plated carbonitrided steel Ø 10, opening grip. Shaft ball-locking.
SHAFT CLEARANCE MM 22X11,5. 2 KEYS. — Code: **P04960227** — Single package: 1 — Multiple package: 6 — Min. ord.: 6



RECTANGULAR **ARMOURED** PADLOCK ADITUS for gates. **BRASS BODY MM 60.** Armour material: chrome-plated, carbonitrided and sandblasted. Shaft material: chrome-plated carbonitrided steel Ø 10, Shaft ball-locking. **SHAFT CLEARANCE MM 22X11,5. 2 KEYS. ISEO CODING.** — Code: **P04960227.K** — Single package: 1 — Multiple package: 6 — Min. ord.: 6



RECTANGULAR **ARMOURED** PADLOCK ADITUS for gates. **BRASS BODY MM 70.** Armour material: chrome-plated, carbonitrided and sandblasted. Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking.
SHAFT CLEARANCE MM 22X15. 2 KEYS. — Code: **P04970227** — Single package: 1 — Multiple package: 6 — Min. ord.: 6


RECTANGULAR **ARMOURED** PADLOCK ADITUS for gates. **BRASS BODY MM 70.** Armour material: chrome-plated, carbonitrided and sandblasted. Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 22X15. 2 KEYS. ISEO CODING.** — Code: **P04970227.K** — Single package: 1 — Multiple package: 6 — Min. ord.: 6

	A	E	H	D
P04960227	62	22	11,5	10
P04970227	71	22	15	12
P04990367	91	36	18	12


RECTANGULAR **ARMOURED** PADLOCK ADITUS for gates. **BRASS BODY MM 90.** Armour material: chrome-plated, carbonitrided and sandblasted. Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking.
SHAFT CLEARANCE MM 36X18. 2 KEYS. — Code: **P04990367** — Single package: 1 — Multiple package: 6 — Min. ord.: 6

RECTANGULAR **ARMOURED** PADLOCK ADITUS for gates. **BRASS BODY MM 90.** Armour material: chrome-plated, carbonitrided and sandblasted. Shaft material: chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking. **SHAFT CLEARANCE MM 36X18. 2 KEYS. ISEO CODING.** — Code: **P04990367.K** — Single package: 1 — Multiple package: 6 — Min. ord.: 6


Accessories



ANTI-DRILL DISK for padlock 809*
For keys with a max thickness of 3,7 mm — Code: **004377** — Single package: 50 — Multiple package: - — Min. ord.: 50



FLOOR ANCHOR BRASS HOUSING for rectangular padlocks 804-805-809 series
Code: **004907** — Single package: 1 — Multiple package: - — Min. ord.: 1




Components

R7
R6 New
F6
F5
Padlocks

Typologies of Master Key systems


Key to differ (KD).
Each cylinder is opened by its own key.






Keyed alike (KA).
Several cylinders with the same coding are opened by the same key.





Common lock system (CK).
Each key opens only its own cylinder and the central lock cylinder (i.e. the common entrance in an apartment block).






Typologies of Master Key systems


Master Key system (MK).
Each cylinder is opened by its own individual key and by the master key.






Grand Master Key system (GMK).
Each cylinder is opened by its own individual key, the group master key and the master key.






Typologies of Master Key systems

Great Grand Master Key system (GGMK).
Each cylinder is opened by its own individual key, the group master key and the general master key.



Complex Master Key system.
Individual keys or master keys belonging to different groups of cylinders can open one or more cylinders belonging to other groups.



ISEO®

Piano - Key Plan: .....
Est. a - Ext. to: .....
Data - Date: .....

Cliente - Customer: .....
Ordine - Order: .....
Data ordine - Order date: .....

Pag. .....

Progetto - Project:

Approvato da - Approved by:

Data - Date: .....

Note - Notes:

Sistema - System:

- ☐ **F5** pr. STD
- ☐ **F5** pr. MK
- ☐ **F6**
- ☐ **R6** pr. STD
- ☐ **R6** MK
- ☐ **R7** pr. STD
- ☐ **R7** MK
- ☐ **R50** MK
- ☐ **CSF** System
- ☐ **CSR** System

Profilo Profile ↓


MK - Chiavi maeste - Master Keys

Pos.	Qt.	Marking	Funz. - Func.

CK - Cilindri Centrali - Cental Cylinders

Pos.	Ambiente - Location / Porta - Door	KA / CN	Cilindro - Cylinder: Articolo - Article	Cilindro - Cylinder: Qt.	Chiave - Key: Marking	Chiave - Key: Qt.

Instructions for filling out the chart by the customer to order the Master key system



1 **Project.** Optional, indicate the construction.

2 **Customer.** Write the name of the customer or the code ISEO has assigned to the customer.

3 **System.** Write an (X) to indicate the requested cylinder range.

3A **Profile.** Indicate the profile code for CSF - CSR systems.

4 **Func.** Indicate the kind of functions. The Master Keys should have, e.g. MK1.

5 **Marking**. If required, write the requested alphanumeric code, max 9 characters.

6 **Qt.** Write the requested quantity of Master Keys.

7 **Pos.** Indicate a progressive number.

8 **CK.** Indicate the cylinder marking which should be central.

9 **Pos.** Indicate a progressive number.

10 **Location.** Indicate the location where the cylinder will be installed.

11 **KA – CN.** Indicate if two or more cylinders are Keyed Alike even if they are on different lines.

12 **Article.** Write the code of the requested cylinder.

13 **Qt.** Usually 1. Indicate more than 1 if identical cylinder are required.

14 **Marking.** If required, write the wanted alphanumeric code, max 9 characters.

15 **Qt.** Indicate the requested number of the keys for each cylinder (more or equal to 3 pieces).

16 **Connection.** An (X) indicates the connection between the Master Key and the single cylinder.

17 **Connection.** An (I) indicates the connection between the central key and the keys combined with

Master key system chart supplied with the system by ISEO

ISEO®

Opening scheme

3 Owner:
Mario Rossi
Via dei Platani, 123
16043 Chiavari GE
Italy

5 Palazzo Comunale
Piazza della Repubblica

4
System: MCA300
Last date: 13/10/2010
Customer code: 144235
System type: F5 PROFILO STD "ISEO"
Notes:

LOCKBASE

Iseo Serrature spa
via S. Girolamo, 13
25055 - Pisogne - BS
Italy

Page A1 of A1

6 7 1 2

Pos.	CN	Ambiente	Tipo	Lunghezza	Finitura	Copie	CN Chiave	Copie chiavi	CN Chiave	NPN	Copie chiavi
									1	GMK	3
									11	MK 1	5
									12	MK 2	5
									13	MK 3	5
1	101	Ufficio 1	820930309.M	30-30	9.M	1	101	3		X	
2	102	Ufficio 2	820930309.M	30-30	9.M	1	102	3		X	
3	103	Ufficio 3	820930309.M	30-30	9.M	1	103	3		X	
4	104	Ufficio 4	820930309.M	30-30	9.M	1	104	3		X	
5	105	Ufficio 5	820930309.M	30-30	9.M	1	105	3		X	
6	106	Ufficio 6	820930309.M	30-30	9.M	1	106	3		X	
7	107	Ufficio 7	820930309.M	30-30	9.M	1	107	3		X	
8	108	Ufficio 8	820930309.M	30-30	9.M	1	108	3		X	
9	109	Ufficio 9	820930309.M	30-30	9.M	1	109	3		X	
10	110	Ufficio 10	820930309.M	30-30	9.M	1	110	3		X	
11	111	Ufficio 11	820930309.M	30-30	9.M	1	111	3		X	
12	112	Ufficio 12	820930309.M	30-30	9.M	1	112	3		X	
13	113	Ufficio 13	820930309.M	30-30	9.M	1	113	3		X	
14	114	Ufficio 14	820930309.M	30-30	9.M	1	114	3		X	
15	115	Ufficio 15	820930309.M	30-30	9.M	1	115	3		X	
16	116	Sala 1	820935409.M	35-40	9.M	1	116	3		X	
17	117	Sala 2	820935409.M	35-40	9.M	1	117	3		X	
18	118	Sala 3	820935409.M	35-40	9.M	1	118	3		X	
19	119	Sala 4	820935409.M	35-40	9.M	1	119	3		X	
20	120	Sala 5	820935409.M	35-40	9.M	1	120	3		X	

1 Number on individual keys.

2 Number on the Master key.

3 Master key system owner.

4 Number of the plan assigned by ISEO and date of development.


5 Destination of the Master key system.

6 Progressive number of the cylinder.

7 Indicate if two or more cylinders are Keyed Alike even if they are on different lines.

Components


R7



R7 Assembling tools


	Code	Single package	Multiple package	Min. ord.
 Pinning kit for **cylinders** provided with all spare parts and instructions	**003040**	1	-	1
 Coding tool for **European profile cylinders** and **U.K. profile cylinders** with instructions for coding changing and specific screwdriver	**003109**	1	-	1
 Pinning blade for **European profile cylinders** coding tools	**003111**	1	-	1
Pinning blade for **U.K. profile cylinders** coding tools	**003112**	1	-	1
 Circlips plier	**003104**	1	-	1
 Brass circlips closing plier	**003105**	1	-	1
 Plier for cylinder pins insertion	**003106**	1	-	1
 Pinning blade for **European profile cylinders**	**003007**	1	-	1
Pinning blade for **U.K. profile cylinders**	**003082**	1	-	1
 Pinning blade for **cylinders Scandinavian profile**	**003079**	1	-	1
 Reading tool for sliding caliper for keys	**003113**	1	-	1

R7 Pre-assembled cylinder



10 pieces KIT. R7 EUROPEAN SINGLE PROFILE NICKEL-PLATED cylinder. 11-pin key.
Pre-assembled, 8-position DIN cam, steel circlip, springs, counterpins, plugs, nylon plug.
Anti-drill device in the cylinder body. Fixing screw. Rotor to be ordered separately.


	L	C + D	Code	Single package	Multiple package	Min. ord.
L mm 40		(30+10)	**880930109..SS**	1	10	10
L mm 45		(35+10)	**880935109..SS**	1	10	10
L mm 50		(40+10)	**880940109..SS**	1	10	10
L mm 55		(45+10)	**880945109..SS**	1	10	10
L mm 60		(50+10)	**880950109..SS**	1	10	10
L mm 65		(55+10)	**880955109..SS**	1	10	10
L mm 70		(60+10)	**880960109..SS**	1	10	10
L mm 75		(65+10)	**880965109..SS**	1	10	10
L mm 80		(70+10)	**880970109..SS**	1	10	10
L mm 90		(80+10)	**880980109..SS**	1	10	10
L mm 100		(90+10)	**880990109..SS**	1	10	10




10 pieces KIT. R7 EUROPEAN DOUBLE PROFILE NICKEL-PLATED cylinder. 11-pin key.
Pre-assembled, 30° DIN cam, 2 steel circlips, springs, counterpins, plugs, 2 nylon plugs, clutch system.
Anti-drill device in the cylinder body. Fixing screw. Rotor to be ordered separately.

	L	C + D	Code	Single package	Multiple package	Min. ord.
L mm 60		(30+30)	**880930309..SS**	1	10	10
L mm 65		(30+35)	**880930359..SS**	1	10	10
L mm 70		(30+40)	**880930409..SS**	1	10	10
		(35+35)	**880935359..SS**	1	10	10
L mm 75		(30+45)	**880930459..SS**	1	10	10
		(35+40)	**880935409..SS**	1	10	10
L mm 80		(30+50)	**880930509..SS**	1	10	10
		(35+45)	**880935459..SS**	1	10	10
		(40+40)	**880940409..SS**	1	10	10
L mm 85		(30+55)	**880930559..SS**	1	10	10
		(35+50)	**880935509..SS**	1	10	10
		(40+45)	**880940459..SS**	1	10	10
L mm 90		(30+60)	**880930609..SS**	1	10	10
		(35+55)	**880935559..SS**	1	10	10
		(40+50)	**880940509..SS**	1	10	10
		(45+45)	**880945459..SS**	1	10	10
L mm 95		(30+65)	**880930659..SS**	1	10	10
		(35+60)	**880935609..SS**	1	10	10
		(40+55)	**880940559..SS**	1	10	10
L mm 100		(30+70)	**880930709..SS**	1	10	10
		(35+65)	**880935659..SS**	1	10	10
		(40+60)	**880940609..SS**	1	10	10
		(45+55)	**880945559..SS**	1	10	10
		(50+50)	**880950509..SS**	1	10	10
L mm 105		(30+75)	**880930759..SS**	1	10	10
		(45+60)	**880945609..SS**	1	10	10
		(50+55)	**880950559..SS**	1	10	10
L mm 110		(30+80)	**880930809..SS**	1	10	10
		(40+70)	**880940709..SS**	1	10	10
		(50+60)	**880950609..SS**	1	10	10
L mm 120		(65+55)	**880965559..SS**	1	10	10


R7 Specific components




	Code	Single package	Multiple package	Min. ord.
10 pieces KIT. Nickel-plated brass rotor for **R7 and U.K.** European profile cylinders.				
Key side **mm 30**	**0047259**	10	-	1
Key side **mm 35**	**0047309**	10	-	1
Key side **mm 40**	**0047359**	10	-	1
Key side **mm 45**	**0047409**	10	-	1
Key side **mm 50**	**0047459**	10	-	1
Key side **mm 55**	**0047509**	10	-	1
Key side **mm 60**	**0047559**	10	-	1
Key side **mm 65**	**0047609**	10	-	1
Key side **mm 70**	**0047659**	10	-	1
Key side **mm 75**	**0047709**	10	-	1
Key side **mm 80**	**0047759**	10	-	1
Key side **mm 90**	**0047859**	10	-	1



10 pieces KIT. Extension piece for European profile cylinders.				
length **5 mm**	**003211**	10	-	1
length **10 mm**	**003212**	10	-	1
length **15 mm**	**003213**	10	-	1
length **20 mm**	**003214**	10	-	1
length **25 mm**	**003215**	10	-	1
length **30 mm**	**003216**	10	-	1
length **35 mm**	**003217**	10	-	1
length **40 mm**	**003218**	10	-	1



10 pieces KIT. Brass rotors for knob side European profile cylinders. **Shaft 16 mm.** Supplied with **30° DIN** cam and circlip.				
knob side **30 mm**	**003191**	10	-	1
knob side **35 mm**	**003192**	10	-	1
knob side **40 mm**	**003193**	10	-	1
knob side **45 mm**	**003194**	10	-	1
knob side **50 mm**	**003195**	10	-	1
knob side **55 mm**	**003262**	10	-	1
knob side **60 mm**	**003203**	10	-	1
knob side **65 mm**	**003204**	10	-	1
knob side **80 mm**	**003205**	10	-	1




10 pieces KIT. Brass rotors for European profile cylinders **mm 30 knob side**. **Shaft 75 mm**. Supplied with **30° DIN** cam and circlip.	**003186**	10	-	1

R7 Specific components

	Code	Single package	Multiple package	Min. ord.
10 pieces KIT. Clutch system, 30° DIN cam, for cylinders, double function				
mm 30+30 cylinder	**003220**	10	-	1
mm 30+35 cylinder	**003221**	10	-	1
mm 35+35 cylinder	**003222**	10	-	1
10 pieces KIT. Clutch system and spring for knob kit cylinder.				
Key side mm 30	**003187**	10	-	1
Key side mm 35	**003188**	10	-	1

R7 Components chart for cylinder


Single profile cylinder.



		Lato C Side C	
	(1)	(2)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Cilindretto** Plug	
C+10	**Codice** Code	**Misura** Lenght	**Codice** Code
30+10	89093010*	30	004725*
35+10	89093510*	35	004730*
40+10	89094010*	40	004735*
45+10	89094510*	45	004740*
50+10	89095010*	50	004745*
55+10	89095510*	55	004750*
60+10	89096010*	60	004755*
65+10	89096510*	65	004760*
70+10	89097010*	70	004765*
80+10	89098010*	80	004775*
90+10	89099010*	90	004785*


R7 Components chart for cylinder

Double profile cylinder



		Lato C Side C				Lato D Side D			
	(1)	(2)		(3)		(4)		(5)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Cilindretto** Plug		**Distanziatore** Extension		**Cilindretto** Plug		**Distanziatore** Extension	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code
30+30	89093030*	30	004725*	---	---	30	004725*	---	---
30+35	89093035*	30	004725*	---	---	35	004730*	5	003211
30+40	89093040*	30	004725*	---	---	40	004735*	10	003212
30+45	89093045*	30	004725*	---	---	45	004740*	15	003213
30+50	89093050*	30	004725*	---	---	50	004745*	20	003214
30+55	89093055*	30	004725*	---	---	55	004750*	25	003215
30+60	89093060*	30	004725*	---	---	60	004755*	30	003216
30+65	89093065*	30	004725*	---	---	65	004760*	35	003217
30+70	89093070*	30	004725*	---	---	70	004765*	40	003218
30+75	89093075*	30	004725*	---	---	75	004770*	15+30	003213+003216
30+80	89093080*	30	004725*	---	---	80	004775*	25+25	003215+003215
35+35	89093535*	35	004730*	5	003211	35	004730*	5	003211
35+40	89093540*	35	004730*	5	003211	40	004735*	10	003212
35+45	89093545*	35	004730*	5	003211	45	004740*	15	003213
35+50	89093550*	35	004730*	5	003211	50	004745*	20	003214
35+55	89093555*	35	004730*	5	003211	55	004750*	25	003215
35+60	89093560*	35	004730*	5	003211	60	004755*	30	003216
35+65	89093565*	35	004730*	5	003211	65	004760*	35	003217
40+40	89094040*	40	004735*	10	003212	40	004735*	10	003212
40+45	89094045*	40	004735*	10	003212	45	004740*	15	003213
40+50	89094050*	40	004735*	10	003212	50	004745*	20	003214
40+55	89094055*	40	004735*	10	003212	55	004750*	25	003215
40+60	89094060*	40	004735*	10	003212	60	004755*	30	003216
40+70	89094070*	40	004735*	10	003212	70	004765*	40	003218
45+45	89094545*	45	004740*	15	003213	45	004740*	15	003213
45+55	89094555*	45	004740*	15	003213	55	004750*	25	003215
45+60	89094560*	45	004740*	15	003213	60	004755*	30	003216
50+50	89095050*	50	004745*	20	003214	50	004745*	20	003214
50+55	89095055*	50	004745*	20	003214	55	004750*	25	003215
50+60	89095060*	50	004745*	20	003214	60	004755*	30	003216
65+55	89096555*	65	004760*	35	003217	55	004750*	25	003215


Double function cylinder.



				Lato C Side C				Lato D Side D			
	(1)	(2)		(3)		(4)		(5)		(6)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Kit snodino doppia funzione** Double kit function		**Cilindretto** Plug		**Distanziatore** Extension		**Cilindretto** Plug		**Distanziatore** Extension	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code
30+30	89093030*	30+30	003220	30	004725*	---	---	30	004725*	---	---
30+35	89093035*	30+35	003221	30	004725*	---	---	35	004730*	---	---
30+40	89093040*	30+35	003221	30	004725*	---	---	40	004735*	5	003211
30+45	89093045*	30+35	003221	30	004725*	---	---	45	004740*	10	003212
30+50	89093050*	30+35	003221	30	004725*	---	---	50	004745*	15	003213
30+55	89093055*	30+35	003221	30	004725*	---	---	55	004750*	20	003214
30+60	89093060*	30+35	003221	30	004725*	---	---	60	004755*	25	003215
30+65	89093065*	30+35	003221	30	004725*	---	---	65	004760*	30	003216
30+70	89093070*	30+35	003221	30	004725*	---	---	70	004765*	35	003217
30+75	89093075*	30+35	003221	30	004725*	---	---	75	004770*	40	003218
30+80	89093080*	30+35	003221	30	004725*	---	---	80	004775*	15+30	003213+003216
35+35	89093535*	35+35	003222	35	004730*	---	---	35	004730*	---	---
35+40	89093540*	35+35	003222	35	004730*	---	---	40	004735*	5	003211
35+45	89093545*	35+35	003222	35	004730*	---	---	45	004740*	10	003212
35+50	89093550*	35+35	003222	35	004730*	---	---	50	004745*	15	003213
35+55	89093555*	35+35	003222	35	004730*	---	---	55	004750*	20	003214
35+60	89093560*	35+35	003222	35	004730*	---	---	60	004755*	25	003215
35+65	89093565*	35+35	003222	35	004730*	---	---	65	004760*	30	003216
40+40	89094040*	35+35	003222	40	004735*	5	003211	40	004735*	5	003211
40+45	89094045*	35+35	003222	40	004735*	5	003211	45	004740*	10	003212
40+50	89094050*	35+35	003222	40	004735*	5	003211	50	004745*	15	003213
40+55	89094055*	35+35	003222	40	004735*	5	003211	55	004750*	20	003214
40+60	89094060*	35+35	003222	40	004735*	5	003211	60	004755*	25	003215
40+70	89094070*	35+35	003222	40	004735*	5	003211	70	004765*	35	003217
45+45	89094545*	35+35	003222	45	004740*	10	003212	45	004740*	10	003212
45+55	89094555*	35+35	003222	45	004740*	10	003212	55	004750*	20	003214
45+60	89094560*	35+35	003222	45	004740*	10	003212	60	004755*	25	003215
50+50	89095050*	35+35	003222	50	004745*	15	003213	50	004745*	15	003213
50+55	89095055*	35+35	003222	50	004745*	15	003213	55	004750*	20	003214
50+60	89095060*	35+35	003222	50	004745*	15	003213	60	004755*	25	003215
65+55	89096555*	35+35	003222	65	004760*	30	003216	55	004750*	20	003214









R7 Components chart for cylinder

Cylinder prearranged for knob









		Lato C Side C		Lato D Side D					
	(1)	(2)		(3)		(4)		(5)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Kit pomolo** Knob kit		**Kit snodino** Clutch kit		**Cilindretto** Plug		**Distanziatore** Extension	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code
30+30	89093030*	30	003191 003186	30	003187	30	004725*	---	---
30+35	89093035*	30	003191 003186	35	003188	35	004730*	---	---
30+40	89093040*	30	003191 003186	35	003188	40	004735*	5	003211
30+45	89093045*	30	003191 003186	35	003188	45	004740*	10	003212
30+50	89093050*	30	003191 003186	35	003188	50	004745*	15	003213
30+55	89093055*	30	003191 003186	35	003188	55	004750*	20	003214
30+60	89093060*	30	003191 003186	35	003188	60	004755*	25	003215
30+65	89093065*	30	003191 003186	35	003188	65	004760*	30	003216
30+70	89093070*	30	003191 003186	35	003188	70	004765*	35	003217
30+75	89093075*	30	003191 003186	35	003188	75	004770*	40	003218
30+80	89093080*	30	003191 003186	35	003188	80	004775*	15+30	003213+003216
35+30	89093035*	35	003192	30	003187	30	004725*	---	---
35+35	89093535*	35	003192	35	003188	35	004730*	---	---
35+40	89093540*	35	003192	35	003188	40	004735*	5	003211
35+45	89093545*	35	003192	35	003188	45	004740*	10	003212
35+50	89093550*	35	003192	35	003188	50	004745*	15	003213
35+55	89093555*	35	003192	35	003188	55	004750*	20	003214
35+60	89093560*	35	003192	35	003188	60	004755*	25	003215
35+65	89093565*	35	003192	35	003188	65	004760*	30	003216
40+30	89093040*	40	003193	30	003187	30	004725*	---	---
40+40	89094040*	40	003193	35	003188	40	004735*	5	003211
40+45	89094045*	40	003193	35	003188	45	004740*	10	003212
40+50	89094050*	40	003193	35	003188	50	004745*	15	003213
40+55	89094055*	40	003193	35	003188	55	004750*	20	003214
40+60	89094060*	40	003193	35	003188	60	004755*	25	003215
40+70	89094070*	40	003193	35	003188	70	004765*	35	003217
45+30	89093045*	45	003194	30	003187	30	004725*	---	---
45+35	89093545*	45	003194	35	003188	35	004730*	---	---
45+45	89094545*	45	003194	35	003188	45	004740*	10	003212
45+55	89094555*	45	003194	35	003188	55	004750*	20	003214
45+60	89094560*	45	003194	35	003188	60	004755*	25	003215
50+40	89094050*	50	003195	35	003188	40	004735*	5	003211
50+50	89095050*	50	003195	35	003188	50	004745*	15	003213
50+55	89095055*	50	003195	35	003188	55	004750*	20	003214
50+60	89095060*	50	003195	35	003188	60	004755*	25	003215
55+65	89095565*	55	003262	35	003188	65	004760*	30	003216
60+30	89093060*	60	003203	30	003187	30	004725*	---	---
60+40	89094060*	60	003203	35	003188	40	004735*	5	003211
60+45	89094560*	60	003203	35	003188	45	004740*	10	003212
60+50	89095060*	60	003203	35	003188	50	004745*	15	003213
65+55	89096555*	65	003204	35	003188	55	004750*	20	003214
80+30	89093080*	80	003205	30	003187	30	004725*	---	---



R7 Specific components

	Code	Single package	Multiple package	Min. ord.
				
250 pieces KIT. Brass circlip for cylinders.				
D=20 H=14 thickness mm 1	**0037001**	250	-	1
				
250 pieces KIT. Steel circlip for cylinder for European profile cylinders **mm 56 - 61 only.**				
D=15,6 H=12,2 thickness mm 1	**0037011**	250	-	1
				
250 pieces KIT. Steel circlip for knob side European profile cylinders				
D=15,5 H=12,2 thickness mm 1	**0037121**	250	-	1
1000 pieces KIT. STAINLESS STEEL top pin for cylinders.				
mm 2,5x5,1 **step 0**	**0032151**	1000	-	1
mm 2,5x5,6 **step 1**	**0032156**	1000	-	1
mm 2,5x6,1 **step 2**	**0032161**	1000	-	1
mm 2,5x6,6 **step 3**	**0032166**	1000	-	1
mm 2,5x7,1 **step 4**	**0032171**	1000	-	1
mm 2,5x7,6 **step 5**	**0032176**	1000	-	1
				
1000 pieces KIT. Brass top pin for cylinders.				
mm 2,5x5,6 for European profile cylinder	**0033150**	1000	-	1
mm 2,5x3,5 for round cylinder Ø 26 and rim cylinder	**0033160**	1000	-	1
				
1000 pieces KIT. Anti-picking brass top pin for cylinders.				
mm 2,5x5,0 for European profile cylinder	**0034150**	1000	-	1
mm 2,5x3,5 for round cylinder Ø 26 and rim cylinder	**0034160**	1000	-	1
				
1000 pieces KIT. Brass master wafer for cylinders.				
mm 2,5x1,0 **step 2**	**0039110**	1000	-	1
mm 2,5x1,5 **step 3**	**0039115**	1000	-	1
mm 2,5x2,0 **step 4**	**0039120**	1000	-	1
mm 2,5x2,5 **step 5**	**0039125**	1000	-	1
				
1000 pieces KIT. Cone-shaped brass plug for cylinders.				
2,8x3,0 for round cylinder Ø 26 and rim cylinder	**0035130**	1000		1
mm 2,8x3,6 for European profile cylinder	**0035136**	1000	-	1
				
1000 pieces KIT. Spring for cylinders.				
mm 2,5x8,3 for round cylinder Ø 26 and rim cylinder	**0038084**	1000	-	1
mm 2,5x13,5 for European profile cylinder	**0038135**	1000	-	1

R7 Specific components

	Code	Single package	Multiple package	Min. ord.
	**1000 pieces KIT.** Side top pin for R7 cylinders. Stainless steel mm 2,2x4	**0032241**	1000	-	1
	**1000 pieces KIT.** Upper top pin for R7 cylinders. Stainless steel mm 2,5x5,6	**0032155**	1000	-	1
	**1000 pieces KIT.** External active upper top pin with hole for R7 cylinders. Stainless steel mm 2,5x4,7	**0032147**	1000	-	1
	**1000 pieces KIT.** Internal active upper top pin with hole for R7 cylinders. Stainless steel mm 1,7x3,4	**0032135**	1000	-	1
	**1000 pieces KIT.** Spring for upper active pin for R7 cylinders. mm 1,6x2	**0038020**	1000	-	1
	**1000 pieces KIT.** Anti-drill ball Ø 2 for R7 cylinders	**0038200**	1000		1
	**500 pieces KIT.** Anti-drill pin for R7 rotors.				
	L = mm 9,6x2	**0036062**	500	-	1
	L = mm 11x2	**0036063**	500	-	1


R7 Specific components

	Code	Single package	Multiple package	Min. ord.
 Nickel-plated brass key set for R7 cylinder.	**020970**	1	-	1
 **50 pieces KIT.** Nickel plated brass, key blank for R7 cylinder.	**020909**	50	-	50
 Code card for R7 cylinder.	**0041151**	1	-	1

CAMS AND KNOBS: SEE PAGE **1**-131 - **1**-132

Components


R6 New



R6 New Assembling tools


	Code	Single package	Multiple package	Min. ord.
 Pinning kit for **cylinders** provided with all spare parts and instructions	**003031**	1	-	1
 Coding tool for **European profile cylinders** and **U.K. profile cylinders** with instructions for coding changing and specific screwdriver	**003109**	1	-	1
 Pinning blade for **European profile cylinders** coding tools	**003111**	1	-	1
Pinning blade for **U.K. profile cylinders** coding tools	**003112**	1	-	1
 Circlips plier	**003104**	1	-	1
 Brass circlips closing plier	**003105**	1	-	1
 Plier for cylinder pins insertion	**003106**	1	-	1
 Pinning blade for **European profile cylinders**	**003007**	1	-	1
Pinning blade for **U.K. profile cylinders**	**003082**	1	-	1
 Pinning blade for **cylinders Scandinavian profile**	**003079**	1	-	1
 Reading tool for sliding caliper for keys	**003113**	1	-	1

R6 Pre-assembled cylinder



10 pieces KIT. R6 - R6 New EUROPEAN SINGLE PROFILE NICKEL-PLATED cylinder. 6-pin key.
Pre-assembled, 8-position DIN cam, steel circlip, springs, counterpins, plugs, nylon plug.
Anti-drill device in the cylinder body. Fixing screw. Rotor to be ordered separately.


	L C + D	Code	Single package	Multiple package	Min. ord.
L mm 40	(30+10)	**880930109..SS**	1	10	10
L mm 45	(35+10)	**880935109..SS**	1	10	10
L mm 50	(40+10)	**880940109..SS**	1	10	10
L mm 55	(45+10)	**880945109..SS**	1	10	10
L mm 60	(50+10)	**880950109..SS**	1	10	10
L mm 65	(55+10)	**880955109..SS**	1	10	10
L mm 70	(60+10)	**880960109..SS**	1	10	10
L mm 75	(65+10)	**880965109..SS**	1	10	10
L mm 80	(70+10)	**880970109..SS**	1	10	10
L mm 90	(80+10)	**880980109..SS**	1	10	10
L mm 100	(90+10)	**880990109..SS**	1	10	10




10 pieces KIT. R6 - R6 New EUROPEAN DOUBLE PROFILE NICKEL-PLATED cylinder. 6-pin key.
Pre-assembled, 30° DIN cam, 2 steel circlips, springs, counterpins, plugs, 2 nylon plugs, clutch system.
Anti-drill device in the cylinder body. Fixing screw. Rotor to be ordered separately.

	L C + D	Code	Single package	Multiple package	Min. ord.
L mm 60	(30+30)	**880930309..SS**	1	10	10
L mm 65	(30+35)	**880930359..SS**	1	10	10
L mm 70	(30+40)	**880930409..SS**	1	10	10
	(35+35)	**880935359..SS**	1	10	10
L mm 75	(30+45)	**880930459..SS**	1	10	10
	(35+40)	**880935409..SS**	1	10	10
L mm 80	(30+50)	**880930509..SS**	1	10	10
	(35+45)	**880935459..SS**	1	10	10
	(40+40)	**880940409..SS**	1	10	10
L mm 85	(30+55)	**880930559..SS**	1	10	10
	(35+50)	**880935509..SS**	1	10	10
	(40+45)	**880940459..SS**	1	10	10
L mm 90	(30+60)	**880930609..SS**	1	10	10
	(35+55)	**880935559..SS**	1	10	10
	(40+50)	**880940509..SS**	1	10	10
	(45+45)	**880945459..SS**	1	10	10
L mm 95	(30+65)	**880930659..SS**	1	10	10
	(35+60)	**880935609..SS**	1	10	10
	(40+55)	**880940559..SS**	1	10	10
L mm 100	(30+70)	**880930709..SS**	1	10	10
	(35+65)	**880935659..SS**	1	10	10
	(40+60)	**880940609..SS**	1	10	10
	(45+55)	**880945559..SS**	1	10	10
	(50+50)	**880950509..SS**	1	10	10
L mm 105	(30+75)	**880930759..SS**	1	10	10
	(45+60)	**880945609..SS**	1	10	10
	(50+55)	**880950559..SS**	1	10	10
L mm 110	(30+80)	**880930809..SS**	1	10	10
	(40+70)	**880940709..SS**	1	10	10
	(50+60)	**880950609..SS**	1	10	10
L mm 120	(65+55)	**880965559..SS**	1	10	10


R6 New Specific components




	Code	Single package	Multiple package	Min. ord.
10 pieces KIT. Nickel-plated brass rotor for **R6 - R6 New and U.K.** European profile cylinders				
Key side **mm 30**	**0046259**	10	-	1
Key side **mm 35**	**0046309**	10	-	1
Key side **mm 40**	**0046359**	10	-	1
Key side **mm 45**	**0046409**	10	-	1
Key side **mm 50**	**0046459**	10	-	1
Key side **mm 55**	**0046509**	10	-	1
Key side **mm 60**	**0046559**	10	-	1
Key side **mm 65**	**0046609**	10	-	1
Key side **mm 70**	**0046659**	10	-	1
Key side **mm 75**	**0046709**	10	-	1
Key side **mm 80**	**0046759**	10	-	1
Key side **mm 90**	**0046859**	10	-	1



10 pieces KIT. Extension piece for European profile cylinders.				
length **5 mm**	**003211**	10	-	1
length **10 mm**	**003212**	10	-	1
length **15 mm**	**003213**	10	-	1
length **20 mm**	**003214**	10	-	1
length **25 mm**	**003215**	10	-	1
length **30 mm**	**003216**	10	-	1
length **35 mm**	**003217**	10	-	1
length **40 mm**	**003218**	10	-	1




10 pieces KIT. Brass rotors for knob side European profile cylinders. **Shaft 16 mm.** Supplied with **30° DIN** cam and circlip.				
knob side **30 mm**	**003191**	10	-	1
knob side **35 mm**	**003192**	10	-	1
knob side **40 mm**	**003193**	10	-	1
knob side **45 mm**	**003194**	10	-	1
knob side **50 mm**	**003195**	10	-	1
knob side **55 mm**	**003262**	10	-	1
knob side **60 mm**	**003203**	10	-	1
knob side **65 mm**	**003204**	10	-	1
knob side **80 mm**	**003205**	10	-	1




10 pieces KIT. Brass rotors for European profile cylinders **mm 30 knob side**. **Shaft 75 mm**. Supplied with **30° DIN** cam and circlip.	**003186**	10	-	1

R6 New Specific components

	Code	Single package	Multiple package	Min. ord.
 **10 pieces KIT.** Clutch system, 30° DIN cam, for double function cylinders.				
mm 30+30 cylinder	**003220**	10	-	1
mm 30+35 cylinder	**003221**	10	-	1
mm 35+35 cylinder	**003222**	10	-	1
 **10 pieces KIT.** Clutch system and spring for knob kit cylinders.				
Key side mm 30	**003187**	10	-	1
 Key side mm 35	**003188**	10	-	1

R6 New Components chart for cylinder


Single profile cylinder.



		Lato C Side C	
	(1)	(2)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Cilindretto** Plug	
C+10	**Codice** Code	**Misura** Lenght	**Codice** Code
30+10	88093010*	30	004625*
35+10	88093510*	35	004630*
40+10	88094010*	40	004635*
45+10	88094510*	45	004640*
50+10	88095010*	50	004645*
55+10	88095510*	55	004650*
60+10	88096010*	60	004655*
65+10	88096510*	65	004660*
70+10	88097010*	70	004665*
80+10	88098010*	80	004675*
90+10	88099010*	90	004685*


R6 New Components chart for cylinder

Double profile cylinder



		Lato C Side C				Lato D Side D			
	(1)	(2)		(3)		(4)		(5)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Cilindretto** Plug		**Distanziatore** Extension		**Cilindretto** Plug		**Distanziatore** Extension	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code
30+30	88093030*	30	004625*	---	---	30	004625*	---	---
30+35	88093035*	30	004625*	---	---	35	004630*	5	003211
30+40	88093040*	30	004625*	---	---	40	004635*	10	003212
30+45	88093045*	30	004625*	---	---	45	004640*	15	003213
30+50	88093050*	30	004625*	---	---	50	004645*	20	003214
30+55	88093055*	30	004625*	---	---	55	004650*	25	003215
30+60	88093060*	30	004625*	---	---	60	004655*	30	003216
30+65	88093065*	30	004625*	---	---	65	004660*	35	003217
30+70	88093070*	30	004625*	---	---	70	004665*	40	003218
30+75	88093075*	30	004625*	---	---	75	004670*	15+30	003213+003216
30+80	88093080*	30	004625*	---	---	80	004675*	25+25	003215+003215
35+35	88093535*	35	004630*	5	003211	35	004630*	5	003211
35+40	88093540*	35	004630*	5	003211	40	004635*	10	003212
35+45	88093545*	35	004630*	5	003211	45	004640*	15	003213
35+50	88093550*	35	004630*	5	003211	50	004645*	20	003214
35+55	88093555*	35	004630*	5	003211	55	004650*	25	003215
35+60	88093560*	35	004630*	5	003211	60	004655*	30	003216
35+65	88093565*	35	004630*	5	003211	65	004660*	35	003217
40+40	88094040*	40	004635*	10	003212	40	004635*	10	003212
40+45	88094045*	40	004635*	10	003212	45	004640*	15	003213
40+50	88094050*	40	004635*	10	003212	50	004645*	20	003214
40+55	88094055*	40	004635*	10	003212	55	004650*	25	003215
40+60	88094060*	40	004635*	10	003212	60	004655*	30	003216
40+70	88094070*	40	004635*	10	003212	70	004665*	40	003218
45+45	88094545*	45	004640*	15	003213	45	004640*	15	003213
45+55	88094555*	45	004640*	15	003213	55	004650*	25	003215
45+60	88094560*	45	004640*	15	003213	60	004655*	30	003216
50+50	88095050*	50	004645*	20	003214	50	004645*	20	003214
50+55	88095055*	50	004645*	20	003214	55	004650*	25	003215
50+60	88095060*	50	004645*	20	003214	60	004655*	30	003216
65+55	88096555*	65	004660*	35	003217	55	004650*	25	003215


Double function cylinder.



			Lato C Side C				Lato D Side D			
(1)	(2)		(3)		(4)		(5)		(6)	
Cilindro preassemblato Preassembled cylinder	**Kit snodino doppia funzione** Double kit function		**Cilindretto** Plug		**Distanziatore** Extension		**Cilindretto** Plug		**Distanziatore** Extension	
Codice Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code
88093030*	30+30	003220	30	004625*	---	---	30	004625*	---	---
88093035*	30+35	003221	30	004625*	---	---	35	004630*	---	---
88093040*	30+35	003221	30	004625*	---	---	40	004635*	5	003211
88093045*	30+35	003221	30	004625*	---	---	45	004640*	10	003212
88093050*	30+35	003221	30	004625*	---	---	50	004645*	15	003213
88093055*	30+35	003221	30	004625*	---	---	55	004650*	20	003214
88093060*	30+35	003221	30	004625*	---	---	60	004655*	25	003215
88093065*	30+35	003221	30	004625*	---	---	65	004660*	30	003216
88093070*	30+35	003221	30	004625*	---	---	70	004665*	35	003217
88093075*	30+35	003221	30	004625*	---	---	75	004670*	40	003218
88093080*	30+35	003221	30	004625*	---	---	80	004675*	15+30	003213+003216
88093535*	35+35	003222	35	004630*	---	---	35	004630*	---	---
88093540*	35+35	003222	35	004630*	---	---	40	004635*	5	003211
88093545*	35+35	003222	35	004630*	---	---	45	004640*	10	003212
88093550*	35+35	003222	35	004630*	---	---	50	004645*	15	003213
88093555*	35+35	003222	35	004630*	---	---	55	004650*	20	003214
88093560*	35+35	003222	35	004630*	---	---	60	004655*	25	003215
88093565*	35+35	003222	35	004630*	---	---	65	004660*	30	003216
88094040*	35+35	003222	40	004635*	5	003211	40	004635*	5	003211
88094045*	35+35	003222	40	004635*	5	003211	45	004640*	10	003212
88094050*	35+35	003222	40	004635*	5	003211	50	004645*	15	003213
88094055*	35+35	003222	40	004635*	5	003211	55	004650*	20	003214
88094060*	35+35	003222	40	004635*	5	003211	60	004655*	25	003215
88094070*	35+35	003222	40	004635*	5	003211	70	004665*	35	003217
88094545*	35+35	003222	45	004640*	10	003212	45	004640*	10	003212
88094555*	35+35	003222	45	004640*	10	003212	55	004650*	20	003214
88094560*	35+35	003222	45	004640*	10	003212	60	004655*	25	003215
88095050*	35+35	003222	50	004645*	15	003213	50	004645*	15	003213
88095055*	35+35	003222	50	004645*	15	003213	55	004650*	20	003214
88095060*	35+35	003222	50	004645*	15	003213	60	004655*	25	003215
88096555*	35+35	003222	65	004660*	30	003216	55	004650*	20	003214









R6 New Components chart for cylinder

Prearranged for knob cylinder







		Lato C Side C		Lato D Side D					
	(1)	(2)		(3)		(4)		(5)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Kit pomolo** Knob kit		**Kit snodino** Clutch kit		**Cilindretto** Plug		**Distanziatore** Extension	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code
30+30	88093030*	30	003191 003186	30	003187	30	004625*	---	---
30+35	88093035*	30	003191 003186	35	003188	35	004630*	---	---
30+40	88093040*	30	003191 003186	35	003188	40	004635*	5	003211
30+45	88093045*	30	003191 003186	35	003188	45	004640*	10	003212
30+50	88093050*	30	003191 003186	35	003188	50	004645*	15	003213
30+55	88093055*	30	003191 003186	35	003188	55	004650*	20	003214
30+60	88093060*	30	003191 003186	35	003188	60	004655*	25	003215
30+65	88093065*	30	003191 003186	35	003188	65	004660*	30	003216
30+70	88093070*	30	003191 003186	35	003188	70	004665*	35	003217
30+75	88093075*	30	003191 003186	35	003188	75	004670*	40	003218
30+80	88093080*	30	003191 003186	35	003188	80	004675*	15+30	003213+003216
35+30	88093035*	35	003192	30	003187	30	004625*	---	---
35+35	88093535*	35	003192	35	003188	35	004630*	---	---
35+40	88093540*	35	003192	35	003188	40	004635*	5	003211
35+45	88093545*	35	003192	35	003188	45	004640*	10	003212
35+50	88093550*	35	003192	35	003188	50	004645*	15	003213
35+55	88093555*	35	003192	35	003188	55	004650*	20	003214
35+60	88093560*	35	003192	35	003188	60	004655*	25	003215
35+65	88093565*	35	003192	35	003188	65	004660*	30	003216
40+30	88093040*	40	003193	30	003187	30	004625*	---	---
40+40	88094040*	40	003193	35	003188	40	004635*	5	003211
40+45	88094045*	40	003193	35	003188	45	004640*	10	003212
40+50	88094050*	40	003193	35	003188	50	004645*	15	003213
40+55	88094055*	40	003193	35	003188	55	004650*	20	003214
40+60	88094060*	40	003193	35	003188	60	004655*	25	003215
40+70	88094070*	40	003193	35	003188	70	004665*	35	003217
45+30	88093045*	45	003194	30	003187	30	004625*	---	---
45+35	88093545*	45	003194	35	003188	35	004630*	---	---
45+45	88094545*	45	003194	35	003188	45	004640*	10	003212
45+55	88094555*	45	003194	35	003188	55	004650*	20	003214
45+60	88094560*	45	003194	35	003188	60	004655*	25	003215
50+40	88094050*	50	003195	35	003188	40	004635*	5	003211
50+50	88095050*	50	003195	35	003188	50	004645*	15	003213
50+55	88095055*	50	003195	35	003188	55	004650*	20	003214
50+60	88095060*	50	003195	35	003188	60	004655*	25	003215
55+65	88095565*	55	003262	35	003188	65	004660*	30	003216
60+30	88093060*	60	003203	30	003187	30	004625*	---	---
60+40	88094060*	60	003203	35	003188	40	004635*	5	003211
60+45	88094560*	60	003203	35	003188	45	004640*	10	003212
60+50	88095060*	60	003203	35	003188	50	004645*	15	003213
65+55	88096555*	65	003204	35	003188	55	004650*	20	003214
80+30	88093080*	80	003205	30	003187	30	004625*	---	---

R6 New Specific components

	Code	Single package	Multiple package	Min. ord.
				
250 pieces KIT. Brass circlip for cylinders.				
D=20 H=14 thickness mm 1	**0037001**	250	-	1
				
250 pieces KIT. Steel circlip for European profile cylinders.				
For cylinders mm 56 - 61 only .				
D=15,6 H=12,2 thickness mm 1	**0037011**	250	-	1
				
250 pieces KIT. Steel circlip knob side cylinders.				
D=15,5 H=12,2 thickness mm 1	**0037121**	250	-	1
				
1000 pieces KIT. STAINLESS STEEL top pin for European profile cylinders.				
mm 2,5x5,1 **step 0**	**0032151**	1000	-	1
mm 2,5x5,6 **step 1**	**0032156**	1000	-	1
mm 2,5x6,1 **step 2**	**0032161**	1000	-	1
mm 2,5x6,6 **step 3**	**0032166**	1000	-	1
mm 2,5x7,1 **step 4**	**0032171**	1000	-	1
mm 2,5x7,6 **step 5**	**0032176**	1000	-	1
				
1000 pieces KIT. Brass top pin for cylinders.				
mm 2,5x5,6 for European profile cylinder	**0033150**	1000	-	1
mm 2,5x3,5 for round cylinder Ø 26 and rim cylinder	**0033160**	1000	-	1
				
1000 pieces KIT. Anti-picking brass top pin for cylinders.				
mm 2,5x5,0 for European profile cylinder	**0034150**	1000	-	1
mm 2,5x3,5 for round cylinder Ø 26 and rim cylinder	**0034160**	1000	-	1
				
KIT 1000 pezzi. Brass master wafer for cylinders.				
mm 2,5x1,0 **step 2**	**0039110**	1000	-	1
mm 2,5x1,5 **step 3**	**0039115**	1000	-	1
mm 2,5x2,0 **step 4**	**0039120**	1000	-	1
mm 2,5x2,5 **step 5**	**0039125**	1000	-	1
				
1000 pieces KIT. Cone-shaped brass plug for cylinders.				
mm 2,8x3,0 for round cylinder Ø 26 and rim cylinder	**0035130**	1000		1
mm 2,8x3,6 for European profile cylinder	**0035136**	1000	-	1


R6 New Specific components

	Code	Single package	Multiple package	Min. ord.
 **500 pieces KIT.** Anti-drill pin for R6 New rotor.				
mm 1,5x5,4	**0036056**	500	-	1
 **1000 pieces KIT.** Spring for R6 - R6 New - R7 cylinders.				
mm Ø 2,5x8,3 for round cylinder Ø 26 and rim cylinder.	**0038084**	1000	-	1
mm Ø 2,5x13,5 for European profile cylinder.	**0038135**	1000	-	1
 Key set for **R6 New** cylinder.	**020870**	1	-	1
 **50 pieces KIT** flat key blank for **R6 New** cylinder.				
Nickel plated brass	**020839**	50	-	50
 Code card for **R6 New** cylinder.	**0041150**	1	-	1

CAMS AND KNOBS: SEE PAGE **1**-131 - **1**-132

Components


F6



F6 Assembling tools


	Code	Single package	Multiple package	Min. ord.
 Pinning kit for **cylinders** provided with all spare parts and instructions.	**003031**	1	-	1
 Coding tool for **European profile cylinders** and **U.K. profile cylinders** with instructions for coding changing and specific screwdriver.	**003109**	1	-	1
 Pinning blade for **European profile cylinders** coding tools.	**003111**	1	-	1
Pinning blade for **U.K. profile cylinders** coding tools.	**003112**	1	-	1
 Circlips plier.	**003104**	1	-	1
 Brass circlips closing plier.	**003105**	1	-	1
 Plier for cylinder pins insertion .	**003106**	1	-	1
 Pinning blade for **European profile cylinders.**	**003007**	1	-	1
Pinning blade for **U.K. profile cylinders.**	**003082**	1	-	1
 Pinning blade for **cylinders Scandinavian profile.**	**003079**	1	-	1

F6 Pre-assembled cylinder



10 pieces KIT. F6 EUROPEAN SINGLE PROFILE NICKEL-PLATED cylinder. 6-pin key.
Pre-assembled, 8-position DIN cam, steel circlip, springs, counterpins, plugs, nylon plug.
Anti-drill device in the cylinder body. Fixing screw. Rotor to be ordered separately.





L	C + D	Code	Single package	Multiple package	Min. ord.
L mm 40	(30+10)	**880930109..SS**	1	10	10
L mm 45	(35+10)	**880935109..SS**	1	10	10
L mm 50	(40+10)	**880940109..SS**	1	10	10
L mm 55	(45+10)	**880945109..SS**	1	10	10
L mm 60	(50+10)	**880950109..SS**	1	10	10
L mm 65	(55+10)	**880955109..SS**	1	10	10
L mm 70	(60+10)	**880960109..SS**	1	10	10
L mm 75	(65+10)	**880965109..SS**	1	10	10
L mm 80	(70+10)	**880970109..SS**	1	10	10
L mm 90	(80+10)	**880980109..SS**	1	10	10
L mm 100	(90+10)	**880990109..SS**	1	10	10





10 pieces KIT. F6 EUROPEAN DOUBLE PROFILE NICKEL-PLATED cylinder. 6-pin key.
Pre-assembled, 30° DIN cam, 2 steel circlip, springs, counterpins, plugs, 2 nylon plug,
clutch system. Anti-drill device in the cylinder body. Fixing screw. Rotor to be ordered separately.

L	C + D	Code	Single package	Multiple package	Min. ord.
L mm 60	(30+30)	**880930309..SS**	1	10	10
L mm 65	(30+35)	**880930359..SS**	1	10	10
L mm 70	(30+40)	**880930409..SS**	1	10	10
	(35+35)	**880935359..SS**	1	10	10
L mm 75	(30+45)	**880930459..SS**	1	10	10
	(35+40)	**880935409..SS**	1	10	10
L mm 80	(30+50)	**880930509..SS**	1	10	10
	(35+45)	**880935459..SS**	1	10	10
	(40+40)	**880940409..SS**	1	10	10
L mm 85	(30+55)	**880930559..SS**	1	10	10
	(35+50)	**880935509..SS**	1	10	10
	(40+45)	**880940459..SS**	1	10	10
L mm 90	(30+60)	**880930609..SS**	1	10	10
	(35+55)	**880935559..SS**	1	10	10
	(40+50)	**880940509..SS**	1	10	10
	(45+45)	**880945459..SS**	1	10	10
L mm 95	(30+65)	**880930659..SS**	1	10	10
	(35+60)	**880935609..SS**	1	10	10
	(40+55)	**880940559..SS**	1	10	10
L mm 100	(30+70)	**880930709..SS**	1	10	10
	(35+65)	**880935659..SS**	1	10	10
	(40+60)	**880940609..SS**	1	10	10
	(45+55)	**880945559..SS**	1	10	10
	(50+50)	**880950509..SS**	1	10	10
L mm 105	(30+75)	**880930759..SS**	1	10	10
	(45+60)	**880945609..SS**	1	10	10
	(50+55)	**880950559..SS**	1	10	10
L mm 110	(30+80)	**880930809..SS**	1	10	10
	(40+70)	**880940709..SS**	1	10	10
	(50+60)	**880950609..SS**	1	10	10
L mm 120	(65+55)	**880965559..SS**	1	10	10

F6 Specific components


	Code	Single package	Multiple package	Min. ord.
 **10 pieces KIT.** Nickel-plated brass rotor for **F6** European and **U.K.** profile cylinders.				
Key side **mm 30**	**0044259**	10	-	1
Key side **mm 35**	**0044309**	10	-	1
Key side **mm 40**	**0044359**	10	-	1
Key side **mm 45**	**0044409**	10	-	1
Key side **mm 50**	**0044459**	10	-	1
Key side **mm 55**	**0044509**	10	-	1
Key side **mm 60**	**0044559**	10	-	1
Key side **mm 65**	**0044609**	10	-	1
Key side **mm 70**	**0044659**	10	-	1
Key side **mm 75**	**0044709**	10	-	1
Key side **mm 80**	**0044759**	10	-	1
Key side **mm 90**	**0044859**	10	-	1
 **10 pieces KIT.** Extension piece for European profile cylinders.				
length **5 mm**	**003211**	10	-	1
length **10 mm**	**003212**	10	-	1
length **15 mm**	**003213**	10	-	1
length **20 mm**	**003214**	10	-	1
length **25 mm**	**003215**	10	-	1
length **30 mm**	**003216**	10	-	1
length **35 mm**	**003217**	10	-	1
length **40 mm**	**003218**	10	-	1
 **10 pieces KIT.** Brass rotors for knob side European profile cylinders. **Shaft 16 mm.** Supplied with **30° DIN** cam and circlip.				
knob side **30 mm**	**003191**	10	-	1
knob side **35 mm**	**003192**	10	-	1
knob side **40 mm**	**003193**	10	-	1
knob side **45 mm**	**003194**	10	-	1
knob side **50 mm**	**003195**	10	-	1
knob side **55 mm**	**003262**	10	-	1
knob side **60 mm**	**003203**	10	-	1
knob side **65 mm**	**003204**	10	-	1
knob side **80 mm**	**003205**	10	-	1
 **10 pieces KIT.** Brass rotors for European profile cylinders **mm 30 knob side**. **Shaft 75 mm**. Supplied with **30° DIN** cam and circlip.	**003186**	10	-	1

F6 Specific components

	Code	Single package	Multiple package	Min. ord.
 **10 pieces KIT.** Clutch system and **30° DIN cam**, for **F6** cylinders.	**003250**	10	-	1
 **10 pieces KIT.** Clutch system and **45°ISEO cam**. for **F6 U.K.** profile cylinders	**003270**	10	-	1
 **10 pieces KIT.** Clutch system for double function cylinder, **30° DIN cam,** for **F6** cylinders.				
cylinder **mm 30+30**	**003207**	10	-	1
cylinder **mm 30+35**	**003208**	10	-	1
cylinder **mm 35+35**	**003209**	10	-	1
 **pieces KIT.** Clutch system and spring for knob kit for **F6** cylinders.				
Key side **30 mm**	**003196**	10	-	1
Key side **35 mm**	**003197**	10	-	1
Key side **40 mm**	**003198**	10	-	1
Key side **45 mm**	**003199**	10	-	1
Key side **50 mm**	**003200**	10	-	1
Key side **55 mm**	**003201**	10	-	1
Key side **60 mm**	**003202**	10	-	1
Key side **65 mm**	**003255**	10	-	1
 **10 pieces KIT.** Extension piece key side for knob side clutch system.	**003295**	10	-	1

F6 Components chart for cylinder


Single profile cylinder.



		Lato C Side C	
	(1)	(2)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Cilindretto** Plug	
C+10	**Codice** Code	**Misura** Lenght	**Codice** Code
30+10	88093010*	30	004425*
35+10	88093510*	35	004430*
40+10	88094010*	40	004435*
45+10	88094510*	45	004440*
50+10	88095010*	50	004445*
55+10	88095510*	55	004450*
60+10	88096010*	60	004455*
65+10	88096510*	65	004460*
70+10	88097010*	70	004465*
80+10	88098010*	80	004475*
90+10	88099010*	90	004485*


F6 Components chart for cylinder

Double profile cylinder.



			Lato C Side C				Lato D Side D			
	(1)	(2)	(3)		(4)		(5)		(6)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Kit snodino** Clutch kit	**Cilindretto** Plug		**Distanziatore** Extension		**Cilindretto** Plug		**Distanziatore** Extension	
C+D	**Codice** Code	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code
30+30	88093030*	003250	30	004425*	---	---	30	004425*	---	---
30+35	88093035*	003250	30	004425*	---	---	35	004430*	5	003211
30+40	88093040*	003250	30	004425*	---	---	40	004435*	10	003212
30+45	88093045*	003250	30	004425*	---	---	45	004440*	15	003213
30+50	88093050*	003250	30	004425*	---	---	50	004445*	20	003214
30+55	88093055*	003250	30	004425*	---	---	55	004450*	25	003215
30+60	88093060*	003250	30	004425*	---	---	60	004455*	30	003216
30+65	88093065*	003250	30	004425*	---	---	65	004460*	35	003217
30+70	88093070*	003250	30	004425*	---	---	70	004465*	40	003218
30+75	88093075*	003250	30	004425*	---	---	75	004470*	15+30	003213+003216
30+80	88093080*	003250	30	004425*	---	---	80	004475*	25+25	003215+003215
35+35	88093535*	003250	35	004430*	5	003211	35	004430*	5	003211
35+40	88093540*	003250	35	004430*	5	003211	40	004435*	10	003212
35+45	88093545*	003250	35	004430*	5	003211	45	004440*	15	003213
35+50	88093550*	003250	35	004430*	5	003211	50	004445*	20	003214
35+55	88093555*	003250	35	004430*	5	003211	55	004450*	25	003215
35+60	88093560*	003250	35	004430*	5	003211	60	004455*	30	003216
35+65	88093565*	003250	35	004430*	5	003211	65	004460*	35	003217
40+40	88094040*	003250	40	004435*	10	003212	40	004435*	10	003212
40+45	88094045*	003250	40	004435*	10	003212	45	004440*	15	003213
40+50	88094050*	003250	40	004435*	10	003212	50	004445*	20	003214
40+55	88094055*	003250	40	004435*	10	003212	55	004450*	25	003215
40+60	88094060*	003250	40	004435*	10	003212	60	004455*	30	003216
40+70	88094070*	003250	40	004435*	10	003212	70	004465*	40	003218
45+45	88094545*	003250	45	004440*	15	003213	45	004440*	15	003213
45+55	88094555*	003250	45	004440*	15	003213	55	004450*	25	003215
45+60	88094560*	003250	45	004440*	15	003213	60	004455*	30	003216
50+50	88095050*	003250	50	004445*	20	003214	50	004445*	20	003214
50+55	88095055*	003250	50	004445*	20	003214	55	004450*	25	003215
50+60	88095060*	003250	50	004445*	20	003214	60	004455*	30	003216
65+55	88096555*	003250	65	004460*	35	003217	55	004450*	25	003215


Double function cylinder.



				Lato C Side C				Lato D Side D			
	(1)	(2)		(3)		(4)		(5)		(6)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Kit snodino doppia funzione** Double kit function		**Cilindretto** Plug		**Distanziatore** Extension		**Cilindretto** Plug		**Distanziatore** Extension	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code
30+30	88093030*	30+30	003207	30	004425*	---	---	30	004425*	---	---
30+35	88093035*	30+35	003208	30	004425*	---	---	35	004430*	---	---
30+40	88093040*	30+35	003208	30	004425*	---	---	40	004435*	5	003211
30+45	88093045*	30+35	003208	30	004425*	---	---	45	004440*	10	003212
30+50	88093050*	30+35	003208	30	004425*	---	---	50	004445*	15	003213
30+55	88093055*	30+35	003208	30	004425*	---	---	55	004450*	20	003214
30+60	88093060*	30+35	003208	30	004425*	---	---	60	004455*	25	003215
30+65	88093065*	30+35	003208	30	004425*	---	---	65	004460*	30	003216
30+70	88093070*	30+35	003208	30	004425*	---	---	70	004465*	35	003217
30+75	88093075*	30+35	003208	30	004425*	---	---	75	004470*	40	003218
30+80	88093080*	30+35	003208	30	004425*	---	---	80	004475*	15+30	003213+003216
35+35	88093535*	35+35	003209	35	004430*	---	---	35	004430*	---	---
35+40	88093540*	35+35	003209	35	004430*	---	---	40	004435*	5	003211
35+45	88093545*	35+35	003209	35	004430*	---	---	45	004440*	10	003212
35+50	88093550*	35+35	003209	35	004430*	---	---	50	004445*	15	003213
35+55	88093555*	35+35	003209	35	004430*	---	---	55	004450*	20	003214
35+60	88093560*	35+35	003209	35	004430*	---	---	60	004455*	25	003215
35+65	88093565*	35+35	003209	35	004430*	---	---	65	004460*	30	003216
40+40	88094040*	35+35	003209	40	004435*	5	003211	40	004435*	5	003211
40+45	88094045*	35+35	003209	40	004435*	5	003211	45	004440*	10	003212
40+50	88094050*	35+35	003209	40	004435*	5	003211	50	004445*	15	003213
40+55	88094055*	35+35	003209	40	004435*	5	003211	55	004450*	20	003214
40+60	88094060*	35+35	003209	40	004435*	5	003211	60	004455*	25	003215
40+70	88094070*	35+35	003209	40	004435*	5	003211	70	004465*	35	003217
45+45	88094545*	35+35	003209	45	004440*	10	003212	45	004440*	10	003212
45+55	88094555*	35+35	003209	45	004440*	10	003212	55	004450*	20	003214
45+60	88094560*	35+35	003209	45	004440*	10	003212	60	004455*	25	003215
50+50	88095050*	35+35	003209	50	004445*	15	003213	50	004445*	15	003213
50+55	88095055*	35+35	003209	50	004445*	15	003213	55	004450*	20	003214
50+60	88095060*	35+35	003209	50	004445*	15	003213	60	004455*	25	003215
65+55	88096555*	35+35	003209	65	004460*	30	003216	55	004450*	20	003214









F6 Components chart for cylinder

Cylinder prearranged for knob





		Lato C Side C		Lato D Side D			
	(1)	(2)		(3)		(4)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Kit pomolo** Knob kit		**Kit snodino** Clutch kit		**Cilindretto** Plug	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code
30+30	88093030*	30	003191 003186	30	003196	30	004425*
30+35	88093035*	30	003191 003186	35	003197	35	004430*
30+40	88093040*	30	003191 003186	40	003198	40	004435*
30+45	88093045*	30	003191 003186	45	003199	45	004440*
30+50	88093050*	30	003191 003186	50	003200	50	004445*
30+55	88093055*	30	003191 003186	55	003201	55	004450*
30+60	88093060*	30	003191 003186	60	003202	60	004455*
30+65	88093065*	30	003191 003186	65	003255	65	004460*
30+70	88093070*	30	003191 003186	45 + 25	003199 + 003295 (5)	70	004465*
30+75	88093075*	30	003191 003186	50 + 25	003200 + 003295 (5)	75	004470*
30+80	88093080*	30	003191 003186	55 + 25	003201 + 003295 (5)	80	004475*
35+30	88093035*	35	003192	30	003196	30	004425*
35+35	88093535*	35	003192	35	003197	35	004430*
35+40	88093540*	35	003192	40	003198	40	004435*
35+45	88093545*	35	003192	45	003199	45	004440*
35+50	88093550*	35	003192	50	003200	50	004445*
35+55	88093555*	35	003192	55	003201	55	004450*
35+60	88093560*	35	003192	60	003202	60	004455*
35+65	88093565*	35	003192	65	003255	65	004460*
40+30	88093040*	40	003193	30	003196	30	004425*
40+40	88094040*	40	003193	40	003198	40	004435*
40+45	88094045*	40	003193	45	003199	45	004440*
40+50	88094050*	40	003193	50	003200	50	004445*
40+55	88094055*	40	003193	55	003201	55	004450*
40+60	88094060*	40	003193	60	003202	60	004455*
40+70	88094070*	40	003193	45 + 25	003199 + 003295 (5)	70	004465*
45+30	88093045*	45	003194	30	003196	30	004425*
45+35	88093545*	45	003194	35	003197	35	004430*
45+45	88094545*	45	003194	45	003199	45	004440*
45+55	88094555*	45	003194	55	003201	55	004450*
45+60	88094560*	45	003194	60	003202	60	004455*
50+40	88094050*	50	003195	40	003198	40	004435*
50+50	88095050*	50	003195	50	003200	50	004445*
50+55	88095055*	50	003195	55	003201	55	004450*
50+60	88095060*	50	003195	60	003202	60	004455*
55+65	88095565*	55	003262	65	003255	65	004460*
60+30	88093060*	60	003203	30	003196	30	004425*
60+40	88094060*	60	003203	40	003198	40	004435*
60+45	88094560*	60	003203	45	003199	45	004440*
60+50	88095060*	60	003203	50	003200	50	004445*
65+55	88096555*	65	003204	55	003201	55	004450*
80+30	88093080*	80	003205	30	003196	30	004425*

F6 Specific components

	Code	Single package	Multiple package	Min. ord.
				
250 pieces KIT. Brass circlip for cylinders.				
D=20 H=14 thickness mm 1	**0037001**	250	-	1
				
250 pieces KIT. Steel circlip for European profile cylinders. **For cylinders mm 56 - 61 only .**				
D=15,6 H=12,2 thickness mm 1	**0037011**	250	-	1
				
250 pieces KIT. Steel circlip knob side European profile cylinders.				
D=15,5 H=12,2 thickness mm 1	**0037121**	250	-	1
				
1000 pieces KIT. STAINLESS STEEL top pin for **F6** cylinders.				
mm 2,5x4,6 **Step 0**	**0032146**	1000	-	1
mm 2,5x5,1 **Step 1**	**0032151**	1000	-	1
mm 2,5x5,6 **Step 2**	**0032156**	1000	-	1
mm 2,5x6,1 **Step 3**	**0032161**	1000	-	1
mm 2,5x6,6 **Step 4**	**0032166**	1000	-	1
mm 2,5x7,1 **Step 5**	**0032171**	1000	-	1
mm 2,5x7,6 **Step 6**	**0032176**	1000	-	1
mm 2,5x8.1 **Step 7**	**0032181**	1000	-	1
mm 2,5x8,6 **Step 8**	**0032186**	1000	-	1
				
1000 pieces KIT. Brass top pin for **F6** cylinders.				
mm 2,5x5,6 for European profile cylinder	**0033150**	1000	-	1
mm 2,5x3,5 per cilindri tondi Ø 26 e cilindri staccati	**0033160**	1000	-	1
				
1000 pieces KIT. Anti-picking brass top pin for **F6** cylinders.				
mm 2,5x5,0 per cilindri profilo europeo	**0034150**	1000	-	1
mm 2,5x3,5 for round cylinder Ø 26 and rim cylinder	**0034160**	1000	-	1
				
KIT 1000 pezzi. Brass master wafer for **F6** cylinders.				
mm 2,5x1,0 **Step 2**	**0039110**	1000	-	1
mm 2,5x1,5 **Step 3**	**0039115**	1000	-	1
mm 2,5x2,0 **Step 4**	**0039120**	1000	-	1
mm 2,5x2,5 **Step 5**	**0039125**	1000	-	1
mm 2,5x3,0 **Step 6**	**0039130**	1000	-	1
mm 2,5x3,5 **Step 7**	**0039135**	1000	-	1
mm 2,5x4,0 **Step 8**	**0039140**	1000	-	1
				
1000 pieces KIT. Cone-shaped brass plug for **F6** cylinders.				
mm 2,8x3,0 for round cylinder Ø 26 and rim cylinder	**0035130**	1000	-	1
mm 2,8x3,6 for European profile cylinder	**0035136**	1000	-	1


F6 Specific components

	Code	Single package	Multiple package	Min. ord.
				
1000 pieces KIT. Spring for **F6** cylinders.				
Ø 2,5x8,3 for round cylinder Ø 26 and rim cylinder	**0038084**	1000	-	1
Ø 2,5x13,5 for European profile cylinder	**0038135**	1000	-	1
				
Nickel plated brass key set for **F6** cylinder.	**0206098**	1	-	1
				
50 pieces KIT. Nickel plated brass, key blank for **F6** cylinder.	**020609**	50	-	10

CAMS AND KNOBS: SEE PAGE **1**-131 - **1**-132

Components


F5



F5 Assembling tools


	Code	Single package	Multiple package	Min. ord.
 Pinning kit for **F5 cylinders** and **5 pins** padlocks provided with all spare parts and instructions	**003000**	1	-	1
Empty pinning kit **without spare parts** for F5 cylinders	**003100**	1	-	1
 Coding tool for **F5 European profile cylinders** and **U.K. profile cylinders** with instructions for coding changing and specific screwdriver	**003108**	1	-	1
 Pinning blade for **European profile cylinders** coding tools	**003111**	1	-	1
Pinning blade for **U.K. profile cylinders** coding tools	**003112**	1	-	1
 Circlips plier	**003104**	1	-	1
 Brass circlips closing plier	**003105**	1	-	1
 Plier for cylinder pins insertion	**003106**	1	-	1
 Pinning blade for **European profile cylinders**	**003007**	1	-	1
Pinning blade for **U.K. profile cylinders**	**003082**	1	-	1
 Pinning blade for **cylinders Scandinavian profile**	**003079**	1	-	1
 Caliper for keys	**003107**	1	-	1

F5 Pre-assembled cylinder



10 pieces KIT. F5 EUROPEAN SINGLE PROFILE NICKEL-PLATED cylinder.
5-pin big key. Pre-assembled, 8-position DIN cam, circlip, springs,
counterpins, plugs, nylon plug. Fixing screw. Rotor to be ordered separately.

	L	C + D	Code	Single package	Multiple package	Min. ord.
L mm 40		(30+10)	**820930109..SS**	1	10	10
L mm 45		(35+10)	**820935109..SS**	1	10	10
L mm 50		(40+10)	**820940109..SS**	1	10	10
L mm 55		(45+10)	**820945109..SS**	1	10	10
L mm 60		(50+10)	**820950109..SS**	1	10	10
L mm 65		(55+10)	**820955109..SS**	1	10	10
L mm 70		(60+10)	**820960109..SS**	1	10	10
L mm 75		(65+10)	**820965109..SS**	1	10	10
L mm 80		(70+10)	**820970109..SS**	1	10	10
L mm 90		(80+10)	**820980109..SS**	1	10	10
L mm 100		(90+10)	**820990109..SS**	1	10	10
L mm 105		(95+10)	**820995109..SS**	1	10	10



10 pieces KIT. F5 EUROPEAN DOUBLE PROFILE NICKEL-PLATED cylinder. 5-pin big key.
Pre-assembled, 30° DIN cam, 2 brass circlips, springs,
counterpins, plugs, 2 nylon plugs. Fixing screw. Rotor to be ordered separately.


	L	C + D	Code	Single package	Multiple package	Min. ord.
L mm 60		(30+30)	**820930309..SS**	1	10	10
L mm 65		(30+35)	**820930359..SS**	1	10	10
L mm 70		(30+40)	**820930409..SS**	1	10	10
		(35+35)	**820935359..SS**	1	10	10
L mm 75		(30+45)	**820930459..SS**	1	10	10
		(35+40)	**820935409..SS**	1	10	10
L mm 80		(30+50)	**820930509..SS**	1	10	10
		(35+45)	**820935459..SS**	1	10	10
		(40+40)	**820940409..SS**	1	10	10
L mm 85		(30+55)	**820930559..SS**	1	10	10
		(35+50)	**820935509..SS**	1	10	10
		(40+45)	**820940459..SS**	1	10	10
L mm 90		(30+60)	**820930609..SS**	1	10	10
		(35+55)	**820935559..SS**	1	10	10
		(40+50)	**820940509..SS**	1	10	10
		(45+45)	**820945459..SS**	1	10	10
L mm 95		(30+65)	**820930659..SS**	1	10	10
		(35+60)	**820935609..SS**	1	10	10
		(40+55)	**820940559..SS**	1	10	10
L mm 100		(30+70)	**820930709..SS**	1	10	10
		(35+65)	**820935659..SS**	1	10	10
		(40+60)	**820940609..SS**	1	10	10
		(50+50)	**820950509..SS**	1	10	10
L mm 105		(30+75)	**820930759..SS**	1	10	10
		(50+55)	**820950559..SS**	1	10	10
L mm 110		(30+80)	**820930809..SS**	1	10	10
		(50+60)	**820950609..SS**	1	10	10
L mm 120		(65+55)	**820965559..SS**	1	10	10

F5 Specific components




10 pieces KIT. Nickel-plated brass rotor for **F5** European and **U.K.** profile cylinders.

	Code	Single package	Multiple package	Min. ord.
key side **mm 30**	**0045259**	10	-	1
key side **mm 35**	**0045309**	10	-	1
key side **mm 40**	**0045359**	10	-	1
key side **mm 45**	**0045409**	10	-	1
key side **mm 50**	**0045459**	10	-	1
key side **mm 55**	**0045509**	10	-	1
key side **mm 60**	**0045559**	10	-	1
key side **mm 65**	**0045609**	10	-	1
key side **mm 70**	**0045659**	10	-	1
key side **mm 75**	**0045709**	10	-	1
key side **mm 80**	**0045759**	10	-	1
key side **mm 90**	**0045859**	10	-	1
key side **mm 95**	**0045909**	10	-	1




10 pieces KIT. Extension piece for European profile cylinders.

	Code	Single package	Multiple package	Min. ord.
length **5 mm**	**003211**	10	-	1
length **10 mm**	**003212**	10	-	1
length **15 mm**	**003213**	10	-	1
length **20 mm**	**003214**	10	-	1
length **25 mm**	**003215**	10	-	1
length **30 mm**	**003216**	10	-	1
length **35 mm**	**003217**	10	-	1
length **40 mm**	**003218**	10	-	1



10 pieces KIT. Brass rotors for knob side European profile cylinders.
Shaft 16 mm. Supplied with **30° DIN** cam and circlip.


	Code	Single package	Multiple package	Min. ord.
knob side **30 mm**	**003191**	10	-	1
knob side **35 mm**	**003192**	10	-	1
knob side **40 mm**	**003193**	10	-	1
knob side **45 mm**	**003194**	10	-	1
knob side **50 mm**	**003195**	10	-	1
knob side **60 mm**	**003203**	10	-	1
knob side **65 mm**	**003204**	10	-	1
knob side **80 mm**	**003205**	10	-	1



10 pieces KIT. Brass rotors for European profile cylinders **mm 30 knob side**.
Shaft 75 mm. Supplied with **30° DIN** cam and circlip


	Code	Single package	Multiple package	Min. ord.
	003186	10	-	1

F5 Specific components

	Code	Single package	Multiple package	Min. ord.
 **10 pieces KIT.** Clutch system, **30° DIN cam**, for **F5** cylinders.	**003250**	10	-	1
 **10 pieces KIT.** Clutch system for U.K. cylinder profile, **45° ISEO cam,** for **F5** cylinders	**003270**	10	-	1
 **10 pieces KIT.** Clutch system for double function cylinder, **30° DIN cam,** for **F5** cylinders.				
cylinder **mm 30+30**	**003207**	10	-	1
cylinder **mm 30+35**	**003208**	10	-	1
cylinder **mm 35+35**	**003209**	10	-	1
 **KIT 10 pezzi.** Snodino e molla per **kit pomolo.**				
Key side **30 mm**	**003196**	10	-	1
Key side **35 mm**	**003197**	10	-	1
Key side **40 mm**	**003198**	10	-	1
Key side **45 mm**	**003199**	10	-	1
Key side **50 mm**	**003200**	10	-	1
Key side **55 mm**	**003201**	10	-	1
Key side **60 mm**	**003202**	10	-	1
Key side **65 mm**	**003255**	10	-	1
 **10 pieces KIT.** Extension piece key side for knob side clutch system	**003295**	10	-	1

F5 Components chart for cylinder


Single profile cylinder.



		Lato C Side C	
	(1)	(2)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Cilindretto** Plug	
C+10	**Codice** Code	**Misura** Lenght	**Codice** Code
30+10	82093010*	30	004525*
35+10	82093510*	35	004530*
40+10	82094010*	40	004535*
50+10	82095010*	50	004545*
55+10	82095510*	55	004550*
60+10	82096010*	60	004555*
65+10	82096510*	65	004560*
70+10	82097010*	70	004565*
80+10	82098010*	80	004575*
90+10	82099010*	90	004585*
95+10	82099510*	95	004590*


F5 Components chart for cylinder

Double profile cylinder.



		Lato C Side C				Lato D Side D			
	(1)	(2)		(3)		(4)		(5)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Cilindretto** Plug		**Distanziatore** Extension		**Cilindretto** Plug		**Distanziatore** Extension	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code
30+30	82093030*	30	004525*	---	---	30	004525*	---	---
30+35	82093035*	30	004525*	---	---	35	004530*	5	003211
30+40	82093040*	30	004525*	---	---	40	004535*	10	003212
30+45	82093045*	30	004525*	---	---	45	004540*	15	003213
30+50	82093050*	30	004525*	---	---	50	004545*	20	003214
30+55	82093055*	30	004525*	---	---	55	004550*	25	003215
30+60	82093060*	30	004525*	---	---	60	004555*	30	003216
30+65	82093065*	30	004525*	---	---	65	004560*	35	003217
30+70	82093070*	30	004525*	---	---	70	004565*	40	003218
30+75	82093075*	30	004525*	---	---	75	004570*	15+30	003213+003216
30+80	82093080*	30	004525*	---	---	80	004575*	25+25	003215+003215
35+35	82093535*	35	004530*	5	003211	35	004530*	5	003211
35+40	82093540*	35	004530*	5	003211	40	004535*	10	003212
35+45	82093545*	35	004530*	5	003211	45	004540*	15	003213
35+50	82093550*	35	004530*	5	003211	50	004545*	20	003214
35+55	82093555*	35	004530*	5	003211	55	004550*	25	003215
35+60	82093560*	35	004530*	5	003211	60	004555*	30	003216
35+65	82093565*	35	004530*	5	003211	65	004560*	35	003217
40+40	82094040*	40	004535*	10	003212	40	004535*	10	003212
40+45	82094045*	40	004535*	10	003212	45	004540*	15	003213
40+50	82094050*	40	004535*	10	003212	50	004545*	20	003214
40+55	82094055*	40	004535*	10	003212	55	004550*	25	003215
40+60	82094060*	40	004535*	10	003212	60	004555*	30	003216
45+45	82094545*	45	004540*	15	003213	45	004540*	15	003213
50+50	82095050*	50	004545*	20	003214	50	004545*	20	003214
50+55	82095055*	50	004545*	20	003214	55	004550*	25	003215
50+60	82095060*	50	004545*	20	003214	60	004555*	30	003216
65+55	82096555*	65	004560*	35	003217	55	004550*	25	003215


Double function cylinder.



				Lato C Side C				Lato D Side D			
	(1)	(2)		(3)		(4)		(5)		(6)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Kit snodino doppia funzione** Double kit function		**Cilindretto** Plug		**Distanziatore** Extension		**Cilindretto** Plug		**Distanziatore** Extension	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code	**Misura** Lenght	**Codice** Code	**mm**	**Codice** Code
30+30	82093030*	30+30	003207	30	004525*	---	---	30	004525*	---	---
30+35	82093035*	30+35	003208	30	004525*	---	---	35	004530*	---	---
30+40	82093040*	30+35	003208	30	004525*	---	---	40	004535*	5	003211
30+45	82093045*	30+35	003208	30	004525*	---	---	45	004540*	10	003212
30+50	82093050*	30+35	003208	30	004525*	---	---	50	004545*	15	003213
30+55	82093055*	30+35	003208	30	004525*	---	---	55	004550*	20	003214
30+60	82093060*	30+35	003208	30	004525*	---	---	60	004555*	25	003215
30+65	82093065*	30+35	003208	30	004525*	---	---	65	004560*	30	003216
30+70	82093070*	30+35	003208	30	004525*	---	---	70	004565*	35	003217
30+75	82093075*	30+35	003208	30	004525*	---	---	75	004570*	40	003218
30+80	82093080*	30+35	003208	30	004525*	---	---	80	004575*	15+30	003213+003216
35+35	82093535*	35+35	003209	35	004530*	---	---	35	004530*	---	---
35+40	82093540*	35+35	003209	35	004530*	---	---	40	004535*	5	003211
35+45	82093545*	35+35	003209	35	004530*	---	---	45	004540*	10	003212
35+50	82093550*	35+35	003209	35	004530*	---	---	50	004545*	15	003213
35+55	82093555*	35+35	003209	35	004530*	---	---	55	004550*	20	003214
35+60	82093560*	35+35	003209	35	004530*	---	---	60	004555*	25	003215
35+65	82093565*	35+35	003209	35	004530*	---	---	65	004560*	30	003216
40+40	82094040*	35+35	003209	40	004535*	5	003211	40	004535*	5	003211
40+45	82094045*	35+35	003209	40	004535*	5	003211	45	004540*	10	003212
40+50	82094050*	35+35	003209	40	004535*	5	003211	50	004545*	15	003213
40+55	82094055*	35+35	003209	40	004535*	5	003211	55	004550*	20	003214
40+60	82094060*	35+35	003209	40	004535*	5	003211	60	004555*	25	003215
45+45	82094545*	35+35	003209	45	004540*	10	003212	45	004540*	10	003212
50+50	82095050*	35+35	003209	50	004545*	15	003213	50	004545*	15	003213
50+55	82095055*	35+35	003209	50	004545*	15	003213	55	004550*	20	003214
50+60	82095060*	35+35	003209	50	004545*	15	003213	60	004555*	25	003215
65+55	82096555*	35+35	003209	65	004560*	30	003216	55	004550*	20	003214







F5 Components chart for cylinder

Cylinder prearranged for knob







		Lato C Side C		Lato D Side D			
	(1)	(2)		(3)		(4)	
Misura cilindro Cylinder lenght	**Cilindro preassemblato** Preassembled cylinder	**Kit pomolo** Knob kit		**Kit snodino** Clutch kit		**Cilindretto** Plug	
C+D	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code	**Misura** Lenght	**Codice** Code
30+30	82093030*	30	003191 003186	30	003196	30	004525*
30+35	82093035*	30	003191 003186	35	003197	35	004530*
30+40	82093040*	30	003191 003186	40	003198	40	004535*
30+45	82093045*	30	003191 003186	45	003199	45	004540*
30+50	82093050*	30	003191 003186	50	003200	50	004545*
30+55	82093055*	30	003191 003186	55	003201	55	004550*
30+60	82093060*	30	003191 003186	60	003202	60	004555*
30+65	82093065*	30	003191 003186	65	003255	65	004560*
30+70	82093070*	30	003191 003186	45 + 25	003199 + 003295 (5)	70	004565*
30+75	82093075*	30	003191 003186	50 + 25	003200 + 003295 (5)	75	004570*
30+80	82093080*	30	003191 003186	55 + 25	003201 + 003295 (5)	80	004575*
35+30	82093035*	35	003192	30	003196	30	004525*
35+35	82093535*	35	003192	35	003197	35	004530*
35+40	82093540*	35	003192	40	003198	40	004535*
35+45	82093545*	35	003192	45	003199	45	004540*
35+50	82093550*	35	003192	50	003200	50	004545*
40+30	82093040*	40	003193	30	003196	30	004525*
40+40	82094040*	40	003193	40	003198	40	004535*
40+45	82094045*	40	003193	45	003199	45	004540*
40+50	82094050*	40	003193	50	003200	50	004545*
40+55	82094055*	40	003193	55	003201	55	004550*
45+30	82093045*	45	003194	30	003196	30	004525*
45+35	82093545*	45	003194	35	003197	35	004530*
45+45	82094545*	45	003194	45	003199	45	004540*
50+40	82094050*	50	003195	40	003198	40	004535*
50+50	82095050*	50	003195	50	003200	50	004545*
50+55	82095055*	50	003195	55	003201	55	004550*
50+60	82095060*	50	003195	60	003202	60	004555*
60+30	82093060*	60	003203	30	003196	30	004525*
60+40	82094060*	60	003203	40	003198	40	004535*
60+45	82094560*	60	003203	45	003199	45	004540*
60+50	82095060*	60	003203	50	003200	50	004545*
65+55	82096555*	65	003204	55	003201	55	004550*
80+30	82093080*	80	003205	30	003196	30	004525*

F5 Specific components

	Code	Single package	Multiple package	Min. ord.
				
250 pieces KIT. Brass circlip for cylinders.				
D=20 H=14 thickness mm 1	**0037001**	250	-	1
				
250 pieces KIT. Steel circlip for European profile cylinders				
For cylinders mm 56 - 61 only.				
D=15,6 H=12,2 thickness mm 1	**0037011**	250	-	1
				
250 pieces KIT. Steel circlip knob side European profile cylinders.				
D=15,5 H=12,2 thickness mm 1	**0037121**	250	-	1
				
1000 pieces KIT. Brass top pin for **F5**				
cylinders and **IUSTUS padloks.**				
mm 2,8x5,0 **Step 0**	**0032050**	1000	-	1
mm 2,8x5,4 **Step 1**	**0032054**	1000	-	1
mm 2,8x5,8 **Step 2**	**0032058**	1000	-	1
mm 2,8x6,2 **Step 3**	**0032062**	1000	-	1
mm 2,8x6,6 **Step 4**	**0032066**	1000	-	1
mm 2,8x7.0 **Step 5**	**0032070**	1000	-	1
mm 2,8x7,4 **Step 6**	**0032074**	1000	-	1
mm 2,8x7,8 **Step 7**	**0032078**	1000	-	1
mm 2,8x8,2 **Step 8**	**0032082**	1000	-	1
				
1000 pieces KIT. Brass top pin for **F5** cylinders.				
mm 2,8x3	**0033030**	1000	-	1
mm 2,8x5	**0033050**	1000	-	1
				
1000 pieces KIT. Anti-picking brass top pin for **F5** cylinders.				
mm 2,8x3	**0034030**	1000	-	1
mm 2,8x5	**0034050**	1000	-	1

F5 Specific components


	Code	Single package	Multiple package	Min. ord.
				
1000 pieces KIT. Brass master wafer for **F5** cylinders and **IUSTUS padloks.**				
mm 2,8x0,8 **Step 2**	**0039008**	1000	-	1
mm 2,8x1,2 **Step 3**	**0039012**	1000	-	1
mm 2,8x1,6 **Step 4**	**0039016**	1000	-	1
mm 2,8x2,0 **Step 5**	**0039020**	1000	-	1
mm 2,8x2,4 **Step 6**	**0039024**	1000	-	1
mm 2,8x2,8 **Step 7**	**0039028**	1000	-	1
mm 2,8x3,2 **Step 8**	**0039032**	1000	-	1
				
1000 pieces KIT. Cone-shaped brass plug for **F5** and **IUSTUS padlocks: mm 45-50 and mm 70 for gates.**				
mm 3,1x3,2	**0035038**	1000	-	1
mm 3,1x4,5	**0035049**	1000	-	1
				
1000 pieces KIT. Spring for **round, oval, detached, fixed F5** cylinders.				
mm Ø 2,8x7,3	**0038073**	1000	-	1
1000 pieces KIT. Spring for **F5 cylinders and IUSTUS padlocks: mm 45 - 50 - 60 - 70, and mm 70 - 90 for gates.**				
mm Ø 2,8x13	**0038130**	1000	-	1
				
Nickel plated brass key set for **F5** cylinder.	**0202599**	1	-	1
				
100 pieces KIT. Nickel plated big key blank, 5 pins, ISEO profile, right hand.	**020259**	100	-	100


Common accessories

		Code	Single package	Multiple package	Min. ord.
	**10 pieces KIT.** 8 position DIN cam for European single profile cyliders. **F5 - F6 - F6 Extra - R6 - R6 New - R7**	**003132**	10	-	1
	**100 pieces KIT.** ISEO cam for European double profile knob cylinders. **F5 - F6 - F6 Extra - R6 - R6 New - R7**	**003150**	100	-	1
	**100 pieces KIT.** ISEO cam for European double profile cylinders. **F5 - F6 - R6 - R6 New - R7**	**003162**	100	-	1
	**100 pieces KIT.** 30° DIN cam for European profile knob cylinders. **F5 - F6 - F6 Extra - R6 - R6 New - R7**	**003184**	100	-	1
	**100 pieces KIT.** ISEO cam for European double profile cylinders. **F5 - F6 - F6 Extra**	**003151**	100	-	1
	**100 pieces KIT.** 30° DIN cam for European double profile cylinders. **F5 - F6 - F6 Extra**	**003153**	100	-	1
	**100 pieces KIT.** 30° DIN cam for European single profile cylinders. **F5 - F6 - F6 Extra**	**003164**	100	-	1
	**100 pieces KIT.** 30° DIN cam for European profile double function cylinders. **F5 - F6 - F6 Extra**	**003189**	100	-	1


Common accessories


	Code	Single package	Multiple package	Min. ord.
 **100 pieces KIT.** 30° DIN cam for European double profile cylinders. **R6 - R6 New - R7**	**003155**	100	-	1
 **100 pieces KIT.** 30° DIN cam for European single profile cylinders. **R6 - R6 New - R7**	**003157**	100	-	1
 **100 pieces KIT.** 30° DIN cam for European profile double function cylinders. **R6 - R6 New - R7**	**003225**	100	-	1
 **10 pieces KIT. ROUND GRIP KNOB 30 mm.** For cylinders prearranged for knob. Fixing screw.				
POLISHED AND PAINTED BRASS FINISH	**044177**	1	10	1
SATIN NICKEL PLATED FINISH	**044179**	1	10	1






	Code	Single package	Multiple package	Min. ord.
 **10 pieces KIT. FLAT KNOB 35 mm.** For cylinders prearranged for knob. Fixing screw.				
POLISHED AND PAINTED BRASS FINISH	**044167**	1	10	1
SATIN NICKEL PLATED FINISH	**044169**	1	10	1





Components

Iustus
Aditus



Padlocks


	Code	Single package	Multiple package	Min. ord.
RECTANGULAR padlock BOXER, **FULLY ARMOURED**, for gates. Body in zamak and 96 mm case in chrome-plated carbonitrited steel. **TO BE USED WITH mm 40 (30+10) EUROPEAN SINGLE PROFILE CYLINDER**, with projecting cam. STAINLESS STEEL shaft Ø 12, opening grip. Shaft ball-locking. **36 x 17,5 mm shaft clearance.** When the padlock is open the case can be removed to place the cylinder. **Cylinder to be ordered separately.** The key can be removed only when the padlock is closed.	**809909I**	1	-	1







	Code	Single package	Multiple package	Min. ord.
UNIVERSAL padlock. PREARRANGED FOR mm 40 (30+10) EUROPEAN PROFILE CYLINDER, with projecting cam. 54 mm body in satin nickel-plated brass. STEEL shaft Ø 8, 30 or 50 mm shaft clearance. **Cylinder to be ordered separately.**				
H= 30 mm carbonitrited steel shaft	**40006000000030**	1	-	1
H= 50 mm **stainless steel shaft**	**40006000000050**	1	-	1
H= 30 mm carbonitrited steel shaft The key can be removed only when the padlock is closed.	**4000600000SZ30**	1	-	1
H= 50 mm **stainless steel shaft** The key can be removed only when the padlock is closed.	**4000600000SZ50**	1	-	1






Solid brass padlocks




	Code	Single package	Multiple package	Min. ord.
IUSTUS shackle padlock. **BODY IN BRASS**. Chrome-plated steel shackle. (key blank 020259). Antipick disk.				
50 mm, 5 pins, **28 mm** shackle	**800507W.SA**	1	10	10
60 mm, 5 pins, **35 mm** shackle	**800607W.SA**	1	10	10
70 mm, 5 pins, **44 mm** shackle	**800707W.SA**	1	10	10



A	H	D
45	25	7
50	28	8
60	35	10
70	44	12




	Code	Single package	Multiple package	Min. ord.
IUSTUS long shackle padlock. **BODY IN BRASS**. Chrome-plated steel shackle. (key blank 020259). Antipick disk.				
50 mm, 5 pins, **50 mm** shackle	**802507W.SA**	1	10	10
50 mm, 5 pins, **90 mm** shackle	**802527W.SA**	1	10	10



A	H	D
50	50	8
50	90	8










	Code	Single package	Multiple package	Min. ord.
IUSTUS RECTANGULAR padlock for gates. **mm 70 BODY IN BRASS**. Shaft in chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking (key blank 020259).				
mm 20 X 15 SHAFT CLEARANCE.	**804707W.SA**	1	6	6



	Code	Single package	Multiple package	Min. ord.
IUSTUS RECTANGULAR padlock for gates. **mm 90 BODY IN BRASS**. Shaft in chrome-plated carbonitrided steel Ø 12, opening grip. Shaft ball-locking (key blank 020259).				
mm 36 X 18 SHAFT CLEARANCE.	**804907W.SA**	1	6	6

A	E	H	D
70	20	15	12
90	36	18	12

Specific components

	Code	Single package	Multiple package	Min. ord.
				
1000 pieces KIT. Brass pin for **F5** cylinders and **IUSTUS padlocls** coding. (for big keys).				
mm 2,8x5,0 **step 0**	**0032050**	1000	-	1
mm 2,8x5,4 **step 1**	**0032054**	1000	-	1
mm 2,8x5,8 **step 2**	**0032058**	1000	-	1
mm 2,8x6,2 **step 3**	**0032062**	1000	-	1
mm 2,8x6,6 **step 4**	**0032066**	1000	-	1
mm 2,8x7,0 **step 5**	**0032070**	1000	-	1
mm 2,8x7,4 **step 6**	**0032074**	1000	-	1
mm 2,8x7,8 **step 7**	**0032078**	1000	-	1
mm 2,8x8,2 **step 8**	**0032082**	1000	-	1
				
1000 pieces KIT. Anti-picking brass top pin for **F5** cylinders. **IUSTUS padlocks: mm 45 - 50 - 60 - 70** and **mm 70 - 90 for gates**.				
mm 2,8x5	**0033050**	1000	-	1
				
1000 pieces KIT. Brass top pin for **F5** cylinders, **IUSTUS padlocks: mm 45 - 50 - 60 - 70** and **mm 70 - 90 for gates**.				
mm 2,8x5	**0034050**	1000	-	1
				
1000 pieces KIT. Brass cone shaped plug for **F5** cylinders, **IUSTUS padlocks: mm 45 - 50** and **mm 70 for gates.**				
mm 3,1x4,5	**0035049**	1000	-	1
				
1000 pieces KIT. Plug.				
For mm 60 shackle padlocks, mm **3,1x9,5**	**0035095**	1000	-	1
For mm 70 shackle padlocks and mm 90 rectangular padlocks, mm **3,1x14,5**	**0035145**	1000	-	1
				
200 pieces KIT. Cylinders retaining pin				
mm 45 - 50 shackle padlocks, mm **3,1x20,5**	**0036205**	200	-	1
mm 60 shackle padlocks, mm **3,1x25,5**	**0036255**	200	-	1
mm 70 shackle padlocks, mm **3,1x30,5**	**0036305**	200	-	1
mm 70 rectangular padlocks, mm **3,1x21,5**	**0036215**	200	-	1
mm 90 rectangular padlocks, mm **3,1x31,5**	**0036315**	200	-	1
				
1000 pieces KIT. Spring for **F5** cylinders, **IUSTUS padlocks mm 45 - 50 - 60 - 7** and **mm 70 - 90 for gates.**				
mm Ø 2,8x13	**0038130**	1000	-	1

ISEO®

www.iseo.com

Iseo Serrature s.p.a. (1)
Via San Girolamo 13
25055 Pisogne (BS)
Italy
☎ +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

Iseo France s.a.s. (2)
Zone Industrielle
1111, rue du Maréchal Juin
CS 90367 Vaux Le Pénil
77006 Melun Cédex
France
☎ +33 1 64835858
Fax +33 1 64879685
city.iseofrance@iseo.com

Iseo Deutschland Gmbh (4)
Wiesestraße 190
07548 Gera
Germany
☎ +49 365 73620
Fax +49 365 7362135
info.iseodeutschland@iseo.com

Cerraduras Iseo Ibérica S.L. (5)
C/ Las Marineras 2
28864 Ajalvir - Madrid
Spain
☎ +34 91 8843200
Fax +34 91 8843003
iseo@iseoiberica.es

Iseo Asia Pacific Sdn Bhd
15-21 Jalan 22
Taman Bukit Kuchai
47190 Puchong, Selangor D.E
Malaysia
☎ +603 8075 3331
Fax +603 8075 9333
info@iseoasia.com

Iseo South Africa (Pty) Ltd
Unit C2, Maitland Industrial Park
733 Voortrekker Road, Maitland
7405 Cape Town
South Africa
☎ +27 21 593 0101
Fax +27 21 593 0110
sales@iseo.co.za

Fiam s.r.l. (3)
Via Don Fasola 4
22069 Rovellasca (CO)
Italy
☎ +39 02 96740420
Fax +39 02 96740309
info.fiam@iseo.com

Microhard s.r.l. (6)
Via Primo Maggio, 36
20028 S. Vittore Olona (MI)
Italy
☎ +39 0331 514420 r.a.
Fax +39 0331 514707
info@microhard.biz

Iseo Middle East F.Z.E.
P.O. Box 61390
Jebel Ali, Dubai
United Arab Emirates
☎ +9 714 2957220
Fax +9 714 2957166
iseome@emirates.net.ae

Olso Meccanica s.r.l.
Via Loda 575 - 41018
San Cesario s.P. (MO)
Italy
☎ +39 059 927948
Fax +39 059 927972
info.olso@iseo.com

Feroneria Prod S.A.
Calea 6 Vânători 51-53
310162 Arad (AR)
România
☎ +40 257 250 225
Fax +40 257 257 127
office@feroneria.ro

Iseo Beijing
Arch. Hardware Co.Ltd.
Room 2904 Bldg 11 Jianwai Soho
39 East 3RD Ring Road
Chaoyang District - Beijing
P.R. China 100021
☎ +86 10 5869 8079
Fax +86 10 5869 4282
admin.cn@iseoasia.com

Cod. 000123.30UK

(1)
(1)
(1)
(2)
(3)
(3)
(4)
(4)
(5)
(6)

Non-contractual document. Subject to change.
Images are for illustrative purposes only.